



# WORK LIGHTS




# WORK LIGHTS



## FLOOD/SPOT WORK LIGHTS

- REF 152TA1657** – 12-48V  
**REF 152TA1658** – 12-80V
- Technology: LED 4 pieces
  - Mounting: pedestal M12
  - Wire length: 300 mm
  - Theoretical output: 850 lumen
  - Operating light output: 450 lumen
  - Nominal power: 8,5W
  - IP66




**Illuminator**<sup>®</sup>

WORK LIGHTS


## SPOT WORK LIGHTS

- REF 152TA1659** – 9-32V
- Technology: LED
  - Mounting: pedestal M8
  - Wire length: 400 mm
  - Theoretical output: 900 lumen
  - Operating light output: 680 lumen
  - Nominal power: 10W
  - IP67



**TOTAL SOURCE**<sup>®</sup>

- REF 152TA1661** – 10-48V
- Technology: LED 4 pieces
  - Mounting: pedestal M10
  - Wire length: 510 mm
  - Theoretical light output: 2100 lumen
  - Operating light output: 1600 lumen
  - Nominal power: 20W
  - IP67



**TOTAL SOURCE**<sup>®</sup>










# WORK LIGHTS



## WORK LIGHTS


### FLOOD/SPOT WORK LIGHTS

- REF 152TA1668** – Flood beam  
**REF 152TA1669** – Spot beam
- Technology: LED 4 pieces
  - Mounting: pedestal M10
  - Wire length: 460 mm
  - 9-40V
  - Theoretical output: 4000 lumen
  - Operating light output: 2800 lumen
  - Nominal power: 40W
  - IP68




**TOTAL SOURCE®**

- REF 152TA1670** – Flood beam  
**REF 152TA1671** – Spot beam
- Technology: LED 16 pieces
  - Mounting: pedestal M10
  - Wire length: 465 mm
  - 12-30V
  - Theoretical output: 4800 lumen
  - Operating light output: 3450 lumen
  - Nominal power: 48W
  - IP68



**TOTAL SOURCE®**


- REF 152TA1690** – Flood beam  
**REF 152TA1691** – Spot beam
- Technology: LED 10 pieces
  - Mounting: pendant
  - 12-24V
  - Theoretical output: 6700 lumen
  - Operating light output: 4200 lumen
  - Nominal power: 50W
  - IP68
  - Connector: E2 built-in
  - Heavy-duty damping



**TOTAL SOURCE®**

BRAND: NORDIC LIGHTS

- REF 143TA7877** – Flood beam  
**REF 143TA7878** – Spot beam
- Technology: LED 8 pieces
  - Mounting: pedestal M10
  - Extra: 4-point bracket included
  - 24V
  - Theoretical output: 9600 lumen
  - Operating light output: 6000 lumen
  - Nominal power: 85W
  - IP68
  - Connector: E2 built-in



**TOTAL SOURCE®**

BRAND: NORDIC LIGHTS

# WORK LIGHTS




## FLOOD/SPOT WORK LIGHTS

WORK LIGHTS

**REF 152TA1704** – Vertical oval

**REF 152TA1705** – Horizontal oval

- Technology: LED 6 pieces
- Mounting: pedestal M8
- Wire length: 320 mm
- 12-48V
- Theoretical output: 900 lumen
- Operating light output: 700 lumen
- Nominal power: 12W
- IP67




**TOTAL SOURCE®**

BRAND: SPEAKER

**REF 152TA1706** – 12-48V round

**REF 152TA1707** – 12-80V round


- Technology: LED 4 pieces
- Mounting: pedestal M12
- Wire length: 290 mm
- Theoretical output: 800 lumen
- Operating light output: 450 lumen
- Nominal power: 12W
- IP66



**Illuminator®**

**REF 152TA1708** – 9-60V


- Technology: LED
- Mounting: pedestal M10
- Extra: handlebar mount included
- Wire length: 450 mm
- Theoretical output: 1000 lumen
- Operating light output: 750 lumen
- Nominal power: 10W
- IP68



**TOTAL SOURCE®**

**REF 152TA1709** – 12-100V

- Technology: LED 4 pieces
- Mounting: pedestal M8
- Theoretical output: 1000 lumen
- Operating light output: 850 lumen
- Nominal power: 12W
- IP68
- Connector: E2 built-in



**ABL**



# WORK LIGHTS



## WORK LIGHTS


### FLOOD/SPOT WORK LIGHTS

**REF 152TA1712** – Flood beam 10–30V

**REF 152TA1713** – Spot beam 10–30V

**REF 152TA1715** – 12–48V

- Technology: LED 6 pieces
- Mounting: pedestal M10
- Extra: 4-point bracket included
- Wire length: 500 mm
- Theoretical output: 1080 lumen
- Operating light output: 810 lumen
- Nominal power: 18W
- IP68




**TOTAL SOURCE®**

**REF 152TA1716** – Flood beam

**REF 152TA1717** – Spot beam

- Technology: LED 9 pieces
- Mounting: pedestal M10
- Extra: 4-point bracket included
- Wire length: 490 mm
- 9–32V
- Theoretical output: 1650 lumen
- Operating light output: 1226 lumen
- Nominal power: 27W
- IP68




**TOTAL SOURCE®**

**REF 152TA1710** – Flood beam

**REF 152TA1711** – Spot beam

- Technology: LED 4 pieces
- Mounting: pedestal M8
- Wire length: 460 mm
- 9–40V
- Theoretical output: 4000 lumen
- Operating light output: 2800 lumen
- Nominal power: 40W
- IP68




**TOTAL SOURCE®**

### XENON HID WORK LIGHT

**REF 152TA1720** – 12–24V

- Technology: xenon
- Mounting: pedestal M8
- Wire length: 1075 mm
- Nominal power: 35W
- Tube included (REF 164TA9408)



**TOTAL SOURCE®**

# WORK LIGHTS




WORK LIGHTS

## WORK LIGHTS

### REF 147TA3112

- Technology: halogen
- Mounting: pedestal M10
- 12-24-36-48V
- IP67
- Bulb not included
- Connector: J2 built-in



REF 161TA6105 – Bulb: H3 12V 55W

REF 161TA6106 – Bulb: H3 24V 70W

REF 142TA1218 – Bulb: H3 36V 45W

REF 144TA5499 – Bulb: H3 48V 45W

**TOTAL SOURCE®**


BRAND: NORDIC LIGHTS

REF 152TA1895 – Without bulb

REF 152TA1896 – 12V

REF 152TA1897 – 24V

- Technology: halogen
- Mounting: pedestal M10
- IP66
- Bulb included




**COBOO**  
group

REF 123TA8007 – Bulb: H3 12V 55W

REF 123TA8008 – Bulb: H3 24V 70W

### REF 152TA1726

- Technology: halogen
- Mounting: pedestal M10
- 12-24-36V
- IP54
- Bulb not included



REF 161TA6105 – Bulb: H3 12V 55W

REF 161TA6106 – Bulb: H3 24V 70W


REF 142TA1218 – Bulb: H3 36V 45W

REF 152TA1727 – Small bracket

**ABL**

REF 152TA1876 – 24V

- Technology: halogen
- Mounting: pedestal M10
- Nominal power: 70W
- IP66-69K
- Bulb included
- Connector: E2 built-in



**ABL**

REF 161TA6106 – Bulb: H3 24V 70W

# WORK LIGHTS




WORK LIGHTS

## WORK LIGHTS

### REF 152TA1672 – 12V


- Technology: halogen
- Mounting: side M8
- Nominal power: 55W
- IP69K
- Bulb included
- Connector: E2 built-in



REF 161TA6105 – Bulb: H3 12V 55W

### REF 152TA1877 – 12V

- Technology: halogen
- Mounting: side M8
- Nominal power: 55W
- IP69
- Bulb included
- Connector: E2 built-in




**TOTAL SOURCE®**

REF 161TA6105 – Bulb: H3 12V 55W

### REF 152TA1879

- Technology: halogen
- Mounting: 4 point bracket
- 12–24V
- IP66
- Bulb not included
- Connector: J2 built-in




REF 161TA6004 – Bulb: H3 12V 55W

REF 123TA8008 – Bulb: H3 24V 70W

### REF 152TA2449 – 12V

- Technology: halogen (spot)
- Mounting: pedestal M10
- Wire length: 350 mm
- Nominal power: 55W
- Bulb included



**TOTAL SOURCE®**

REF 161TA6105 – Bulb: H3 12V 55W



# WORK LIGHTS




## WORK LIGHTS

**REF 152TA1880** – 12V without bulb

**REF 152TA1884** – 24V

- Technology: halogen
- Mounting: pedestal M10
- IP5K9K
- Bulb not included
- Connector: E2 built-in



**REF 123TA8007** – Bulb: H3 12V 55W


**REF 123TA8008** – Bulb: H3 24V 70W

**REF 152TA1882** – Without bulb

**REF 152TA1883** – 12V

**REF 152TA1881** – 24V

- Technology: halogen
- Mounting: pedestal M10
- IP6K9K
- Bulb included
- Connector: J2




**TOTAL SOURCE®**

**REF 123TA8007** – Bulb: H3 12V 55W

**REF 123TA8008** – Bulb: H3 24V 70W

**REF 152TA1885** – 12V

- Technology: halogen
- Mounting: pedestal M10
- Wire length: 250 mm
- Nominal power: 55W
- Bulb included



**TOTAL SOURCE®**

**REF 123TA8007** – Bulb: H3 12V 55W

**REF 152TA1886** – Without bulb


**REF 152TA1887** – 12V

**REF 148TA9047** – 24V

**REF 148TA9048** – 36V

**REF 148TA9049** – 48V

- Technology: halogen
- Mounting: pedestal M10
- Extra: 4 point bracket
- Wire length: 200 mm
- Bulb included



**TOTAL SOURCE®**

**REF 161TA6105** – Bulb: H3 12V 55W

**REF 161TA6106** – Bulb: H3 24V 70W

**REF 144TA5547** – Bulb: H3 36V 45W

**REF 144TA5499** – Bulb: H3 48V 45W


WORK LIGHTS

# WORK LIGHTS



WORK LIGHTS


## WORK LIGHTS



- REF 152TA1888** – 12V
- Technology: halogen
  - Mounting: pedestal M10
  - Wire length: 150 mm
  - Bulb included

**REF 161TA6105** – Bulb: H3 12V 55W


**TOTAL SOURCE®**



- REF 152TA1894** – 12V
- Technology: halogen
  - Mounting: pedestal M8
  - Wire length: 300 mm
  - Nominal power: 55W
  - Bulb included

**REF 123TA8007** – Bulb: H3 12V 55W

**TOTAL SOURCE®**




- REF 152TA1889** – 12V
- Technology: halogen
  - Mounting: pedestal M8
  - Wire length: 300 mm
  - Nominal power: 55W
  - Bulb included

**REF 161TA6105** – Bulb: H3 12V 55W

**REF 150TA1246** – Replacement lens

**TOTAL SOURCE®**



- REF 152TA1892** – 12V
- Technology: halogen
  - Mounting: pedestal M8
  - Wire length: 300 mm
  - Nominal power: 55W
  - IP64
  - Bulb included


**REF 161TA6105** – Bulb: H3 12V 55W

**TOTAL SOURCE®**

# WORK LIGHTS



## WORK LIGHTS




**REF 152TA1898** – 12V

- Technology: halogen
- Mounting: pedestal M12
- Wire length: 450 mm
- Nominal power: 55W
- Bulb included

**REF 123TA8007** – Bulb: H3 12V 55W

**TOTAL SOURCE®**




**REF 152TA1900** – 12V

- Technology: incandescent
- Mounting: pedestal M8
- Wire length: 200 mm
- Nominal power: 35W
- Bulb included

**REF 144TA5443** – Bulb: BA15S 12V 35W

**REF 151TA3214** – Replacement lens

**TOTAL SOURCE®**




**REF 152TA1901** – 24V

- Technology: incandescent
- Mounting: pedestal M8
- Wire length: 200 mm
- Nominal power: 36W
- IP65
- Bulb included

**REF 141TA9856** – Bulb: BA15S 24V 36W

**REF 151TA3214** – Replacement lens

**TOTAL SOURCE®**



**REF 152TA2398** – 24V

- Technology: incandescent
- Mounting: pedestal M8
- Wire length: 250 mm
- Nominal power: 36W
- Bulb included

**REF 141TA9856** – Bulb: BA15S 24V 36W

**REF 151TA3214** – Replacement lens

**TOTAL SOURCE®**

WORK LIGHTS



# WORK LIGHTS




WORK LIGHTS

## WORK LIGHTS

- REF [152TA2399](#) – Without bulb
- REF [147TA6951](#) – 12V
- REF [148TA9280](#) – 24V
- REF [148TA9153](#) – 48V
- REF [148TA9154](#) – 80V

- Technology: halogen
- Mounting: pedestal M8
- IP67
- Bulb included

- REF [123TA8007](#) – Bulb: H3 12V 55W
- REF [123TA8008](#) – Bulb: H3 24V 70W
- REF [123TA8011](#) – Bulb: H3 48V 60W
- REF [103TA4675](#) – Bulb: H3 80V 55W




**TOTAL SOURCE®**

BRAND: NORDIC LIGHTS

- REF [152TA1899](#) – 12V
- REF [149TA2096](#) – 24V
- Technology: halogen
- Mounting: pedestal M8
- Wire length: 240 mm
- IP54
- Bulb not included


- REF [123TA8007](#) – Bulb: H3 12V 55W
- REF [123TA8008](#) – Bulb: H3 24V 70W



**ABL**

- REF [152TA2422](#) – 12V
- REF [152TA2423](#) – 24V
- REF [152TA2424](#) – 48V
- REF [152TA2425](#) – 80V
- Technology: halogen
- Mounting: pedestal M8
- Wire length: 300 mm
- Bulb included


- REF [161TA6105](#) – Bulb: H3 12V 55W
- REF [161TA6106](#) – Bulb: H3 24V 70W
- REF [144TA5499](#) – Bulb: H3 48V 45W
- REF [103TA4675](#) – Bulb: H3 80V 55W



**TOTAL SOURCE®**

- REF [152TA2426](#) – 12V
- REF [152TA2427](#) – 24V
- REF [152TA2428](#) – 48V
- REF [152TA2429](#) – 80V
- Technology: halogen
- Mounting: pedestal M8
- Wire length: 300 mm
- Bulb included

- REF [161TA6105](#) – Bulb: H3 12V 55W
- REF [161TA6106](#) – Bulb: H3 24V 70W
- REF [144TA5499](#) – Bulb: H3 48V 45W
- REF [103TA4675](#) – Bulb: H3 80V 55W



**TOTAL SOURCE®**

# WORK LIGHTS




WORK LIGHTS

## WORK LIGHTS

### REF 152TA2434

- Technology: halogen
- Mounting: pedestal M8
- 12-24V
- IP65
- Bulb not included




REF 123TA8007 – Bulb: H3 12V 55W

REF 123TA8008 – Bulb: H3 24V 70W

**TOTAL SOURCE®**

### REF 152TA2443 – 48V

- Technology: incandescent
- Mounting: pedestal M8
- Wire length: 250 mm
- Nominal power: 25W
- IP65
- Bulb included



REF 144TA5559 – Bulb: BAY15D 48V 25W


REF 152TA2444 – Replacement lens

**TOTAL SOURCE®**

REF 152TA2439 – 48V without connector

REF 152TA2440 – 48V

- Technology: incandescent
- Mounting: pedestal M10
- Wire length: 250 mm
- Nominal power: 40W
- IP65
- Bulb included




REF 100TA2273 – Bulb: BAY15D 48V 40W

REF 152TA2442 – Replacement lens

**TOTAL SOURCE®**

### REF 152TA1893 – 12V

- Technology: halogen
- Mounting: pedestal M10
- Wire length: 225 mm
- Nominal power: 55W
- Bulb included



REF 161TA6105 – Bulb: H3 12V 55W

REF 150TA1246 – Replacement lens

**TOTAL SOURCE®**

# WORK LIGHTS




WORK LIGHTS

## WORK LIGHTS

### REF [152TA2405](#)

- Technology: incandescent
- Mounting: pendant
- Nominal power: 21W
- 12V
- IP55
- Bulb not included



REF [100TA2215](#) – Bulb: BA15S 12V 21W


REF [149TA8594](#) – Replacement lens

**COBOO**  
*group*

REF [152TA1721](#) – 36V

REF [152TA2407](#) – 48V

- Technology: incandescent
- Mounting: pedestal M10
- Wire length: 200 mm
- Nominal power: 25W
- 36-48V
- Bulb included



REF [122TA9125](#) – Bulb: BA15S 36V 25W


REF [144TA5468](#) – Bulb: BA15S 48V 25W

REF [152TA2408](#) – Replacement guard

**TOTAL SOURCE**<sup>®</sup>

REF [152TA2410](#) – 12V

- Technology: halogen
- Mounting: built-in
- Nominal power: 35W
- Bulb included




REF [142TA1228](#) – Bulb: PGJ13 12V 35W

**TOTAL SOURCE**<sup>®</sup>

REF [152TA2411](#) – 12V

- Technology: halogen
- Mounting: pedestal M10
- Wire length: 200 mm
- Nominal power: 37,5W
- Bulb included



REF [144TA5518](#) – Bulb: PGJ13 12V 37,5W

**TOTAL SOURCE**<sup>®</sup>





# WORK LIGHTS




WORK LIGHTS

## WORK LIGHTS

### REF [152TA2419](#) – 56V

- Technology: incandescent
- Mounting: pedestal M8
- Wire length: 200 mm
- Nominal power: 40W
- Bulb included



### REF [103TA4637](#) – Bulb: BAY15D 56V 40W


**TOTAL SOURCE®**

### REF [152TA2406](#) – 12V

### REF [148TA7665](#) – 24V

### REF [147TA3097](#) – 48V

- Technology: incandescent
- Mounting: pedestal M10
- Wire length: 300 mm
- Bulb included



### REF [100TA2215](#) – Bulb: BA15S 12V 21W

### REF [103TA4630](#) – Bulb: BA15S 24V 36W


### REF [103TA4634](#) – Bulb: BA15D 48V 35W

### REF [152TA2415](#) – Replacement lens

**TOTAL SOURCE®**

### REF [152TA2418](#) – 48V

- Technology: incandescent
- Mounting: pedestal M8
- Wire length: 200 mm
- Nominal power: 40W
- IP64
- Bulb included




### REF [103TA4636](#) – Bulb: BAY15D 48V 40W

**TOTAL SOURCE®**

### REF [152TA2413](#) – 12V

- Technology: halogen
- Mounting: pedestal M8
- Wire length: 240 mm
- Nominal power: 37,5W
- Bulb included



### REF [122TA9145](#) – Bulb: PGJ 12V 37,5W

**TOTAL SOURCE®**

# WORK LIGHTS




WORK LIGHTS

## WORK LIGHTS

### REF 152TA2430 – 12V

- Technology: halogen
- Mounting: pedestal M10
- Wire length: 260 mm
- Nominal power: 35W
- Bulb included
- Bracket not included




### REF 161TA6105 – Bulb: H3 12V 35W

**TOTAL SOURCE®**

### REF 152TA2431

- Technology: halogen
- Mounting: pedestal M8
- 12–24–36–48V
- IP67
- Bulb not included
- Extra: vibration damper



### REF 161TA6105 – Bulb: H3 12V 55W

### REF 161TA6106 – Bulb: H3 24V 70W

### REF 142TA1218 – Bulb: H3 36V 45W


### REF 144TA5499 – Bulb: H3 48V 45W

**TOTAL SOURCE®**

BRAND: NORDIC LIGHTS

### REF 152TA2402 – 12V

- Technology: halogen
- Mounting: pedestal M8
- Wire length: 300 mm
- Nominal power: 55W
- IP67
- Bulb included



### REF 123TA8007 – Bulb: H3 12V 55W

**TOTAL SOURCE®**


### REF 152TA2432 – Without bulb

### REF 152TA2401 – 12V

### REF 126TA6016 – 24V

### REF 164TA7821 – 36V

- Technology: halogen
- Mounting: pedestal M10
- Wire length: 200 mm
- Bulb not included



### REF 161TA6105 – Bulb: H3 12V 55W

### REF 161TA6106 – Bulb: H3 24V 70W

### REF 142TA1218 – Bulb: H3 36V 45W


**TOTAL SOURCE®**

# WORK LIGHTS



WORK LIGHTS

## WORK LIGHTS




### REF 152TA2433

- Technology: halogen
- Mounting: pedestal M10
- 12-24V
- IP5K4K
- Bulb not included

REF [123TA8007](#) – Bulb: H3 12V 55W

REF [161TA6106](#) – Bulb: H3 24V 70W




### REF 152TA2435

- Technology: halogen
- Mounting: pedestal M8
- 12-24V
- IP54
- Bulb not included

REF [123TA8007](#) – Bulb: H3 12V 55W


REF [161TA6106](#) – Bulb: H3 24V 70W



### REF 152TA2403 – 12V

- Technology: halogen
- Mounting: pedestal M10
- Wire length: 150 mm
- Nominal power: 55W
- IP65
- Bulb included

REF [123TA8007](#) – Bulb: H3 12V 55W



### REF 152TA2436

- Technology: halogen
- Mounting: pedestal M8
- Extra: vibration damping
- 12-24V
- IP54
- Bulb not included

REF [123TA8007](#) – Bulb: H3 12V 55W

REF [161TA6106](#) – Bulb: H3 24V 70W



# WORK LIGHTS



## WORK LIGHTS


**REF 152TA2437** - 12V

**REF 152TA2438** - 24V

- Technology: halogen
- Mounting: pedestal M8
- Wire length: 80 mm
- Extra: iron handle
- Bulb included

**REF 123TA8007** - Bulb: H3 12V 55W


**REF 161TA6106** - Bulb: H3 24V 70W



**TOTAL SOURCE®**

**REF 152TA2404** - 24V

- Technology: sealed beam
- Mounting: pedestal M10
- Wire length: 150 mm
- Nominal power: 60W
- Sealed beam included
- Not replaceable



**TOTAL SOURCE®**

WORK LIGHTS



# WORK LIGHTS



WORK LIGHTS


## WORK LIGHTS

**REF 152TA2448** – Without bulb

**REF 164TA7941** – 12V

**REF 148TA8199** – 24V

- Technology: halogen
- Mounting: bracket
- IP65
- Bulb not included
- Extra: 4-point bracket included




**REF 161TA6105** – Bulb: H3 12V 55W

**REF 161TA6106** – Bulb: H3 24V 70W

**TOTAL SOURCE®**

**REF 152TA2446**

- Technology: halogen
- Mounting: pedestal M8
- Wire length: 140 mm
- 12-24V
- Bulb not included




**REF 123TA8007** – Bulb: H3 12V 55W

**REF 123TA8008** – Bulb: H3 24V 70W

**TOTAL SOURCE®**

**REF 152TA2447** – 12V

- Technology: halogen
- Mounting: pedestal M8
- Wire length: 240 mm
- Nominal power: 55W
- Bulb included




**REF 161TA6105** – Bulb: H3 12V 55W

**TOTAL SOURCE®**

**REF 152TA2450** – 12V

**REF 152TA2451** – 24V

- Technology: sealed beam
- Mounting: pedestal M8
- Wire length: 230 mm
- Sealed beam included



**REF 150TA2410** – Sealed beam: 12V 35W

**REF 122TA7693** – Sealed beam: 24V 50W

**REF 150TA6376** – Sealed beam: 24V 80W

**TOTAL SOURCE®**

# WORK LIGHTS



WORK LIGHTS


## WORK LIGHTS

**REF 152TA2456** – 12V

**REF 152TA2457** – 24V

**REF 152TA2458** – 36V

- Technology: sealed beam
- Mounting: pedestal M10
- Wire length: 360 mm
- Sealed beam included



**REF 106TA1269** – Sealed beam: 12V 35 W


**REF 122TA7693** – Sealed beam: 24V 50W

**REF 131TA8892** – Sealed beam: 36V 60W

**TOTAL SOURCE®**

**REF 152TA2460** – 12V

- Technology: incandescent
- Mounting: pedestal M10
- Wire length: 160 mm
- Nominal power: 35W
- Bulb included



**REF 142TA1295** – Bulb: P15D 12V 35/35W

**REF 152TA2461** – Replacement lens

**TOTAL SOURCE®**


**REF 152TA2452** – 12V

**REF 152TA2453** – 24V

**REF 152TA2454** – 36V

**REF 152TA2455** – 48V

- Technology: halogen
- Mounting: pedestal M8
- Wire length: 150 mm
- Bulb included



**REF 123TA8007** – Bulb: H3 12V 55W

**REF 123TA8008** – Bulb: H3 24V 70W


**REF 123TA8009** – Bulb: H3 36V 45W

**REF 123TA8010** – Bulb: H3 48V 45W

**TOTAL SOURCE®**

**REF 152TA2465** – 12V

- Technology: sealed beam
- Mounting: pedestal M10
- Wire length: 250 mm
- Nominal power: 35W
- Sealed beam not replaceable



**REF 150TA2410** – Sealed beam: 12V 35 W

**REF 152TA2493** – Protection support


**TOTAL SOURCE®**

# WORK LIGHTS



WORK LIGHTS

## WORK LIGHTS



**REF 152TA2462** – 12V


**REF 152TA2463** – 24V

- Technology: incandescent
- Mounting: pedestal M10
- Wire length: 200 mm
- Nominal power: 48W

**REF 131TA4781** – Bulb: BA15D 12V 36W

**REF 131TA4783** – Bulb: BA15D 24V 36W

**TOTAL SOURCE®**




**REF 152TA2464** – 12V

- Technology: incandescent
- Mounting: pedestal M12
- Wire length: 1400 mm
- Nominal power: 35W
- Bulb included

**REF 106TA1267** – Bulb: BA20D 12V 35W

**REF 149TA7846** – Replacement lens and mirror

**TOTAL SOURCE®**




**REF 152TA2466**

- Technology: incandescent
- Mounting: central bolt
- 12-24V
- Bulb not included

**REF 123TA7997** – Bulb: BA20D 12V 35W

**REF 122TA9135** – Bulb: BA20D 24V 25W



**REF 152TA2468** – 12V

- Technology: halogen
- Mounting: pedestal M12
- Wire length: 300 mm
- Nominal power: 55W
- Bulb included

**REF 123TA8007** – Bulb: H3 12V 55W

**REF 152TA2469** – Optical unit

**REF 152TA2470** – Protection guard


**REF 152TA2492** – Protection support

**TOTAL SOURCE®**

# WORK LIGHTS



## WORK LIGHTS



### REF [152TA2472](#)

- Technology: halogen
- Mounting: pedestal M12
- Nominal power: 45W
- 12-24V
- Bulb not included


REF [106TA4826](#) – Bulb: R2 12V 40/45W

REF [106TA4827](#) – Bulb: R2 24V 50/50W

REF [152TA2473](#) – Optical unit



WORK LIGHTS




### REF [152TA2474](#)

- Technology: halogen
- Mounting: 2-point bracket
- 12-24V
- Bulb not included
- Extra: handle and on/off switch

REF [123TA8007](#) – Bulb: H3 12V 55W

REF [123TA8008](#) – Bulb: H3 24V 70W

**TOTAL SOURCE®**



REF [152TA2485](#) – 12V

REF [152TA2486](#) – 24V


- Technology: incandescent
- Mounting: 4-point bracket
- Wire length: 100 mm
- Bulb included
- Extra: on/off switch

REF [161TA6096](#) – Bulb: BA20S 12V 35W

REF [141TA9895](#) – Bulb: BA20S 24V 35W

REF [152TA2494](#) – Optical unit

**TOTAL SOURCE®**



REF [152TA2476](#) – Without hand grip

REF [152TA2477](#) – With hand grip

- Technology: halogen
- Mounting: pedestal M10
- 12-24V
- IP5K4K
- Bulb not included

REF [123TA8007](#) – Bulb: H3 12V 55W

REF [123TA8008](#) – Bulb: H3 24V 70W






# WORK LIGHTS



WORK LIGHTS

## WORK LIGHTS



**REF 152TA2480**


- Technology: halogen
- Mounting: pedestal M12
- 12-24V
- IP54
- Bulb not included

**REF 123TA8007** – Bulb: H3 12V 55W

**REF 123TA8008** – Bulb: H3 24V 70W

**REF 152TA2481** – Optical unit

**TOTAL SOURCE®**



**REF 152TA2483** – 12V


**REF 152TA2484** – 24V

- Technology: halogen
- Mounting: 2 point bracket
- Extra: protection guard and on/off switch
- Bulb included

**REF 123TA8007** – Bulb: H3 12V 55W

**REF 123TA8008** – Bulb: H3 24V 70W

**TOTAL SOURCE®**



**REF 152TA1719** – 12V LH

**REF 152TA1718** – 12V RH

- Technology: halogen
- Mounting: built-in
- Used on Bobcat
- Bulb included

**REF 122TA9146** – Bulb: PGJ13 12V 50W

**TOTAL SOURCE®**