

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	13	125	92 / 95	256 x 100		18			CRW	<a href="#">108TA3976</a>
	VU	4	10,5	52	M10	200 x 75	77				CYL	<a href="#">107TA3268</a>
	RB	4	10,5	52	M10	200 x 75	77				CYL	<a href="#">107TA3269</a>
<b>Standard traction wheels with 5 bolt holes</b>												
	RB	5	13,5	50	0	230 x 102	114				CRW	<a href="#">129TA8943</a>
	PU	5	13		0	230 x 127				R&T	CYL	<a href="#">147TA2788</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	25	112	0	305 x 127					CYL	<a href="#">108TA8580</a>
	TT	5	18	145	0	380 x 170					CYL	<a href="#">129TA8944</a>
	VU	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2791</a>
	VU-QZ	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2793</a>
	VU-AS	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2792</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2790</a>
	PU	5	13	70	30	230 x 75	85				CYL	<a href="#">108TA8628</a>
	PU	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2789</a>
	PU-Soft	5	12	70	30	230 x 82					CRW	<a href="#">129TA8948</a>
	PU-Soft	5	12	70	30	230 x 82					CRW	<a href="#">129TA8947</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	12	70	30	230 x 82					CYL	<a href="#">115TA5828</a>
	RB	5	13	70	30	230 x 82					CYL	<a href="#">129TA8949</a>
	PU	5	16	80	35	254 x 127		9			CYL	<a href="#">108TA8318</a>
	RB	5	16	80	35	254 x 127		9			CYL	<a href="#">111TA1219</a>
	PU	5	16,5	70	35	255 x 127		9			CYL	<a href="#">129TA8950</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14,5	90	40	254 x 90		14,5			CYL	<a href="#">147TA2794</a>
	VU	5	14,5	90	40	254 x 90		14,5			CRW	<a href="#">129TA8952</a>
	VU-AS	5	14,5	90	40	254 x 90		14,5			CYL	<a href="#">147TA2796</a>
	PU-Soft	5	14,5	90	40	254 x 90		14,5			CYL	<a href="#">147TA2795</a>
	PU-Soft	5	14,5	90	40	254 x 90		14,5			CRW	<a href="#">129TA8951</a>






Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14,5	90	40	254 x 125		41,5	5 + 5		CYL	<a href="#">129TA9125</a>
	VU-AS	5	15	72	40	254 x 125		41,5			CYL	<a href="#">147TA2798</a>
	TT	5	14,5	90	40	254 x 125		41,5			CYL	<a href="#">147TA2797</a>
	PU	5	13	70	45	220 x 70	82				CYL	<a href="#">129TA8953</a>
	RB	5	13	70	45	230 x 60	82				CYL	<a href="#">129TA8954</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TP	5	13	70	45	230 x 64	82				CYL	<a href="#">129TA8955</a>
	RB	5	13	70	45	230 x 70	73				CRW	<a href="#">147TA2810</a>
	VU	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2816</a>
	VU-QZ	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2818</a>
	PU	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2814</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2815</a>
	PF	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2812</a>
	PF	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2813</a>
	VU	5	13	70	45	230 x 70	79				CYL	<a href="#">147TA2819</a>
	VU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">108TA8355</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8962</a>
	VU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2807</a>
	VU	5	13	70	45	230 x 70	82				CYL	<a href="#">147TA2820</a>
	VU-QZ	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8961</a>
	VU-AS	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2809</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU-HD	5	13	70	45	230 x 70	82				CRW	<a href="#">147TA2821</a>
	PU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2803</a>
	PU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">107TA3245</a>
	PU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8965</a>
	PU	5	13	70	45	230 x 70	82				CYL	<a href="#">108TA8608</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	13	70	45	230 x 70	82				CYL	<a href="#">108TA3943</a>
	PU-Soft	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8957</a>
	PF	5	14	70	45	230 x 70	82				CYL	<a href="#">129TA8958</a>
	TP	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2805</a>
	RB	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">107TA3246</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8960</a>
	RB-NM	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2806</a>
	RB-AS	5	13	70	45	230 x 70	82				CYL	<a href="#">129TA8959</a>
	TT-Soft	5	14	70	45	230 x 70	82		3M10		CRW	<a href="#">129TA8964</a>
	TT	5	14	70	45	230 x 70		8	3M8		CRW	<a href="#">129TA8966</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	14	70	45	230 x 70		8	3M8		CYL	<a href="#">129TA8967</a>
	VU	5	14	70	45	230 x 70		9	3M8		CRW	<a href="#">111TA1324</a>
	TT	5	13	70	45	230 x 75	82	72			CYL	<a href="#">129TA8970</a>
	PU-Soft	5	13	70	45	230 x 75	82	72			CYL	<a href="#">108TA8611</a>
	TP-SFT	5	13	70	45	230 x 75	82	72			CYL	<a href="#">147TA2822</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU-QZ	5	13	70	45	230 x 75	82				CYL	<a href="#">147TA2823</a>
	VU-AS	5	13	70	45	230 x 75	82				CYL	<a href="#">129TA8969</a>
	PU	5	13	70	45	230 x 75	82				CYL	<a href="#">129TA8971</a>
	PU	5	12,5	70	45	230 x 75	82			R&T	CYL	<a href="#">147TA2825</a>
	PU-Soft	5	13	70	45	230 x 75	82				CYL	<a href="#">108TA8612</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	13	70	45	230 x 75	82				CYL	<a href="#">108TA8610</a>
	RB	5	13	70	45	230 x 75	82				CYL	<a href="#">108TA8609</a>
	PU-Soft	5	14	70	45	230 x 75	84				CYL	<a href="#">147TA2824</a>
	RB-NM	5	13	70	45	230 x 75	84				CYL	<a href="#">129TA8956</a>
	RB-NM	5	13	70	45	230 x 75	84				CYL	<a href="#">129TA8972</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14	70	45	230 x 82				3M10	CYL	<a href="#">147TA2829</a>
	VU-QZ	5	14	70	45	230 x 82				3M10	CYL	<a href="#">147TA2831</a>
	VU-AS	5	14	70	45	230 x 82				3M10	CYL	<a href="#">147TA2826</a>
	TT	5	14	70	45	230 x 82				3M10	CYL	<a href="#">129TA8974</a>
	PU	5	14	70	45	230 x 82				3M10	CYL	<a href="#">108TA3990</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	5	14	70	45	230 x 82				3M10	CYL	<a href="#">129TA8976</a>
	TP-SFT	5	14	70	45	230 x 82				3M10	CYL	<a href="#">129TA8975</a>
	RB	5	14	70	45	230 x 82				3M10	CYL	<a href="#">108TA3991</a>
	RB	5	14	70	45	230 x 82				3M10	CYL	<a href="#">129TA8977</a>
	VU-HD	5	13	70	45	230 x 90		6			CRW	<a href="#">147TA2836</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	5	13	70	45	230 x 90		6			CYL	<a href="#">116TA5254</a>
	PU-Soft	5	13	70	45	230 x 90		6			CRW	<a href="#">147TA2832</a>
	TP	5	13	70	45	230 x 90		6			CYL	<a href="#">147TA2833</a>
	RB-NM	5	13	70	45	230 x 90		6			CYL	<a href="#">147TA2834</a>
	RB-NM	5	13	70	45	230 x 90		6			CRW	<a href="#">147TA2835</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	13	70	45	230 x 90		8			CYL	<a href="#">108TA8347</a>
	VU-QZ	5	13	70	45	230 x 90		8			CYL	<a href="#">147TA2838</a>
	RB	5	13	70	45	230 x 90		8			CYL	<a href="#">108TA8592</a>
	RB	5	13	70	45	230 x 90		8			CYL	<a href="#">116TA5253</a>
	VU-HD	5	13	70	45	230 x 90					CRW	<a href="#">147TA2839</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14	70	45	230 x 105		14	3M8		CRW	<a href="#">147TA2840</a>
	VU-AS	5	12	70	45	233 x 85	90				CYL	<a href="#">129TA8978</a>
	PU	5	12,5	70	45	233 x 85	90				CYL	<a href="#">108TA4073</a>
	PU	5	12,5	70	45	233 x 85	90				CYL	<a href="#">111TA1265</a>
	TP	5	12,5	70	45	233 x 85	90				CYL	<a href="#">147TA2841</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	12,5	70	45	233 x 85					CYL	<a href="#">108TA4075</a>
	PU-Soft	5	12,5	70	45	233 x 85					CYL	<a href="#">111TA1266</a>
	RB	5	12,5	70	45	233 x 85					CYL	<a href="#">108TA4074</a>
	RB	5	17	70	45	254 x 127		15			CYL	<a href="#">129TA8980</a>
	VU	5	10	85	50	250 x 130					CYL	<a href="#">147TA2844</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	11	85	50	250 x 130					CYL	<a href="#">129TA8983</a>
	VU	5	13	75	50	264 x 88				R&T	CYL	<a href="#">147TA2845</a>
	VU	5	11	92	60	215 x 70	89				CYL	<a href="#">147TA2847</a>
	VU	5	11	92	60	215 x 70	89				CYL	<a href="#">129TA8987</a>
	VU-QZ	5	11	92	60	215 x 70	89				CYL	<a href="#">129TA8985</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	11	92	60	215 x 70	89				CYL	<a href="#">147TA2846</a>
	PU	5	11	92	60	215 x 70	89				CYL	<a href="#">111TA1213</a>
	PU-Soft	5	11	92	60	215 x 70	89				CYL	<a href="#">129TA8984</a>
	PU-Soft	5	11	92	60	215 x 70	89				CYL	<a href="#">129TA8986</a>
	PU	5	11	92	60	215 x 78	89				CYL	<a href="#">128TA4340</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	5	11	92	60	215 x 78	89				CYL	<a href="#">129TA8988</a>
	RB	5	11	92	60	215 x 78	89				CRW	<a href="#">107TA3244</a>
	RB-NM	5	11	92	60	215 x 78	89				CYL	<a href="#">129TA8990</a>
	VU	5	11	92	60	215 x 80	89				CYL	<a href="#">147TA2850</a>
	TT	5	11	92	60	215 x 80	89				CYL	<a href="#">147TA2849</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	11	92	60	215 x 80	89				CYL	<a href="#">129TA8989</a>
	PU-Soft	5	11	92	60	215 x 80	89				CYL	<a href="#">147TA2848</a>
	RB	5	11	92	60	215 x 80	89				CYL	<a href="#">129TA8991</a>
	RB-AS	5	11	92	60	215 x 80	89				CYL	<a href="#">116TA5068</a>
	VU	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8993</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8995</a>
	PU	5	13	90	65	230 x 70	83				CYL	<a href="#">147TA2851</a>
	PF	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8992</a>
	RB	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8996</a>
	RB	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8998</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-NM	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8999</a>
	RB-NM	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8997</a>
	VU	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9001</a>
	VU-QZ	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9000</a>
	VU-AS	5	13	90	65	230 x 90		5			CYL	<a href="#">139TA9389</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS






STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9002</a>
	PU-Soft	5	13	90	65	230 x 90		5			CRW	<a href="#">147TA2852</a>
	RB	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9003</a>
	RB	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9004</a>
	VU	5	15,5	105	65	345 x 110		7,5			CYL	<a href="#">108TA3912</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	15	105	65	350 x 140		28			CYL	<a href="#">129TA9005</a>
	VU	5	14,5	112	80	230 x 100		21			CYL	<a href="#">147TA2855</a>
	VU	5	18,5	112	80	250 x 75		2			CYL	<a href="#">129TA9008</a>
	TT	5	19	112	80	250 x 75		2			CYL	<a href="#">129TA9009</a>
	VU	5	16	112	80	250 x 75		4,5			CYL	<a href="#">147TA2856</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	16	112	80	250 x 75		14			CRW	<a href="#">147TA2859</a>
	VU	5	16	112	80	250 x 75		14			CRW	<a href="#">108TA3927</a>
	VU	5	16	112	80	250 x 75		14			CRW	<a href="#">129TA9012</a>
	VU-AS	5	16	112	80	250 x 75		14			CRW	<a href="#">147TA2860</a>
	TT	5	16	112	80	250 x 75		14			CRW	<a href="#">129TA9010</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	16	112	80	250 x 75		14			CRW	<a href="#">147TA2857</a>
	TT-Soft	5	16	112	80	250 x 75		14			CRW	<a href="#">129TA9011</a>
	PF	5	16	112	80	250 x 75		15			CYL	<a href="#">147TA2861</a>
	RB	5	16	112	80	250 x 75		15			CYL	<a href="#">139TA9658</a>
	VU	5	15	112	80	250 x 80		3,5			CYL	<a href="#">147TA2863</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	15	112	80	250 x 80		3,5			CYL	<a href="#">129TA9014</a>
	TT-Soft	5	15	112	80	250 x 80		3,5			CYL	<a href="#">129TA9013</a>
	VU	5	15	112	80	250 x 80		5			CRW	<a href="#">108TA4092</a>
	PU-Soft	5	15	112	80	250 x 80		7			CRW	<a href="#">147TA2865</a>
	RB	5	18,5	112	80	250 x 80		9		R&T	CYL	<a href="#">129TA9016</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18	112	80	250 x 80		10			CYL	<a href="#">111TA1259</a>
	PU	5	18,5	112	80	250 x 80		10		R&T	CYL	<a href="#">129TA9015</a>
	PU	5	15	112	80	250 x 80		10		R&T	CYL	<a href="#">108TA4105</a>
	RB	5	15	112	80	250 x 80		15		R&T	CYL	<a href="#">108TA4104</a>
	VU	5	18	112	80	250 x 80					CYL	<a href="#">147TA2862</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	19	112	80	250 x 80				R&T	CYL	<a href="#">108TA4030</a>
	RB	5	19	112	80	250 x 80				R&T	CYL	<a href="#">108TA4031</a>
	PU	5	18,5	112	80	250 x 82		9			CYL	<a href="#">111TA1386</a>
	TT	5	18,5	112	80	250 x 82		10			CYL	<a href="#">147TA2867</a>
	PU	5	18,5	112	80	250 x 82		10			CRW	<a href="#">107TA3270</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	5	18,5	112	80	250 x 82		10			CYL	<a href="#">129TA9018</a>
	VU	5	15	112	80	250 x 82		11,5			CRW	<a href="#">108TA4103</a>
	PU	5	18,5	112	80	250 x 82		30			CYL	<a href="#">129TA9021</a>
	RB	5	18,5	112	80	250 x 85		5			CYL	<a href="#">129TA9019</a>
	RB	5	18,5	112	80	250 x 85		5			CYL	<a href="#">147TA2868</a>

STANDARD TRACTION WHEELS

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	250 x 100		40			CYL	<a href="#">129TA9024</a>
	VU	5	18,5	112	80	250 x 100		40			CYL	<a href="#">111TA1388</a>
	VU	5	18,5	112	80	250 x 105		25		R&T	CRW	<a href="#">129TA9025</a>
	VU-AS	5	18,5	112	80	250 x 105		25		R&T	CYL	<a href="#">147TA2869</a>
	RB	5	18,5	112	80	250 x 105		27		R&T	CYL	<a href="#">129TA9026</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	16	112	80	250 x 105		30			CYL	<a href="#">107TA3251</a>
	TT	5	16	112	80	250 x 105		30			CYL	<a href="#">147TA2870</a>
	VU	5	16	112	80	252 x 100		20			CYL	<a href="#">108TA8317</a>
	PF	5	16	112	80	252 x 100		20			CYL	<a href="#">129TA9028</a>
	PU	5	18		80	254 x 75		2			CYL	<a href="#">147TA2874</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	254 x 80					CYL	<a href="#">129TA9029</a>
	VU-AS	5	18,5	112	80	254 x 80					CYL	<a href="#">147TA2875</a>
	RB-AS	5	18,5	112	80	254 x 80					CYL	<a href="#">129TA9030</a>
	VU	5	18,5	112	80	254 x 82		10			CYL	<a href="#">129TA9031</a>
	VU	5	18,5	112	80	254 x 82		10			CRW	<a href="#">147TA2876</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	5	18,5	112	80	254 x 82		10			CYL	<a href="#">147TA2877</a>
	VU	5	18,5	112	80	254 x 90		13			CYL	<a href="#">129TA9032</a>
	VU	5	18,5	112	80	254 x 100		14			CRW	<a href="#">108TA8596</a>
	VU-HD	5	18,5	112	80	254 x 100		14			CYL	<a href="#">147TA2880</a>
	RB	5	18	112	80	254 x 100		14			CYL	<a href="#">147TA2878</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-AS	5	18	112	80	254 x 100		14			CYL	<a href="#">147TA2879</a>
	VU	5	18,5	112	80	254 x 100		17			CRW	<a href="#">108TA4094</a>
	VU	5	18,5		80	254 x 100		17			CYL	<a href="#">147TA2883</a>
	PU-Soft	5	18,5	112	80	254 x 100		17			CRW	<a href="#">129TA9033</a>
	VU	5	18,5	112	80	254 x 100		20,5			CYL	<a href="#">111TA1260</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	254 x 100		25,5			CYL	<a href="#">129TA9034</a>
	VU	5	18	112	80	254 x 102		14			CYL	<a href="#">108TA8340</a>
	VU-AS	5	18	112	80	254 x 102		14			CYL	<a href="#">147TA2887</a>
	TT	5	18	112	80	254 x 102		14			CYL	<a href="#">147TA2886</a>
	PU	5	18	112	80	254 x 102		16		R&T	CYL	<a href="#">129TA9036</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	5	18	112	80	254 x 102		16			CYL	<a href="#">129TA9037</a>
	RB-NM	5	18	112	80	254 x 102		16			CYL	<a href="#">108TA8591</a>
	RB-NM	5	18	112	80	254 x 102		16			CYL	<a href="#">147TA2888</a>
	RB	5	18	112	80	254 x 102		16,5			CRW	<a href="#">115TA5845</a>
	VU	5	18,5	112	80	254 x 125		41,5			CYL	<a href="#">147TA2889</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	18,5	112	80	254 x 125		41,5			CYL	<a href="#">129TA9039</a>
	PU-Soft	5	18,5	112	80	254 x 125		41,5			CRW	<a href="#">129TA9038</a>
	VU	5	16	112	80	280 x 75		9			CYL	<a href="#">108TA4126</a>
	PU	5	15	112	80	285 x 75		8		R&T	CYL	<a href="#">108TA4101</a>
	RB	5	15	110	80	285 x 75		10		R&T	CYL	<a href="#">108TA4102</a>


Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS








STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	300 x 100		23			CYL	<a href="#">108TA4125</a>
	VU	5	18	112	80	300 x 100		42			CYL	<a href="#">108TA4127</a>
	VU	5	14,5	112	80	305 x 140		53			CRW	<a href="#">129TA9041</a>
	VU	5	18,5	112	80	310 x 100		21			CYL	<a href="#">147TA2893</a>
	VU-AS	5	18,5	112	80	310 x 100		21			CYL	<a href="#">147TA2894</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	18,5	112	80	310 x 100		21			CYL	<a href="#">108TA8603</a>
	VU	5	18,5	112	80	310 x 104		28			CYL	<a href="#">108TA4117</a>
	VU	5	16	112	80	310 x 110		62			CYL	<a href="#">108TA3924</a>
	VU	5	16	112	80	310 x 120		42			CYL	<a href="#">147TA2895</a>
	TT	5	18,5	112	80	310 x 120		43			CYL	<a href="#">139TA7666</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	313 x 125		41,5			CYL	<a href="#">147TA2896</a>
	VU	5	18,5	112	80	313 x 125		41,5			CRW	<a href="#">108TA4054</a>
	VU	5	18,5	112	80	343 x 114		7			CYL	<a href="#">107TA3235</a>
	RB	5	13	112	80	405 x 100		62			CYL	<a href="#">147TA2897</a>
	VU	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">129TA9022</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">129TA9023</a>
	VU-QZ	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2901</a>
	VU-AS	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2900</a>
	TT	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2899</a>
	PU	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2898</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2902</a>
	RB-NM	5	18	112	80,2	250 x 100		20			CYL	<a href="#">147TA2904</a>
	RB-NM	5	15	115	72	310 x 100 (200 x 8)		45	Without brake disk		CYL	<a href="#">147TA2854</a>
	RB-NM	5	15	115	72	310 x 100 (200 x 8)		45	With brake disk			<a href="#">151TA2325</a>
	RB	5	14	115	85	406 x 127 (16 x 5)		60			CYL	<a href="#">126TA5938</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-NM	5	14	115	85	406 x 127 (16 x 5)		60			CYL	<a href="#">129TA9006</a>
	RB-NM	5	14,5	115	85	406 x 127 (16 x 5)		62	Without brake disk		CYL	<a href="#">147TA2905</a>
	RB-NM	5	14,5	115	85	406 x 127 (16 x 5)		62	With brake disk		CYL	<a href="#">141TA4897</a>
	PU	5	18,5	120	88	250 x 80	105	20			CYL	<a href="#">108TA4095</a>
	TT	5	15,5	116	88	300 x 70		26			CYL	<a href="#">108TA4119</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	145	110	285 x 100		19			CYL	<a href="#">147TA2906</a>
	VU	5	18,5	145	110	290 x 115		21	2M10		CYL	<a href="#">147TA2908</a>
	TT	5	18,5	146	110	300 x 144		49			CYL	<a href="#">108TA4113</a>
	TT	5	18,5	145	110	400 x 133		62			CYL	<a href="#">108TA4115</a>
	RB-NM	5	13	217	186	323 x 100		39			CYL	<a href="#">126TA5139</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-NM	5	12,5	216	186	406 x 125		40			CYL	<a href="#">139TA5222</a>
	RB-NM	5	13	214	195	410 x 130		25			CYL	<a href="#">147TA2909</a>
<b>Standard traction wheels with 6 bolt holes</b>												
	VU	6	16	118	0	330 x 145					CYL	<a href="#">129TA9052</a>
	PU	6	9	162	10	230 x 72	108				CYL	<a href="#">108TA4096</a>
	RB	6	9	162	10	230 x 72	108				CYL	<a href="#">108TA4097</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel