

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	6	16	164	138	280 x 117		35			CYL	108TA3918
	VU	6	12	170	145	350 x 92		17			CYL	129TA9081
	RB	6	0	218	206,3	310 x 115			5/16" UNF		CYL	108TA8320
Standard traction wheels with 7 bolt holes												
	VU	7	16	112	80	310 x 120		12			CYL	108TA3931
	TT	7	16	112	80	310 x 120					CYL	129TA9084

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	HL	7	14,5	112	80	330 x 114	118			R&T	CYL	108TA4039
	VU	7	14,5	112	80	330 x 127		8,5		R&T	CYL	129TA9085
	VU	7	15	112	80	330 x 135		18			CYL	108TA4055
	VU	7	15	112	80	330 x 135		19			CRW	129TA9086
	VU-AS	7	15	112	80	330 x 135		19			CYL	147TA2934

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	15	112	80	343 x 114	116				CYL	108TA8338
	VU	7	18,5	112	80	343 x 114		6			CYL	107TA3234
	VU	7	18,5	112	80	343 x 114		6			CYL	129TA9089
	VU-AS	7	18,5	112	80	343 x 114		6			CYL	129TA9087
	TT	7	18,5	112	80	343 x 114		6			CYL	129TA9088

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	7	18,5	112	80	343 x 114		6			CYL	147TA2935
	VU	7	18,5	112	80	343 x 114		7			CRW	108TA8630
	VU	7	15,5	112	80	343 x 135		19			CYL	129TA9090
	TT	7	15,5	112	80	343 x 135					CYL	129TA9091
	VU-AS	7	18,5	112	80	343 x 136		20			CYL	129TA9093

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18,5	112	80	343 x 136		21			CYL	108TA4138
	VU-HD	7	18,5	112	80	343 x 136		21,5			CYL	147TA2939
	PU-Soft	7	18,5	112	80	343 x 136		22			CYL	129TA9092
	VU	7	18,5	112	80	343 x 140		24			CYL	108TA3984
	VU	7	19	112	80	343 x 140		24			CYL	129TA9094

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS






STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU-HD	7	18,5	112	80	343 x 140		24			CYL	147TA2941
	TT	7	18,5	112	80	343 x 140		24			CYL	108TA4121
	VU	7	14,5	112	80	343 x 140		51			CRW	129TA9095
	VU-AS	7	14,5	112	80	343 x 140		51			CRW	147TA2942
	VU	7	16	112	80	350 x 127		16			CYL	108TA3923

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	7	16	112	80	350 x 127		16			CYL	129TA9096
	VU	7	16	112	80	350 x 140		22			CYL	143TA7775
	VU	7	18,5	112	80	400 x 140		15			CYL	147TA2943
	VU	7	18,5	112	80	400 x 156		31		R&T	CRW	147TA2944
	VU	7	18,5	112	80	400 x 160		31			CYL	147TA2946

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18,5	125	90	343 x 85	101		3M14		CRW	147TA2947
	VU	7	18,5	125	90	343 x 110		3			CYL	147TA2948
	VU-AS	7	18,5	125	90	343 x 114		3			CYL	147TA2949
	VU	7	15	125	90	343 x 114		3,5			CYL	147TA2950
	VU	7	18,5	125	90	343 x 114		6			CYL	129TA9097

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	7	18,5	125	90	343 x 114		6			CYL	147TA2952
	PU-Soft	7	18,5	125	90	343 x 114		6			CYL	147TA2951
	VU-HD	7	15,5	125	90	343 x 135		12			CYL	147TA2954
	VU	7	15,5	125	90	343 x 135		13			CYL	147TA2956
	TT	7	15,5	125	90	343 x 135		13			CYL	147TA2955

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18,5	125	90	343 x 140		18			CYL	129TA9098
	PU-Soft	7	18,5	125	90	343 x 140		18			CYL	147TA2958
	VU	7	18,5	125	90	350 x 155		27			CYL	147TA2961
	VU-AS	7	18,5	125	90	350 x 155		27			CYL	147TA2962
	VU-HD	7	18,5	125	90	350 x 155		27			CYL	147TA2963






Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18,5	125	90	360 x 130		9			CYL	147TA2965
	VU-AS	7	18,5	125	90	360 x 130		9			CYL	147TA2966
	TT	7	18,5	125	90	360 x 130		9			CYL	147TA2964
	VU	7	18,5	125	90	360 x 140		14,5			CYL	147TA2967
	VU	7	18	125	90	360 x 140		21			CYL	147TA2969

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18	125	90	360 x 140		21			CYL	147TA2970
	PF	7	18	125	90	360 x 140		21			CYL	147TA2968
	VU	7	18,5	125	90	360 x 140					CRW	147TA2971
Standard traction wheels with 8 bolt holes												
	HL	8	13	112	0	330 x 140	145			R&T	CYL	129TA9100
	HL	8	13	114	0	343 x 140				R&T	CYL	147TA2972

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS