



**3**

# STANDARD TRACTION WHEELS

FOR PALLET TRUCKS AND  
HANDLING EQUIPMENT

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS



## STANDARD TRACTION WHEELS

### How to identify your wheel?

- Step 1:** count number of bolt holes
- Step 2:** measure diameter of center hole (in mm)
- Step 3:** measure wheel diameter (in mm)
- Step 4:** measure wheel width (in mm)

### Searching the catalogue

- The wheels are sorted by:**
1. Number of bolt holes
  2. Diameter center hole
  3. Wheel diameter
  4. Wheel width



### Most important info

<b>Number of bolt holes:</b>	Qty-BH:	<input type="text"/>
<b>Center hole:</b>	AX1/AX2:	<input type="text"/>
<b>Diameter bandage:</b>	D:	<input type="text"/>
<b>Width bandage:</b>	W:	<input type="text"/>
<b>Hub length (if applicable):</b>	HL:	<input type="text"/>


### Material of the wheel

<b>Bandage material:</b>	MAT:	<input type="text"/>
<b>Rim material:</b>	MAT-Rim:	<input type="text"/>
<b>Profile (yes/no):</b>	PRF:	<input type="text"/>

### Material

Polyurethane – Vulkollan® – Tractothane® – Pu-Soft – Rubber – Rubber non-marking – Antistatic – Quartz – Cast iron – Steel – Aluminium

### Type of bolt holes



### Extra info

### Optional info

<b>Diameter rim:</b>	D-Rim:	<input type="text"/>
<b>Width rim:</b>	W-Rim:	<input type="text"/>
<b>Shape of tread (cyl/crowned):</b>	SH-TR:	<input type="text"/>
<b>Diameter bolt holes:</b>	D_BH:	<input type="text"/>
<b>Type of bolt holes:</b>	TY-BH:	<input type="text"/>
<b>Number of threaded holes:</b>	n_th:	<input type="text"/>
<b>Diameter of threaded holes:</b>	d_th:	<input type="text"/>
<b>Pitch diameter:</b>	Pitch:	<input type="text"/>
<b>Thickness flange:</b>	Th_FL:	<input type="text"/>
<b>Offset flange out:</b>	Ofs_Out:	<input type="text"/>
<b>Offset flange in:</b>	Ofs_In:	<input type="text"/>
<b>Rim and press-on tyre (yes/no):</b>	R&T:	<input type="text"/>

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
Standard traction wheels with 3 bolt holes												
	RB	3	13,5	89	63,5	305 x 89		33,5			CYL	<a href="#">139TA6843</a>
Standard traction wheels with 4 bolt holes												
	PU	4	13	114	0	216 x 68	77				CYL	<a href="#">108TA3946</a>
	U-H	4	13	114	0	216 x 68	77				CYL	<a href="#">139TA9667</a>
	TT	4	12,5	55	30	200 x 75	78				CYL	<a href="#">129TA8914</a>
	PU	4	12,5	55	30	200 x 75	78				CYL	<a href="#">108TA8339</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	4	12,5	55	30	200 x 75	78				CYL	<a href="#">129TA8913</a>
	PU	4	12	55	30	210 x 75	78				CYL	<a href="#">108TA8343</a>
	TP	4	12	55	30	210 x 75	78				CYL	<a href="#">129TA8916</a>
	PU-Soft	4	10	60	30	220 x 70	76				CYL	<a href="#">147TA2753</a>
	PU	4	10	60	30	220 x 70	76				CYL	<a href="#">108TA8328</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU-QZ	4	18	70	30	250 x 85	100				CYL	<a href="#">147TA2754</a>
	VU	4	18,5	70,5	30	254 x 85	98,5				CYL	<a href="#">115TA5825</a>
	RB	4	18,5	70,5	30	254 x 85	98,5				CRW	<a href="#">147TA2756</a>
	PU	4	18,5	70	30	254 x 102	106			R&T	CYL	<a href="#">108TA3948</a>
	RB	4	18,5	70,5	30	254 x 102	106			R&T	CRW	<a href="#">147TA2757</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	13	70	30	254 x 126					CYL	<a href="#">108TA3949</a>
	VU	4	13	62	40	200 x 80		37			CYL	<a href="#">129TA8920</a>
	VU	4	10,5	72	50	200 x 85		32,5	2M10		CRW	<a href="#">129TA8922</a>
	PU	4	10,5	72	50	200 x 85		32,5	2M10		CYL	<a href="#">108TA3979</a>
	PU	4	10,5	72	50	200 x 85		32,5	2M10		CYL	<a href="#">129TA8923</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	10,5	72	50	200 x 85		33	2M10		CYL	<a href="#">108TA3980</a>
	VU	4	14	80	50	230 x 85		10			CRW	<a href="#">108TA8565</a>
	TT	4	12,5	80	50	230 x 85		10			CYL	<a href="#">129TA8926</a>
	PU	4	12,5	80	50	230 x 85		10			CYL	<a href="#">107TA3271</a>
	PU-Soft	4	12,5	80	50	230 x 85		10			CYL	<a href="#">129TA8925</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	12,5	80	50	230 x 85		10			CYL	<a href="#">107TA3272</a>
	VU	4	13	80	50	230 x 85					CRW	<a href="#">108TA4107</a>
	PU-Soft	4	13	80	50	230 x 85					CYL	<a href="#">147TA2762</a>
	RB	4	13	80	50	230 x 85				R&T	CYL	<a href="#">108TA4108</a>
	PU	4	12	80	50	233 x 85		10			CYL	<a href="#">129TA8924</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	4	12,5	80	50	250 x 80	83			R&T	CYL	<a href="#">147TA2766</a>
	RB	4	12,5	80	50	250 x 80	83				CYL	<a href="#">108TA4066</a>
	RB	4	13	80	50	250 x 80	100		2M10	R&T	CYL	<a href="#">147TA2764</a>
	VU	4	13,5	95	60	250 x 90					CYL	<a href="#">108TA8562</a>
	TT	4	12,5	95	60	250 x 90					CYL	<a href="#">108TA4079</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	4	12,5	95	60	250 x 90					CRW	<a href="#">108TA4076</a>
	PU-Soft	4	12,5	95	60	250 x 90					CRW	<a href="#">147TA2767</a>
	RB	4	12,5	95	60	250 x 90					CYL	<a href="#">108TA4077</a>
	VU	4	12,5	92	62	310 x 104		10			CYL	<a href="#">147TA2768</a>
	VU-AS	4	14	95	65	230 x 80		25			CYL	<a href="#">129TA8929</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	4	14	95	65	230 x 80		25			CYL	<a href="#">129TA8928</a>
	PU-Soft	4	14	95	65	230 x 80		25			CYL	<a href="#">147TA2772</a>
	PU-Soft	4	10,5	103	80	246 x 90		39			CYL	<a href="#">147TA2774</a>
	VU-AS	4	15	112	80	250 x 75		6			CYL	<a href="#">139TA9388</a>
	TT	4	15		80	250 x 75					CYL	<a href="#">129TA8934</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	4	15		80	250 x 75					CYL	<a href="#">108TA3909</a>
	VU-QZ	4	15	112	80	250 x 80		3			CYL	<a href="#">129TA8936</a>
	TT	4	15	112	80	250 x 80		3			CYL	<a href="#">129TA8935</a>
	RB-NM	4	15	112	80	250 x 80		3			CYL	<a href="#">147TA2775</a>
	RB	4	15	112	80	250 x 80		13			CYL	<a href="#">108TA3910</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	15	112	80	250 x 80		13			CYL	<a href="#">147TA2777</a>
	VU	4	15	112	80	250 x 105		25			CYL	<a href="#">147TA2780</a>
	VU	4	15	112	80	250 x 105		30			CYL	<a href="#">129TA8937</a>
	RB	4	20	112	80	285 x 100		30		R&T	CYL	<a href="#">129TA8938</a>
	TT	4	18,5	130	80	310 x 120		52			CYL	<a href="#">129TA8939</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-NM	4	13,3	114	86	381 x 127 (15 x 5)		27			CYL	<a href="#">129TA8940</a>
	RB-NM	4	17	146	113	305 x 100		14			CYL	<a href="#">147TA2786</a>
	VU	4	13	95	63 / 65	230 x 90		36			CRW	<a href="#">129TA8932</a>
	VU-AS	4	13	95	63 / 65	230 x 90		36			CRW	<a href="#">129TA8933</a>
	VU-HD	4	13	95	63 / 65	230 x 90		36			CYL	<a href="#">147TA2771</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	4	13	95	63 / 65	230 x 90		36			CRW	<a href="#">116TA5198</a>
	PU	4	13	95	63 / 65	230 x 90		36			CYL	<a href="#">129TA8931</a>
	PU	4	13	95	63 / 65	230 x 90		36			CYL	<a href="#">105TA4635</a>
	PU-Soft	4	13	95	63 / 65	230 x 90		36			CRW	<a href="#">129TA8930</a>
	PF	4	13	95	63 / 65	230 x 90		36			CYL	<a href="#">147TA2770</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	13	95	63 / 65	230 x 90		36			CRW	<a href="#">107TA3273</a>
	RB	4	13	95	63 / 65	230 x 90		36			CYL	<a href="#">116TA5160</a>
	PU	4	13	125	92 / 95	250 x 88		12			CYL	<a href="#">108TA3975</a>
	PU-Soft	4	13	125	92 / 95	250 x 88		12			CYL	<a href="#">129TA8941</a>
	RB-NM	4	13	125	92 / 95	250 x 100		16			CRW	<a href="#">108TA3977</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	13	125	92 / 95	256 x 100		18			CRW	<a href="#">108TA3976</a>
	VU	4	10,5	52	M10	200 x 75	77				CYL	<a href="#">107TA3268</a>
	RB	4	10,5	52	M10	200 x 75	77				CYL	<a href="#">107TA3269</a>
<b>Standard traction wheels with 5 bolt holes</b>												
	RB	5	13,5	50	0	230 x 102	114				CRW	<a href="#">129TA8943</a>
	PU	5	13		0	230 x 127				R&T	CYL	<a href="#">147TA2788</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	25	112	0	305 x 127					CYL	<a href="#">108TA8580</a>
	TT	5	18	145	0	380 x 170					CYL	<a href="#">129TA8944</a>
	VU	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2791</a>
	VU-QZ	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2793</a>
	VU-AS	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2792</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2790</a>
	PU	5	13	70	30	230 x 75	85				CYL	<a href="#">108TA8628</a>
	PU	5	13	70	30	230 x 75	85				CYL	<a href="#">147TA2789</a>
	PU-Soft	5	12	70	30	230 x 82					CRW	<a href="#">129TA8948</a>
	PU-Soft	5	12	70	30	230 x 82					CRW	<a href="#">129TA8947</a>


Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14,5	90	40	254 x 90		14,5			CYL	<a href="#">147TA2794</a>
	VU	5	14,5	90	40	254 x 90		14,5			CRW	<a href="#">129TA8952</a>
	VU-AS	5	14,5	90	40	254 x 90		14,5			CYL	<a href="#">147TA2796</a>
	PU-Soft	5	14,5	90	40	254 x 90		14,5			CYL	<a href="#">147TA2795</a>
	PU-Soft	5	14,5	90	40	254 x 90		14,5			CRW	<a href="#">129TA8951</a>






Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14,5	90	40	254 x 125		41,5	5 + 5		CYL	<a href="#">129TA9125</a>
	VU-AS	5	15	72	40	254 x 125		41,5			CYL	<a href="#">147TA2798</a>
	TT	5	14,5	90	40	254 x 125		41,5			CYL	<a href="#">147TA2797</a>
	PU	5	13	70	45	220 x 70	82				CYL	<a href="#">129TA8953</a>
	RB	5	13	70	45	230 x 60	82				CYL	<a href="#">129TA8954</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TP	5	13	70	45	230 x 64	82				CYL	<a href="#">129TA8955</a>
	RB	5	13	70	45	230 x 70	73				CRW	<a href="#">147TA2810</a>
	VU	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2816</a>
	VU-QZ	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2818</a>
	PU	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2814</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2815</a>
	PF	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2812</a>
	PF	5	13	70	45	230 x 70	76				CYL	<a href="#">147TA2813</a>
	VU	5	13	70	45	230 x 70	79				CYL	<a href="#">147TA2819</a>
	VU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">108TA8355</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8962</a>
	VU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2807</a>
	VU	5	13	70	45	230 x 70	82				CYL	<a href="#">147TA2820</a>
	VU-QZ	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8961</a>
	VU-AS	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2809</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU-HD	5	13	70	45	230 x 70	82				CRW	<a href="#">147TA2821</a>
	PU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2803</a>
	PU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">107TA3245</a>
	PU	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8965</a>
	PU	5	13	70	45	230 x 70	82				CYL	<a href="#">108TA8608</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	13	70	45	230 x 70	82				CYL	<a href="#">108TA3943</a>
	PU-Soft	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8957</a>
	PF	5	14	70	45	230 x 70	82				CYL	<a href="#">129TA8958</a>
	TP	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2805</a>
	RB	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">107TA3246</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">129TA8960</a>
	RB-NM	5	14	70	45	230 x 70	82		3M10		CYL	<a href="#">147TA2806</a>
	RB-AS	5	13	70	45	230 x 70	82				CYL	<a href="#">129TA8959</a>
	TT-Soft	5	14	70	45	230 x 70	82		3M10		CRW	<a href="#">129TA8964</a>
	TT	5	14	70	45	230 x 70		8	3M8		CRW	<a href="#">129TA8966</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	14	70	45	230 x 70		8	3M8		CYL	<a href="#">129TA8967</a>
	VU	5	14	70	45	230 x 70		9	3M8		CRW	<a href="#">111TA1324</a>
	TT	5	13	70	45	230 x 75	82	72			CYL	<a href="#">129TA8970</a>
	PU-Soft	5	13	70	45	230 x 75	82	72			CYL	<a href="#">108TA8611</a>
	TP-SFT	5	13	70	45	230 x 75	82	72			CYL	<a href="#">147TA2822</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU-QZ	5	13	70	45	230 x 75	82				CYL	<a href="#">147TA2823</a>
	VU-AS	5	13	70	45	230 x 75	82				CYL	<a href="#">129TA8969</a>
	PU	5	13	70	45	230 x 75	82				CYL	<a href="#">129TA8971</a>
	PU	5	12,5	70	45	230 x 75	82			R&T	CYL	<a href="#">147TA2825</a>
	PU-Soft	5	13	70	45	230 x 75	82				CYL	<a href="#">108TA8612</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	13	70	45	230 x 75	82				CYL	<a href="#">108TA8610</a>
	RB	5	13	70	45	230 x 75	82				CYL	<a href="#">108TA8609</a>
	PU-Soft	5	14	70	45	230 x 75	84				CYL	<a href="#">147TA2824</a>
	RB-NM	5	13	70	45	230 x 75	84				CYL	<a href="#">129TA8956</a>
	RB-NM	5	13	70	45	230 x 75	84				CYL	<a href="#">129TA8972</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14	70	45	230 x 82				3M10	CYL	<a href="#">147TA2829</a>
	VU-QZ	5	14	70	45	230 x 82				3M10	CYL	<a href="#">147TA2831</a>
	VU-AS	5	14	70	45	230 x 82				3M10	CYL	<a href="#">147TA2826</a>
	TT	5	14	70	45	230 x 82				3M10	CYL	<a href="#">129TA8974</a>
	PU	5	14	70	45	230 x 82				3M10	CYL	<a href="#">108TA3990</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	5	14	70	45	230 x 82				3M10	CYL	<a href="#">129TA8976</a>
	TP-SFT	5	14	70	45	230 x 82				3M10	CYL	<a href="#">129TA8975</a>
	RB	5	14	70	45	230 x 82				3M10	CYL	<a href="#">108TA3991</a>
	RB	5	14	70	45	230 x 82				3M10	CYL	<a href="#">129TA8977</a>
	VU-HD	5	13	70	45	230 x 90		6			CRW	<a href="#">147TA2836</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	5	13	70	45	230 x 90		6			CYL	<a href="#">116TA5254</a>
	PU-Soft	5	13	70	45	230 x 90		6			CRW	<a href="#">147TA2832</a>
	TP	5	13	70	45	230 x 90		6			CYL	<a href="#">147TA2833</a>
	RB-NM	5	13	70	45	230 x 90		6			CYL	<a href="#">147TA2834</a>
	RB-NM	5	13	70	45	230 x 90		6			CRW	<a href="#">147TA2835</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	13	70	45	230 x 90		8			CYL	<a href="#">108TA8347</a>
	VU-QZ	5	13	70	45	230 x 90		8			CYL	<a href="#">147TA2838</a>
	RB	5	13	70	45	230 x 90		8			CYL	<a href="#">108TA8592</a>
	RB	5	13	70	45	230 x 90		8			CYL	<a href="#">116TA5253</a>
	VU-HD	5	13	70	45	230 x 90					CRW	<a href="#">147TA2839</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	14	70	45	230 x 105		14	3M8		CRW	<a href="#">147TA2840</a>
	VU-AS	5	12	70	45	233 x 85	90				CYL	<a href="#">129TA8978</a>
	PU	5	12,5	70	45	233 x 85	90				CYL	<a href="#">108TA4073</a>
	PU	5	12,5	70	45	233 x 85	90				CYL	<a href="#">111TA1265</a>
	TP	5	12,5	70	45	233 x 85	90				CYL	<a href="#">147TA2841</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	12,5	70	45	233 x 85					CYL	<a href="#">108TA4075</a>
	PU-Soft	5	12,5	70	45	233 x 85					CYL	<a href="#">111TA1266</a>
	RB	5	12,5	70	45	233 x 85					CYL	<a href="#">108TA4074</a>
	RB	5	17	70	45	254 x 127		15			CYL	<a href="#">129TA8980</a>
	VU	5	10	85	50	250 x 130					CYL	<a href="#">147TA2844</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	11	85	50	250 x 130					CYL	<a href="#">129TA8983</a>
	VU	5	13	75	50	264 x 88				R&T	CYL	<a href="#">147TA2845</a>
	VU	5	11	92	60	215 x 70	89				CYL	<a href="#">147TA2847</a>
	VU	5	11	92	60	215 x 70	89				CYL	<a href="#">129TA8987</a>
	VU-QZ	5	11	92	60	215 x 70	89				CYL	<a href="#">129TA8985</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	11	92	60	215 x 70	89				CYL	<a href="#">147TA2846</a>
	PU	5	11	92	60	215 x 70	89				CYL	<a href="#">111TA1213</a>
	PU-Soft	5	11	92	60	215 x 70	89				CYL	<a href="#">129TA8984</a>
	PU-Soft	5	11	92	60	215 x 70	89				CYL	<a href="#">129TA8986</a>
	PU	5	11	92	60	215 x 78	89				CYL	<a href="#">128TA4340</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	5	11	92	60	215 x 78	89				CYL	<a href="#">129TA8988</a>
	RB	5	11	92	60	215 x 78	89				CRW	<a href="#">107TA3244</a>
	RB-NM	5	11	92	60	215 x 78	89				CYL	<a href="#">129TA8990</a>
	VU	5	11	92	60	215 x 80	89				CYL	<a href="#">147TA2850</a>
	TT	5	11	92	60	215 x 80	89				CYL	<a href="#">147TA2849</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	11	92	60	215 x 80	89				CYL	<a href="#">129TA8989</a>
	PU-Soft	5	11	92	60	215 x 80	89				CYL	<a href="#">147TA2848</a>
	RB	5	11	92	60	215 x 80	89				CYL	<a href="#">129TA8991</a>
	RB-AS	5	11	92	60	215 x 80	89				CYL	<a href="#">116TA5068</a>
	VU	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8993</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8995</a>
	PU	5	13	90	65	230 x 70	83				CYL	<a href="#">147TA2851</a>
	PF	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8992</a>
	RB	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8996</a>
	RB	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8998</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-NM	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8999</a>
	RB-NM	5	13	90	65	230 x 70	83				CYL	<a href="#">129TA8997</a>
	VU	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9001</a>
	VU-QZ	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9000</a>
	VU-AS	5	13	90	65	230 x 90		5			CYL	<a href="#">139TA9389</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS






STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9002</a>
	PU-Soft	5	13	90	65	230 x 90		5			CRW	<a href="#">147TA2852</a>
	RB	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9003</a>
	RB	5	13	90	65	230 x 90		5			CYL	<a href="#">129TA9004</a>
	VU	5	15,5	105	65	345 x 110		7,5			CYL	<a href="#">108TA3912</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	15	105	65	350 x 140		28			CYL	<a href="#">129TA9005</a>
	VU	5	14,5	112	80	230 x 100		21			CYL	<a href="#">147TA2855</a>
	VU	5	18,5	112	80	250 x 75		2			CYL	<a href="#">129TA9008</a>
	TT	5	19	112	80	250 x 75		2			CYL	<a href="#">129TA9009</a>
	VU	5	16	112	80	250 x 75		4,5			CYL	<a href="#">147TA2856</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	16	112	80	250 x 75		14			CRW	<a href="#">147TA2859</a>
	VU	5	16	112	80	250 x 75		14			CRW	<a href="#">108TA3927</a>
	VU	5	16	112	80	250 x 75		14			CRW	<a href="#">129TA9012</a>
	VU-AS	5	16	112	80	250 x 75		14			CRW	<a href="#">147TA2860</a>
	TT	5	16	112	80	250 x 75		14			CRW	<a href="#">129TA9010</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	16	112	80	250 x 75		14			CRW	<a href="#">147TA2857</a>
	TT-Soft	5	16	112	80	250 x 75		14			CRW	<a href="#">129TA9011</a>
	PF	5	16	112	80	250 x 75		15			CYL	<a href="#">147TA2861</a>
	RB	5	16	112	80	250 x 75		15			CYL	<a href="#">139TA9658</a>
	VU	5	15	112	80	250 x 80		3,5			CYL	<a href="#">147TA2863</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	15	112	80	250 x 80		3,5			CYL	<a href="#">129TA9014</a>
	TT-Soft	5	15	112	80	250 x 80		3,5			CYL	<a href="#">129TA9013</a>
	VU	5	15	112	80	250 x 80		5			CRW	<a href="#">108TA4092</a>
	PU-Soft	5	15	112	80	250 x 80		7			CRW	<a href="#">147TA2865</a>
	RB	5	18,5	112	80	250 x 80		9		R&T	CYL	<a href="#">129TA9016</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18	112	80	250 x 80		10			CYL	<a href="#">111TA1259</a>
	PU	5	18,5	112	80	250 x 80		10		R&T	CYL	<a href="#">129TA9015</a>
	PU	5	15	112	80	250 x 80		10		R&T	CYL	<a href="#">108TA4105</a>
	RB	5	15	112	80	250 x 80		15		R&T	CYL	<a href="#">108TA4104</a>
	VU	5	18	112	80	250 x 80					CYL	<a href="#">147TA2862</a>

STANDARD TRACTION WHEELS

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	5	19	112	80	250 x 80				R&T	CYL	<a href="#">108TA4030</a>
	RB	5	19	112	80	250 x 80				R&T	CYL	<a href="#">108TA4031</a>
	PU	5	18,5	112	80	250 x 82		9			CYL	<a href="#">111TA1386</a>
	TT	5	18,5	112	80	250 x 82		10			CYL	<a href="#">147TA2867</a>
	PU	5	18,5	112	80	250 x 82		10			CRW	<a href="#">107TA3270</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	5	18,5	112	80	250 x 82		10			CYL	<a href="#">129TA9018</a>
	VU	5	15	112	80	250 x 82		11,5			CRW	<a href="#">108TA4103</a>
	PU	5	18,5	112	80	250 x 82		30			CYL	<a href="#">129TA9021</a>
	RB	5	18,5	112	80	250 x 85		5			CYL	<a href="#">129TA9019</a>
	RB	5	18,5	112	80	250 x 85		5			CYL	<a href="#">147TA2868</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	250 x 100		40			CYL	<a href="#">129TA9024</a>
	VU	5	18,5	112	80	250 x 100		40			CYL	<a href="#">111TA1388</a>
	VU	5	18,5	112	80	250 x 105		25		R&T	CRW	<a href="#">129TA9025</a>
	VU-AS	5	18,5	112	80	250 x 105		25		R&T	CYL	<a href="#">147TA2869</a>
	RB	5	18,5	112	80	250 x 105		27		R&T	CYL	<a href="#">129TA9026</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	16	112	80	250 x 105		30			CYL	<a href="#">107TA3251</a>
	TT	5	16	112	80	250 x 105		30			CYL	<a href="#">147TA2870</a>
	VU	5	16	112	80	252 x 100		20			CYL	<a href="#">108TA8317</a>
	PF	5	16	112	80	252 x 100		20			CYL	<a href="#">129TA9028</a>
	PU	5	18		80	254 x 75		2			CYL	<a href="#">147TA2874</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	254 x 80					CYL	<a href="#">129TA9029</a>
	VU-AS	5	18,5	112	80	254 x 80					CYL	<a href="#">147TA2875</a>
	RB-AS	5	18,5	112	80	254 x 80					CYL	<a href="#">129TA9030</a>
	VU	5	18,5	112	80	254 x 82		10			CYL	<a href="#">129TA9031</a>
	VU	5	18,5	112	80	254 x 82		10			CRW	<a href="#">147TA2876</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	5	18,5	112	80	254 x 82		10			CYL	<a href="#">147TA2877</a>
	VU	5	18,5	112	80	254 x 90		13			CYL	<a href="#">129TA9032</a>
	VU	5	18,5	112	80	254 x 100		14			CRW	<a href="#">108TA8596</a>
	VU-HD	5	18,5	112	80	254 x 100		14			CYL	<a href="#">147TA2880</a>
	RB	5	18	112	80	254 x 100		14			CYL	<a href="#">147TA2878</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-AS	5	18	112	80	254 x 100		14			CYL	<a href="#">147TA2879</a>
	VU	5	18,5	112	80	254 x 100		17			CRW	<a href="#">108TA4094</a>
	VU	5	18,5		80	254 x 100		17			CYL	<a href="#">147TA2883</a>
	PU-Soft	5	18,5	112	80	254 x 100		17			CRW	<a href="#">129TA9033</a>
	VU	5	18,5	112	80	254 x 100		20,5			CYL	<a href="#">111TA1260</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	254 x 100		25,5			CYL	<a href="#">129TA9034</a>
	VU	5	18	112	80	254 x 102		14			CYL	<a href="#">108TA8340</a>
	VU-AS	5	18	112	80	254 x 102		14			CYL	<a href="#">147TA2887</a>
	TT	5	18	112	80	254 x 102		14			CYL	<a href="#">147TA2886</a>
	PU	5	18	112	80	254 x 102		16		R&T	CYL	<a href="#">129TA9036</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	5	18	112	80	254 x 102		16			CYL	<a href="#">129TA9037</a>
	RB-NM	5	18	112	80	254 x 102		16			CYL	<a href="#">108TA8591</a>
	RB-NM	5	18	112	80	254 x 102		16			CYL	<a href="#">147TA2888</a>
	RB	5	18	112	80	254 x 102		16,5			CRW	<a href="#">115TA5845</a>
	VU	5	18,5	112	80	254 x 125		41,5			CYL	<a href="#">147TA2889</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS


STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	18,5	112	80	254 x 125		41,5			CYL	<a href="#">129TA9039</a>
	PU-Soft	5	18,5	112	80	254 x 125		41,5			CRW	<a href="#">129TA9038</a>
	VU	5	16	112	80	280 x 75		9			CYL	<a href="#">108TA4126</a>
	PU	5	15	112	80	285 x 75		8		R&T	CYL	<a href="#">108TA4101</a>
	RB	5	15	110	80	285 x 75		10		R&T	CYL	<a href="#">108TA4102</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS








STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80	300 x 100		23			CYL	<a href="#">108TA4125</a>
	VU	5	18	112	80	300 x 100		42			CYL	<a href="#">108TA4127</a>
	VU	5	14,5	112	80	305 x 140		53			CRW	<a href="#">129TA9041</a>
	VU	5	18,5	112	80	310 x 100		21			CYL	<a href="#">147TA2893</a>
	VU-AS	5	18,5	112	80	310 x 100		21			CYL	<a href="#">147TA2894</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	5	18,5	112	80	310 x 100		21			CYL	<a href="#">108TA8603</a>
	VU	5	18,5	112	80	310 x 104		28			CYL	<a href="#">108TA4117</a>
	VU	5	16	112	80	310 x 110		62			CYL	<a href="#">108TA3924</a>
	VU	5	16	112	80	310 x 120		42			CYL	<a href="#">147TA2895</a>
	TT	5	18,5	112	80	310 x 120		43			CYL	<a href="#">139TA7666</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">129TA9023</a>
	VU-QZ	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2901</a>
	VU-AS	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2900</a>
	TT	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2899</a>
	PU	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2898</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	5	18,5	112	80,2	250 x 100		20			CYL	<a href="#">147TA2902</a>
	RB-NM	5	18	112	80,2	250 x 100		20			CYL	<a href="#">147TA2904</a>
	RB-NM	5	15	115	72	310 x 100 (200 x 8)		45	Without brake disk		CYL	<a href="#">147TA2854</a>
	RB-NM	5	15	115	72	310 x 100 (200 x 8)		45	With brake disk			<a href="#">151TA2325</a>
	RB	5	14	115	85	406 x 127 (16 x 5)		60			CYL	<a href="#">126TA5938</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-NM	5	14	115	85	406 x 127 (16 x 5)		60			CYL	<a href="#">129TA9006</a>
	RB-NM	5	14,5	115	85	406 x 127 (16 x 5)		62	Without brake disk		CYL	<a href="#">147TA2905</a>
	RB-NM	5	14,5	115	85	406 x 127 (16 x 5)		62	With brake disk		CYL	<a href="#">141TA4897</a>
	PU	5	18,5	120	88	250 x 80	105	20			CYL	<a href="#">108TA4095</a>
	TT	5	15,5	116	88	300 x 70		26			CYL	<a href="#">108TA4119</a>

STANDARD TRACTION WHEELS

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS




STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	5	18,5	145	110	285 x 100		19			CYL	<a href="#">147TA2906</a>
	VU	5	18,5	145	110	290 x 115		21	2M10		CYL	<a href="#">147TA2908</a>
	TT	5	18,5	146	110	300 x 144		49			CYL	<a href="#">108TA4113</a>
	TT	5	18,5	145	110	400 x 133		62			CYL	<a href="#">108TA4115</a>
	RB-NM	5	13	217	186	323 x 100		39			CYL	<a href="#">126TA5139</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-NM	5	12,5	216	186	406 x 125		40			CYL	<a href="#">139TA5222</a>
	RB-NM	5	13	214	195	410 x 130		25			CYL	<a href="#">147TA2909</a>
<b>Standard traction wheels with 6 bolt holes</b>												
	VU	6	16	118	0	330 x 145					CYL	<a href="#">129TA9052</a>
	PU	6	9	162	10	230 x 72	108				CYL	<a href="#">108TA4096</a>
	RB	6	9	162	10	230 x 72	108				CYL	<a href="#">108TA4097</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	6	15	120	15	330 x 145				2M10	CYL	<a href="#">147TA2911</a>
	RB	6	15	120	15	330 x 145				2M10	CYL	<a href="#">147TA2910</a>
	VU	6	13	65	30	230 x 90		40			CYL	<a href="#">107TA3236</a>
	RB	6	13	65	30	230 x 90		40			CYL	<a href="#">107TA3241</a>
	RB	6	13	65	30	230 x 90		40			CYL	<a href="#">107TA3239</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	6	10	62	30	245 x 80		4	2M8 + PH8		CYL	<a href="#">129TA9054</a>
	PU	6	10	62	30	245 x 100		11	2M8 + PH8		CYL	<a href="#">108TA4087</a>
	PU-Soft	6	10	62	30	245 x 100		11	2M8 + PH8		CYL	<a href="#">147TA2913</a>
	RB	6	11	76	30	250 x 80				R&T	CYL	<a href="#">129TA9148</a>
	PU	6	12,5	95	30	250 x 100		5			CYL	<a href="#">108TA8570</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	6	10	62	30	250 x 100		11	2M8 + PH8		CYL	<a href="#">108TA4088</a>
	VU-QZ	6	10	80	30	256 x 70	76				CYL	<a href="#">147TA2914</a>
	PU	6	10	80	30	256 x 70	76				CYL	<a href="#">147TA2915</a>
	PU	6	10	80	30	256 x 81					CRW	<a href="#">108TA8346</a>
	VU	6	10	80	30	260 x 95		6			CRW	<a href="#">108TA8622</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	6	10	80	30	260 x 95		6			CYL	<a href="#">147TA2917</a>
	PU-Soft	6	10	80	30	260 x 95		6			CYL	<a href="#">108TA8621</a>
	RB	6	10	80	30	260 x 95		6			CYL	<a href="#">108TA3958</a>
	VU	6	13	70	40	330 x 90	115				CYL	<a href="#">129TA9057</a>
	RB	6	12	70	40	330 x 127	115			R&T	CYL	<a href="#">147TA2918</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	6	8,5	63	45	200 x 75		18		R&T	CYL	<a href="#">129TA9060</a>
	VU	6	12,5	80	55	220 x 100		47			CYL	<a href="#">115TA5851</a>
	RB	6	12,5	80	55	220 x 100		47			CYL	<a href="#">108TA4050</a>
	PU	6	12	85	56	315 x 90					CYL	<a href="#">129TA9061</a>
	PU	6	17	105	65	306 x 145		15	2M12		CRW	<a href="#">129TA9064</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	6	14	130	70	320 x 100		12			CYL	<a href="#">108TA8573</a>
	VU	6	11,5	120	70	330 x 145					CYL	<a href="#">129TA9149</a>
	RB	6	14	112	80	230 x 75		6,5		R&T	CYL	<a href="#">129TA9070</a>
	RB	6	14	112	80	230 x 75		6,5			CYL	<a href="#">147TA2920</a>
	VU	6	14	112	80	230 x 75		8			CYL	<a href="#">129TA9071</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	6	14	112	80	230 x 75		8			CYL	<a href="#">129TA9068</a>
	VU-QZ	6	14	112	80	230 x 75		8			CYL	<a href="#">147TA2924</a>
	VU-AS	6	14	112	80	230 x 75		8			CYL	<a href="#">147TA2922</a>
	TT	6	14	112	80	230 x 75		8			CYL	<a href="#">129TA9069</a>
	PU	6	14	112	80	230 x 75		8			CRW	<a href="#">108TA8349</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS


STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	6	14	112	80	230 x 75		8			CYL	<a href="#">147TA2925</a>
	PU-Soft	6	14	112	80	230 x 75		8			CYL	<a href="#">111TA1856</a>
	VU	6	14	112	80	230 x 75		8			CYL	<a href="#">147TA2921</a>
	RB	6	14	112	80	230 x 85		18			CYL	<a href="#">108TA8341</a>
	PU	6	12,5	120	80	315 x 145					CYL	<a href="#">129TA9073</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	6	14	110	80	344 x 114		10			CYL	<a href="#">147TA2926</a>
	VU	6	18,5	112	80	350 x 140		20,5			CYL	<a href="#">108TA8348</a>
	VU	6	18,5	112	80	350 x 140		20,5			CYL	<a href="#">129TA9074</a>
	VU	6	18,5	112	80	350 x 140		20,5			CRW	<a href="#">147TA2929</a>
	TT	6	18,5	112	80	350 x 140		20,5			CYL	<a href="#">147TA2927</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	6	13,5	127	93	343 x 140		9			CYL	<a href="#">147TA2930</a>
	PU	6	13,5	128	93	344 x 114					CYL	<a href="#">129TA9075</a>
	VU	6	19	130	95	285 x 95		19			CYL	<a href="#">129TA9076</a>
	VU	6	10	164	98	330 x 89		29			CYL	<a href="#">108TA3964</a>
	RB	6	14	130	100	320 x 148					CYL	<a href="#">129TA9077</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	6	16	164	138	280 x 117		35			CYL	<a href="#">108TA3918</a>
	VU	6	12	170	145	350 x 92		17			CYL	<a href="#">129TA9081</a>
	RB	6	0	218	206,3	310 x 115			5/16" UNF		CYL	<a href="#">108TA8320</a>
<b>Standard traction wheels with 7 bolt holes</b>												
	VU	7	16	112	80	310 x 120		12			CYL	<a href="#">108TA3931</a>
	TT	7	16	112	80	310 x 120					CYL	<a href="#">129TA9084</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	HL	7	14,5	112	80	330 x 114	118			R&T	CYL	<a href="#">108TA4039</a>
	VU	7	14,5	112	80	330 x 127		8,5		R&T	CYL	<a href="#">129TA9085</a>
	VU	7	15	112	80	330 x 135		18			CYL	<a href="#">108TA4055</a>
	VU	7	15	112	80	330 x 135		19			CRW	<a href="#">129TA9086</a>
	VU-AS	7	15	112	80	330 x 135		19			CYL	<a href="#">147TA2934</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	15	112	80	343 x 114	116				CYL	<a href="#">108TA8338</a>
	VU	7	18,5	112	80	343 x 114		6			CYL	<a href="#">107TA3234</a>
	VU	7	18,5	112	80	343 x 114		6			CYL	<a href="#">129TA9089</a>
	VU-AS	7	18,5	112	80	343 x 114		6			CYL	<a href="#">129TA9087</a>
	TT	7	18,5	112	80	343 x 114		6			CYL	<a href="#">129TA9088</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PF	7	18,5	112	80	343 x 114		6			CYL	<a href="#">147TA2935</a>
	VU	7	18,5	112	80	343 x 114		7			CRW	<a href="#">108TA8630</a>
	VU	7	15,5	112	80	343 x 135		19			CYL	<a href="#">129TA9090</a>
	TT	7	15,5	112	80	343 x 135					CYL	<a href="#">129TA9091</a>
	VU-AS	7	18,5	112	80	343 x 136		20			CYL	<a href="#">129TA9093</a>


Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18,5	112	80	343 x 136		21			CYL	<a href="#">108TA4138</a>
	VU-HD	7	18,5	112	80	343 x 136		21,5			CYL	<a href="#">147TA2939</a>
	PU-Soft	7	18,5	112	80	343 x 136		22			CYL	<a href="#">129TA9092</a>
	VU	7	18,5	112	80	343 x 140		24			CYL	<a href="#">108TA3984</a>
	VU	7	19	112	80	343 x 140		24			CYL	<a href="#">129TA9094</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS






STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU-HD	7	18,5	112	80	343 x 140		24			CYL	<a href="#">147TA2941</a>
	TT	7	18,5	112	80	343 x 140		24			CYL	<a href="#">108TA4121</a>
	VU	7	14,5	112	80	343 x 140		51			CRW	<a href="#">129TA9095</a>
	VU-AS	7	14,5	112	80	343 x 140		51			CRW	<a href="#">147TA2942</a>
	VU	7	16	112	80	350 x 127		16			CYL	<a href="#">108TA3923</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	7	16	112	80	350 x 127		16			CYL	<a href="#">129TA9096</a>
	VU	7	16	112	80	350 x 140		22			CYL	<a href="#">143TA7775</a>
	VU	7	18,5	112	80	400 x 140		15			CYL	<a href="#">147TA2943</a>
	VU	7	18,5	112	80	400 x 156		31		R&T	CRW	<a href="#">147TA2944</a>
	VU	7	18,5	112	80	400 x 160		31			CYL	<a href="#">147TA2946</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18,5	125	90	343 x 85	101		3M14		CRW	<a href="#">147TA2947</a>
	VU	7	18,5	125	90	343 x 110		3			CYL	<a href="#">147TA2948</a>
	VU-AS	7	18,5	125	90	343 x 114		3			CYL	<a href="#">147TA2949</a>
	VU	7	15	125	90	343 x 114		3,5			CYL	<a href="#">147TA2950</a>
	VU	7	18,5	125	90	343 x 114		6			CYL	<a href="#">129TA9097</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	7	18,5	125	90	343 x 114		6			CYL	<a href="#">147TA2952</a>
	PU-Soft	7	18,5	125	90	343 x 114		6			CYL	<a href="#">147TA2951</a>
	VU-HD	7	15,5	125	90	343 x 135		12			CYL	<a href="#">147TA2954</a>
	VU	7	15,5	125	90	343 x 135		13			CYL	<a href="#">147TA2956</a>
	TT	7	15,5	125	90	343 x 135		13			CYL	<a href="#">147TA2955</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS






STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18,5	125	90	343 x 140		18			CYL	<a href="#">129TA9098</a>
	PU-Soft	7	18,5	125	90	343 x 140		18			CYL	<a href="#">147TA2958</a>
	VU	7	18,5	125	90	350 x 155		27			CYL	<a href="#">147TA2961</a>
	VU-AS	7	18,5	125	90	350 x 155		27			CYL	<a href="#">147TA2962</a>
	VU-HD	7	18,5	125	90	350 x 155		27			CYL	<a href="#">147TA2963</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	7	18,5	125	90	360 x 130		9			CYL	<a href="#">147TA2965</a>
	VU-AS	7	18,5	125	90	360 x 130		9			CYL	<a href="#">147TA2966</a>
	TT	7	18,5	125	90	360 x 130		9			CYL	<a href="#">147TA2964</a>
	VU	7	18,5	125	90	360 x 140		14,5			CYL	<a href="#">147TA2967</a>
	VU	7	18	125	90	360 x 140		21			CYL	<a href="#">147TA2969</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel





# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	8	10,5	80	50	250 x 80					CYL	<a href="#">108TA8595</a>
	RB	8	10,5		50	250 x 80					CYL	<a href="#">111TA1323</a>
	VU	8	18	145	110	377 x 152		43			CYL	<a href="#">147TA2973</a>
	PU	8	18	146	110	382 x 178		66		R&T	CYL	<a href="#">147TA2974</a>
	VU	8	15,7	145	110	400 x 150		37			CYL	<a href="#">108TA4118</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	8	15,5	145	110	400 x 150		38			CYL	<a href="#">108TA8330</a>
	VU	8	15	145	110	400 x 160		50			CYL	<a href="#">108TA8356</a>
	VU-AS	8	15,5	145	110	400 x 160		50			CRW	<a href="#">147TA2975</a>
	VU	8	15	145	110	405 x 178		68			CYL	<a href="#">108TA8582</a>
	RB-NM	8	17,3	203	153	559 x 178 (22 x 7)		65			CYL	<a href="#">128TA3435</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	8	17	203	153	559 x 178 (22 x 7)		100			CYL	<a href="#">128TA3432</a>
	RB-NM	8	17	203	153	559 x 178 (22 x 7)		100			CYL	<a href="#">147TA2976</a>
	PU	8	16	200	170	350 x 120					CYL	<a href="#">108TA3919</a>
<b>Standard traction wheels with 9 bolt holes</b>												
	RB-NM	9	17	241	200	559 x 178 (22 x 7)		32			CYL	<a href="#">128TA3434</a>
	RB-NM	9	17	241	200	559 x 178 (22 x 7)		32			CYL	<a href="#">147TA2981</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	9	17,5	241	200	559 x 178		35			CYL	<a href="#">128TA3433</a>
	RB-NM	9	17,5	241	202	640 x 170		50			CYL	<a href="#">147TA2982</a>
<b>Standard traction wheels with 10 bolt holes</b>												
	VU	10	16,5	112	80	405 x 152		13			CYL	<a href="#">108TA3992</a>
	TT	10	18,5	145	110	295 x 144		46			CYL	<a href="#">108TA4116</a>
<b>Standard traction wheels with 12 bolt holes</b>												
	VU	12	15	140	110	400 x 160		50			CYL	<a href="#">147TA2983</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

# STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	12	18,5	160	110	406 x 170		28			CYL	<a href="#">129TA9133</a>
	VU	12	18	145	110	406 x 170		53			CYL	<a href="#">147TA2984</a>
	VU	12	18,5	160	110	406 x 178		30			CRW	<a href="#">147TA2985</a>

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel



# 4

## DIRECT TRACTION WHEELS

FOR PALLET TRUCKS AND HANDLING EQUIPMENT