

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	4	12,5	55	30	200 x 75	78				CYL	129TA8913
	PU	4	12	55	30	210 x 75	78				CYL	108TA8343
	TP	4	12	55	30	210 x 75	78				CYL	129TA8916
	PU-Soft	4	10	60	30	220 x 70	76				CYL	147TA2753
	PU	4	10	60	30	220 x 70	76				CYL	108TA8328

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU-QZ	4	18	70	30	250 x 85	100				CYL	147TA2754
	VU	4	18,5	70,5	30	254 x 85	98,5				CYL	115TA5825
	RB	4	18,5	70,5	30	254 x 85	98,5				CRW	147TA2756
	PU	4	18,5	70	30	254 x 102	106			R&T	CYL	108TA3948
	RB	4	18,5	70,5	30	254 x 102	106			R&T	CRW	147TA2757

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	13	70	30	254 x 126					CYL	108TA3949
	VU	4	13	62	40	200 x 80		37			CYL	129TA8920
	VU	4	10,5	72	50	200 x 85		32,5	2M10		CRW	129TA8922
	PU	4	10,5	72	50	200 x 85		32,5	2M10		CYL	108TA3979
	PU	4	10,5	72	50	200 x 85		32,5	2M10		CYL	129TA8923

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	10,5	72	50	200 x 85		33	2M10		CYL	108TA3980
	VU	4	14	80	50	230 x 85		10			CRW	108TA8565
	TT	4	12,5	80	50	230 x 85		10			CYL	129TA8926
	PU	4	12,5	80	50	230 x 85		10			CYL	107TA3271
	PU-Soft	4	12,5	80	50	230 x 85		10			CYL	129TA8925

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	12,5	80	50	230 x 85		10			CYL	107TA3272
	VU	4	13	80	50	230 x 85					CRW	108TA4107
	PU-Soft	4	13	80	50	230 x 85					CYL	147TA2762
	RB	4	13	80	50	230 x 85				R&T	CYL	108TA4108
	PU	4	12	80	50	233 x 85		10			CYL	129TA8924

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	VU	4	12,5	80	50	250 x 80	83			R&T	CYL	147TA2766
	RB	4	12,5	80	50	250 x 80	83				CYL	108TA4066
	RB	4	13	80	50	250 x 80	100		2M10	R&T	CYL	147TA2764
	VU	4	13,5	95	60	250 x 90					CYL	108TA8562
	TT	4	12,5	95	60	250 x 90					CYL	108TA4079

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	4	12,5	95	60	250 x 90					CRW	108TA4076
	PU-Soft	4	12,5	95	60	250 x 90					CRW	147TA2767
	RB	4	12,5	95	60	250 x 90					CYL	108TA4077
	VU	4	12,5	92	62	310 x 104		10			CYL	147TA2768
	VU-AS	4	14	95	65	230 x 80		25			CYL	129TA8929

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU-Soft	4	14	95	65	230 x 80		25			CYL	129TA8928
	PU-Soft	4	14	95	65	230 x 80		25			CYL	147TA2772
	PU-Soft	4	10,5	103	80	246 x 90		39			CYL	147TA2774
	VU-AS	4	15	112	80	250 x 75		6			CYL	139TA9388
	TT	4	15		80	250 x 75					CYL	129TA8934

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	PU	4	15		80	250 x 75					CYL	108TA3909
	VU-QZ	4	15	112	80	250 x 80		3			CYL	129TA8936
	TT	4	15	112	80	250 x 80		3			CYL	129TA8935
	RB-NM	4	15	112	80	250 x 80		3			CYL	147TA2775
	RB	4	15	112	80	250 x 80		13			CYL	108TA3910

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	15	112	80	250 x 80		13			CYL	147TA2777
	VU	4	15	112	80	250 x 105		25			CYL	147TA2780
	VU	4	15	112	80	250 x 105		30			CYL	129TA8937
	RB	4	20	112	80	285 x 100		30		R&T	CYL	129TA8938
	TT	4	18,5	130	80	310 x 120		52			CYL	129TA8939

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB-NM	4	13,3	114	86	381 x 127 (15 x 5)		27			CYL	129TA8940
	RB-NM	4	17	146	113	305 x 100		14			CYL	147TA2786
	VU	4	13	95	63 / 65	230 x 90		36			CRW	129TA8932
	VU-AS	4	13	95	63 / 65	230 x 90		36			CRW	129TA8933
	VU-HD	4	13	95	63 / 65	230 x 90		36			CYL	147TA2771

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	TT	4	13	95	63 / 65	230 x 90		36			CRW	116TA5198
	PU	4	13	95	63 / 65	230 x 90		36			CYL	129TA8931
	PU	4	13	95	63 / 65	230 x 90		36			CYL	105TA4635
	PU-Soft	4	13	95	63 / 65	230 x 90		36			CRW	129TA8930
	PF	4	13	95	63 / 65	230 x 90		36			CYL	147TA2770

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	13	95	63 / 65	230 x 90		36			CRW	107TA3273
	RB	4	13	95	63 / 65	230 x 90		36			CYL	116TA5160
	PU	4	13	125	92 / 95	250 x 88		12			CYL	108TA3975
	PU-Soft	4	13	125	92 / 95	250 x 88		12			CYL	129TA8941
	RB-NM	4	13	125	92 / 95	250 x 100		16			CRW	108TA3977

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel

STANDARD TRACTION WHEELS



STANDARD TRACTION WHEELS

STANDARD TRACTION WHEELS												
	MAT	# bolt holes	Dia bolt holes	Pitch	Center hole	Dia wheel x width	Hub length	Offset flange	Extras	Rim & tyre	Cyl/ crowned	REF
	RB	4	13	125	92 / 95	256 x 100		18			CRW	108TA3976
	VU	4	10,5	52	M10	200 x 75	77				CYL	107TA3268
	RB	4	10,5	52	M10	200 x 75	77				CYL	107TA3269
Standard traction wheels with 5 bolt holes												
	RB	5	13,5	50	0	230 x 102	114				CRW	129TA8943
	PU	5	13		0	230 x 127				R&T	CYL	147TA2788

Sorted per number of bolt holes – center hole – diameter of the wheel – width of the wheel