





09.

**CASTORS**  
**FOR PALLET TRUCKS AND**  
**HANDLING EQUIPMENT**

# CASTORS

## CASTORS

### WHEEL

Dim	Dimensions
D	Diameter
W	Width
MB	Material bandage
MR	Material rim




MB	Material bandage
NY	Nylon
PU	Polyurethane
Pu-Pa	PU + Polyamide Core
PU-Soft	Soft PU
VU	Vulkollan®
RB	Rubber
RB-NM	Rubber Non-Marking
RB-Air	Rubber Air
ST	Steel

MR	Material rim
AL	Aluminium
CI	Cast Iron
NY	Nylon
SP	Steel Plate
ST	Steel

### TP: TOP PLATE

Dim	Dimensions
A	Length top plate
B	Width top plate
a	Bolt distance
b	Bolt distance
d	Bolt diameter
H	Mounting height
F	Excentricity
Brake	Yes/No
Footguard	Yes/No

### SUBTYPES





SC: swivel castor

FC: fixed castor




### BF: BOLTHOLE FIXING

Dim	Dimensions
d	Diameter bolt
A	Plate diameter
H	Mounting height
F	Excentricity
Brake	Yes/No



### FS: FIXED STEM


Dim	Dimensions
Sd	Diameter stem
A	Plate diameter
Sh	Height
H	Mounting height
F	Excentricity
Footguard	Yes/No
Damping	Yes/No



### TB: TOP BEARING



### RT: ROUND TOP



### MXL: MAX LOAD (OPTIONAL)

## CASTORS



Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
-----	-----------------------	--------------------	----------------------	---------------------	-----------------	-----------------	---------------------	----------------	-----

### TOP PLATE - LIGHT VERSION



RB-NM	50x18	34x28				70	10		<a href="#">139TA6646</a>
-------	-------	-------	--	--	--	----	----	--	---------------------------



PU	70x40	100x70			20	95	9		<a href="#">140TA7770</a>
----	-------	--------	--	--	----	----	---	--	---------------------------



PU	74,5x48	82x95			33	165	8,5		<a href="#">164TA9989</a>
----	---------	-------	--	--	----	-----	-----	--	---------------------------















RB	76x31	92x63			28	106	9		<a href="#">166TA6736</a>
----	-------	-------	--	--	----	-----	---	--	---------------------------



RB-NM	100x32	100x85			45	132	8		<a href="#">139TA6647</a>
-------	--------	--------	--	--	----	-----	---	--	---------------------------













# CASTORS

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	100x35	110x102		25	135	10		<a href="#">129TA9885</a>	
	NY	100x37	135x110			139	10		<a href="#">166TA6668</a>	
	NY	100x37	135x110		42	139	10		<a href="#">166TA6669</a>	
	RB	100x39,5	117x117		45	127	10		<a href="#">166TA6754</a>	
	PU	100x39,6	105,3x85,2		29,4	180,6	10,8		<a href="#">164TA9205</a>	















## CASTORS













										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	100x40	100x85			30	150	9,2		<a href="#">129TA9888</a>
	PU	100x40	100x85			32	170	9		<a href="#">129TA9887</a>
	VU	100x40	100x85			32	175	9		<a href="#">147TA4413</a>
	PU	100x40	100x85			38	170	9		<a href="#">147TA4406</a>
	PU	100x40	100x86			35	141	9		<a href="#">166TA6759</a>

# CASTORS

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	100x40	104,5x118		30	244	8,5		<a href="#">108TA8585</a>	
	PU	100x40	104,5x118		30	244	8,5		<a href="#">166TA6768</a>	
	PU	100x40	105x85		30	171	10		<a href="#">129TA9891</a>	
	PU	100x40	105x85		30	171	10		<a href="#">147TA4412</a>	
	VU	100x40	105x85		25	175	11		<a href="#">129TA9892</a>	













## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	100x40	105x85		33	175	11		<a href="#">147TA4408</a>	
	PU	100x40	139x109		17	149	11		<a href="#">147TA4405</a>	
	PU	100x40	140x110		32	175	11		<a href="#">129TA9893</a>	
	PU	100x40	140x110		32	175	11		<a href="#">129TA9894</a>	
	PU	101x41	114x96		34	135	10,3		<a href="#">166TA6772</a>	



# CASTORS

## CASTORS













										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	100x50	114x102		25	143			<a href="#">166TA6761</a>	
	PU	102x50	115x102		28	145	11		<a href="#">166TA6774</a>	
	PU	125x34	100x85		48	162	9		<a href="#">166TA6770</a>	
	PU	125x40	135x110		28	170	11		<a href="#">106TA6797</a>	
	PU	125x50	128x96		20	209	11		<a href="#">147TA4430</a>	

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	125x50	134x109			30	194	11		<a href="#">116TA5032</a>
	VU	125x50	135x110			25	207,5	12,5		<a href="#">147TA4431</a>
	PU	125x50	135x110			56	187	13,5		<a href="#">139TA5030</a>
	PU	125x50	135x111			25	191	11		<a href="#">147TA4426</a>
	PU	125x50	136x110			35	210	14		<a href="#">166TA6763</a>






# CASTORS

## CASTORS

									
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
	VU	125x50	175x140		55	180			<a href="#">147TA4505</a>
	VU	125x54	120x120		28	165			<a href="#">147TA4435</a>
	PU	125x54	140x110		50	175	11		<a href="#">129TA9906</a>
	PU	125x60	140x110		21	169	11		<a href="#">147TA4432</a>
	PU-soft	126,5x38	115x96		37	159	10,5		<a href="#">166TA6773</a>














## CASTORS
















Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
	RB-NM	127x50	115x102		45	164	11		<a href="#">161TA1920</a>
	PU	127x50	115x103		49	165	11,5		<a href="#">139TA1840</a>
	PU	127x50,8	115x100,5		48,5	165	11		<a href="#">127TA2971</a>
	VU	140x54		80x87	40	338			<a href="#">166TA6777</a>
	PU	140x54	135x110		42	195			<a href="#">147TA4438</a>

# CASTORS

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	140x54	135x110			25	208		<a href="#">129TA9913</a>	
	PU	140x54	140x110			28	193		<a href="#">129TA9912</a>	
	PU	140x60	128x96,2	59,5x21		24	222	10,5	<a href="#">147TA4468</a>	
	NY	150x40	115x98			45	190	10	<a href="#">166TA6666</a>	
	PU	150x40	135x110			35	195	10	<a href="#">115TA5831</a>	















## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	150x40	135x110			35	195	11	<a href="#">166TA6735</a>	
	VU	150x48	135x110			27	212	12	<a href="#">147TA4442</a>	
	VU	150x55	130x130			48	195		<a href="#">129TA9924</a>	
	PU	150x50	135x110			30	228	11	<a href="#">147TA4449</a>	
	PU	150x50	135x110			32	200		<a href="#">129TA9916</a>	















# CASTORS

## CASTORS














										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	150x50	135x110			40	195	10		<a href="#">147TA4445</a>
	PU	150x50	135x110			42,5	198			<a href="#">166TA6762</a>
	PU	150x50	135x110			65	202	12		<a href="#">107TA3333</a>
	PU	150x54		72x60		38	230			<a href="#">108TA8323</a>
	PU	150x54		85x60		38	230			<a href="#">108TA8620</a>

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	150x54	135x110		35	200			<a href="#">166TA6670</a>	
	PU-soft	150x54	135x110		40	200			<a href="#">129TA9918</a>	
	PU	150x54	135x110		24	217	13		<a href="#">147TA4448</a>	
	PU	150x55	115x115		28	250	11		<a href="#">147TA4451</a>	
	VU	150x78	178x178			285			<a href="#">147TA4453</a>	

# CASTORS

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	180x65	200x160			40	242		<a href="#">129TA9932</a>	
	PU	200x50	134x117				236	11	<a href="#">151TA3489</a>	
	PU	200x50	135x110			54	235	11	<a href="#">151TA3485</a>	
	PU	200x50	135x110				265	13	<a href="#">129TA9937</a>	
	RB	200x50	135x110				270		<a href="#">129TA8545</a>	

## CASTORS

Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
-----	-----------------------	--------------------	----------------------	---------------------	-----------------	-----------------	---------------------	----------------	-----



RB

200x80

136x111

74

250

11

[166TA6750](#)



RB-NM

204x63

160x113

50

254

[166TA6776](#)

### TOP PLATE CYLINDRICAL- LIGHT VERSION



PU

85x48

20

178

[147TA4490](#)



PU

90x50

20,3

164










10,25

yellow


[147TA4491](#)

# CASTORS

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	100x40				25	211	8,5	blue	<a href="#">166TA6665</a>
	PU	100x40				36,4	233			<a href="#">166TA6765</a>
	PU	100x40		M10		33	194		brown	<a href="#">147TA4494</a>
	PU	125x50				25	190	11		<a href="#">166TA6751</a>
	PU	125x60				25	190			<a href="#">147TA4467</a>

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	125x60			M27	25	237,5			<a href="#">147TA4497</a>
	PU	130x55		140x85		20	214	6,75		<a href="#">147TA4499</a>
	PU	140x54				20	220	10	blue	<a href="#">139TA4823</a>
	PU	140x54				20	220	10	grey	<a href="#">139TA4822</a>
	PU	140x54			M10	42	213			<a href="#">166TA6767</a>



# CASTORS

## CASTORS



Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
-----	-----------------------	--------------------	----------------------	---------------------	-----------------	-----------------	---------------------	----------------	-----

### CYLINDRICAL TOP PLATE- LIGHT VERSION



PU	140x54				43		10		<a href="#">108TA8584</a>
----	--------	--	--	--	----	--	----	--	---------------------------



VU	140x60				35	199	10		<a href="#">108TA8593</a>
----	--------	--	--	--	----	-----	----	--	---------------------------



PU-soft	150x54				40	207	10		<a href="#">147TA4501</a>
---------	--------	--	--	--	----	-----	----	--	---------------------------






### BOLTED FIXING - LIGHT VERSION



NY	38x18	34,8x34,8		M8		82,5			<a href="#">166TA6741</a>
----	-------	-----------	--	----	--	------	--	--	---------------------------













## CASTORS



Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
	42x35			M10	22	83			<a href="#">139TA7445</a>
	50x22			M10	25	64			<a href="#">129TA9859</a>
	50x24			M10	15	75			<a href="#">129TA9860</a>
	50x18			M10	25	103			<a href="#">166TA6738</a>
	50x19			M10	21	108			<a href="#">166TA6739</a>

# CASTORS

## CASTORS













										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	RB	50x18		M10	21,5	99			<a href="#">166TA6745</a>	
	PU	60x31		5/8 UNC	30	152			<a href="#">152TA3275</a>	
	RB	60x24			28	87	12,4		<a href="#">166TA6742</a>	
	PU	63x35		1/2 UNC	30	108			<a href="#">139TA6920</a>	
	RB-NM	64x35		1/2 UNC	32	128			<a href="#">139TA4813</a>	

## CASTORS

Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	65x32		M12	36	120			<a href="#">164TA6139</a>	
	RB	75x25			24	100	11		<a href="#">127TA3009</a>	
	PU	80x32			33	106	12		<a href="#">166TA6663</a>	
	RB-NM	80x32			33	106	12		<a href="#">141TA7542</a>	
	RB	80x32			37	99	10,5		<a href="#">166TA6753</a>	






# CASTORS

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	80x34				45	120	12		<a href="#">166TA6769</a>
	PU	80x40			M12	38,1	133			<a href="#">166TA6757</a>
	PU-soft	80x40			M12	40	108			<a href="#">129TA9861</a>
	NY	80x41,5				30	101	12,5		<a href="#">166TA6743</a>
	RB	80,5x31				33	121	13		<a href="#">166TA6740</a>

## CASTORS



Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
	88x31			1/2 UNC	32	133			<a href="#">166TA6775</a>
	98x43				40	136	10,25		<a href="#">147TA4492</a>
	98x61,5				45	135	10,5		<a href="#">166TA6737</a>
	99,6x40			M45	25	266			<a href="#">147TA4479</a>
	100x25				40	122	10		<a href="#">166TA6667</a>



# CASTORS

## CASTORS

									
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
	PU	100x33			42	130	12,4		<a href="#">166TA6778</a>
	NY	150x40			50	190	17,5		<a href="#">166TA6771</a>
	NY	160x50			45	195	20		<a href="#">129TA9858</a>
	PU	200x50		3/4 UNC		282			<a href="#">166TA6756</a>
	PU-soft	200x50			45	243,5	19,4		<a href="#">166TA6755</a>

## CASTORS



Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
-----	--------------------------	-----------------------	-------------------------	---------------------	--------------------	--------------------	------------------------	----------------	-----

### TOP BEARING - LIGHT VERSION



RB

50x18

125

[166TA6748](#)



PU

100x40

30

208

[108TA8614](#)



PU

100x40

25

[139TA4819](#)



PU

100x40

30













210

10














[129TA9868](#)

# CASTORS

## CASTORS













										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	100x40				27	257	10		<a href="#">139TA4817</a>
	PU	100x40				35	175			<a href="#">115TA5830</a>
	PU	100x40				33	155	10		<a href="#">139TA4820</a>
	PU	100x50					146	9		<a href="#">111TA1347</a>
	VU	122x60				37		10		<a href="#">147TA4463</a>

## CASTORS














										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	125x40				45	265		<a href="#">129TA9872</a>	
	PU	125x40				29	266	brown	<a href="#">147TA4465</a>	
	PU	125x40				24	216	grey	<a href="#">147TA4464</a>	
	PU	125x50				32	175	11	<a href="#">116TA5069</a>	
	VU	125x50	135x111			25	192	11	<a href="#">129TA9874</a>	

# CASTORS

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	125x54				25	170			<a href="#">129TA9875</a>
	VU	140x50		85x49		28	216			<a href="#">129TA9877</a>
	VU	140x54		85x59,5		28	226			<a href="#">147TA4470</a>
	PU	140x54		85x60		38	230			<a href="#">166TA6734</a>
	PU	140x54		120		30	230	12		<a href="#">129TA9876</a>

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	VU	150x48		120x120		34	150	10	<a href="#">139TA4830</a>	
	PU	150x48				40	223		<a href="#">166TA6758</a>	
	PU	150x48		50x79		37	328		<a href="#">147TA4471</a>	
	PU	150x50				40	170		<a href="#">107TA3258</a>	
	PU	150x50		135x110			225	11	<a href="#">139TA4829</a>	



# CASTORS

## CASTORS



Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
-----	-----------------------	--------------------	----------------------	---------------------	-----------------	-----------------	---------------------	----------------	-----

### FIXED STEM - LIGHT VERSION














	PU	76x35		M12	35	155			<a href="#">166TA6747</a>
---	----	-------	--	-----	----	-----	--	--	---------------------------

	PU	90x50			20,3	161			<a href="#">115TA5827</a>
--	----	-------	--	--	------	-----	--	--	---------------------------

	PU	100x40			30	160			<a href="#">139TA4815</a>
---	----	--------	--	--	----	-----	--	--	---------------------------








	PU	100x40		M16	30	160			<a href="#">147TA4477</a>
---	----	--------	--	-----	----	-----	--	--	---------------------------

## CASTORS

										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	PU	100x40				29	180	grey	<a href="#">166TA6766</a>	
	PU	125x40				29	219	brown	<a href="#">147TA4482</a>	
	PU	125x40				25	362	green	<a href="#">147TA4481</a>	
	PU	125x40				25	362	red	<a href="#">147TA4483</a>	
	PU	140x54	72x60			26	240	12	<a href="#">139TA4832</a>	

# CASTORS

## CASTORS

									
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF



PU

140x54

40x53

30

218

[147TA4485](#)



PU

140x57

40x47

25

202

[166TA6760](#)

## DOUBLE WHEELS - LIGHT VERSION



PU

140x54

18

10

[147TA4513](#)



PU

150x48

150x100

52

210

14

[129TA9921](#)

## CASTORS



Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF
-----	-----------------------	--------------------	----------------------	---------------------	-----------------	-----------------	---------------------	----------------	-----

### SPECIAL - LIGHT VERSION



PU	50x22,5	72x33,5				182,5	7		<a href="#">166TA6664</a>
----	---------	---------	--	--	--	-------	---	--	---------------------------



NY	54x25	127x49,5		M8	62	128	8,8		<a href="#">166TA6744</a>
----	-------	----------	--	----	----	-----	-----	--	---------------------------














PU	125x57				22	189	11		<a href="#">166TA6752</a>
----	--------	--	--	--	----	-----	----	--	---------------------------



PU	140x54	202,5x187,5	83x67		43	262	8,5		<a href="#">147TA4473</a>
----	--------	-------------	-------	--	----	-----	-----	--	---------------------------


# CASTORS

## CASTORS


										
Mat	Dia x width wheels mm	L x W top plate mm	Dia x Height stem mm	Type of thread stem	Eccentricity mm	Total height mm	Dia bolt hole(s) mm	Colour damping	REF	
	VU	148x54	130x120		23	212	11		<a href="#">166TA6764</a>	
	PU	150x50	140x140		25	220	10		<a href="#">147TA4474</a>	
	PU-soft	150x56,5			45	208	8,5		<a href="#">166TA6746</a>	
	VU	150x60	150x150		35	330	12		<a href="#">147TA4452</a>	

## CASTORS


### STEEL PLATE CASTOR WITH NYLON RIM AND RUBBER NON MARKING WHEELS

	Dia wheel mm	Width mm	Top plate dimensions mm	Total height mm	Dia bolt hole(s) mm	Cap kg	REF Swivel castor	REF Swivel castor with brake	REF Fixed castor
	50	19	60x60	69	6,3	40	<a href="#">166TA8351</a>	<a href="#">166TA8355</a>	<a href="#">166TA8359</a>
	75	25	60x60	100	6,3	75	<a href="#">166TA8352</a>	<a href="#">166TA8356</a>	<a href="#">166TA8360</a>
	100	32	77x67	135	8,5	80	<a href="#">166TA8353</a>	<a href="#">166TA8357</a>	<a href="#">166TA8361</a>
	125	32	77x67	165	8,5	100	<a href="#">166TA8354</a>	<a href="#">166TA8358</a>	<a href="#">166TA8362</a>
	100	34	105x85	128	9	160	<a href="#">166TA8363</a>	<a href="#">166TA8367</a>	<a href="#">166TA8371</a>
	125	40	105x85	155	9	250	<a href="#">166TA8364</a>	<a href="#">166TA8368</a>	<a href="#">166TA8372</a>
	160	46	137x105	200	11	300	<a href="#">166TA8365</a>	<a href="#">166TA8369</a>	<a href="#">166TA8373</a>
	200	46	137x105	240	11	400	<a href="#">166TA8366</a>	<a href="#">166TA8370</a>	<a href="#">166TA8374</a>


### STEEL PLATE CASTOR WITH NYLON WHEEL

	Dia wheel mm	Width mm	Top plate dimensions mm	Total height mm	Dia bolt hole(s) mm	Cap kg	REF Swivel castor	REF Swivel castor with brake	REF Fixed castor
	80	34	105x85	108	9	200	<a href="#">166TA8375</a>	<a href="#">166TA8380</a>	<a href="#">166TA8385</a>
	100	36	105x85	128	9	200	<a href="#">166TA8376</a>	<a href="#">166TA8381</a>	<a href="#">166TA8386</a>
	125	40	105x85	155	9	250	<a href="#">166TA8377</a>	<a href="#">166TA8382</a>	<a href="#">166TA8387</a>
	160	40	137x105	200	11	350	<a href="#">166TA8378</a>	<a href="#">166TA8383</a>	<a href="#">166TA8388</a>
	200	50	137x105	240	11	350	<a href="#">166TA8379</a>	<a href="#">166TA8384</a>	<a href="#">166TA8389</a>

### STEEL PLATE CASTOR WITH NYLON WHEEL

	Dia wheel mm	Width mm	Top plate dimensions mm	Total height mm	Dia bolt hole(s) mm	Cap kg	REF Swivel castor	REF Swivel castor with brake	REF Fixed castor
	80	35	105x85	108	9	70	<a href="#">166TA8390</a>	<a href="#">166TA8395</a>	<a href="#">166TA8399</a>
	100	35	105x85	128	9	75	<a href="#">166TA8391</a>	<a href="#">166TA8396</a>	<a href="#">166TA8400</a>
	125	37	105x85	155	9	100	<a href="#">166TA8392</a>	<a href="#">166TA8397</a>	<a href="#">166TA8401</a>
	160	40	137x105	200	11	135	<a href="#">166TA8393</a>	<a href="#">166TA8398</a>	<a href="#">166TA8402</a>
	200	50	137x105	240	11	200	<a href="#">166TA8394</a>		<a href="#">166TA8403</a>
	125	50	137x105	161	11	300	<a href="#">166TA8404</a>	<a href="#">166TA8406</a>	<a href="#">166TA8408</a>
	160	50	137x105	200	11	350	<a href="#">166TA8405</a>	<a href="#">166TA8407</a>	<a href="#">166TA8409</a>

### STEEL PLATE WITH POLYURETHANE ON ALUMINIUM RIM


	Dia wheel mm	Width mm	Top plate dimensions mm	Total height mm	Dia bolt hole(s) mm	Cap kg	REF Swivel castor	REF Swivel castor with brake	REF Fixed castor
	100	40	105x85	128	9	250			<a href="#">166TA8416</a>
	125	30	105x85	155	9	250	<a href="#">166TA8410</a>	<a href="#">166TA8413</a>	<a href="#">166TA8417</a>
	160	50	137x105	200	11	350	<a href="#">166TA8411</a>	<a href="#">166TA8414</a>	<a href="#">166TA8418</a>
	200	50	137x105	240	11	350	<a href="#">166TA8412</a>	<a href="#">166TA8415</a>	<a href="#">166TA8419</a>




# CASTORS

## UNIVERSAL CASTORS

### MEDIUM WEIGHT CASTORS WITH RUBBER WHEELS AND STEELPLATED RIMS

	Dia wheel mm	Width mm	Height mm	Top plate dimensions mm	Bolt hole spacing mm	Hole dia mm	Cap kg	REF Swivel castor	REF Swivel castor with brake	REF Fixed castor
	125	37,5	160	135x110	105x80	10	130	<a href="#">107TA3319</a>	<a href="#">139TA4878</a>	<a href="#">107TA3281</a>
	140	37,5	176	100x85	80x60	9	150	<a href="#">107TA3320</a>	<a href="#">139TA4879</a>	<a href="#">107TA3282</a>
	150	40	181	135x110	105x80	11,5	170	<a href="#">107TA3321</a>	<a href="#">139TA4880</a>	<a href="#">107TA3283</a>
	160	40	199	140x110	105x80	11	180	<a href="#">107TA3322</a>	<a href="#">139TA4881</a>	<a href="#">107TA3284</a>
	180	45	219	140x110	105x80	11	200	<a href="#">107TA3323</a>	<a href="#">139TA4882</a>	<a href="#">107TA3285</a>
	200	50	240	135x110	105x80	11,5	230	<a href="#">107TA3324</a>	<a href="#">139TA4883</a>	<a href="#">107TA3286</a>
	250	60	296	200x160	160x120	14	300	<a href="#">107TA3325</a>		<a href="#">107TA3287</a>
	280	60	311	200x160	160x120	14	390	<a href="#">107TA3326</a>		<a href="#">107TA3288</a>

### HEAVY WEIGHT CASTORS WITH RUBBER WHEELS AND ALUMINIUM RIMS

	Dia wheel mm	Width mm	Height mm	Top plate dimensions mm	Bolt hole spacing mm	Hole dia mm	Cap kg	REF Swivel castor	REF Swivel castor with brake	REF Fixed castor
	100	40	128	100x85	80x60	9	180	<a href="#">107TA3312</a>	<a href="#">139TA4890</a>	<a href="#">107TA3274</a>
	125	50	165	140x110	105x80	11	220	<a href="#">107TA3313</a>	<a href="#">139TA4885</a>	<a href="#">107TA3275</a>
	160	50	207	135x110	105x80	12	300	<a href="#">107TA3314</a>	<a href="#">139TA4886</a>	<a href="#">107TA3276</a>
	180	50	240	135x110	105x80	12	350	<a href="#">107TA3315</a>	<a href="#">139TA4887</a>	<a href="#">107TA3277</a>
	200	50	250	135x110	105x80	12	450	<a href="#">107TA3316</a>	<a href="#">139TA4888</a>	<a href="#">107TA3278</a>
	230	50	295	135x110	105x80	12	500	<a href="#">107TA3317</a>	<a href="#">139TA4889</a>	<a href="#">107TA3279</a>
	250	60	307	200x160	160x120	15	600	<a href="#">107TA3318</a>		<a href="#">107TA8681</a>

### HEAVY WEIGHT CASTORS WITH NYLON (POLYAMIDE) WHEELS

	Dia wheel mm	Width mm	Height mm	Top plate dimensions mm	Bolt hole spacing mm	Hole dia mm	Cap kg	REF Swivel castor	REF Swivel castor with brake	REF Fixed castor
	80	30	107	100x85	80x60	9	180	<a href="#">107TA3340</a>	<a href="#">139TA4858</a>	<a href="#">107TA3302</a>
	100	30	128	100x85	80x60	9	200	<a href="#">107TA3341</a>	<a href="#">139TA4859</a>	<a href="#">107TA3303</a>
	100	37	137	105x85	80x60	8	300	<a href="#">107TA3342</a>	<a href="#">139TA4860</a>	<a href="#">107TA3304</a>
	125	38	156	100x85	80x60	9	220	<a href="#">107TA3343</a>	<a href="#">139TA4861</a>	<a href="#">107TA3305</a>
	125	40	163	135x110	105x80	10	300	<a href="#">107TA3344</a>	<a href="#">139TA4862</a>	<a href="#">107TA3306</a>
	125	45	170	140x110	105x80	11	650	<a href="#">107TA3345</a>		<a href="#">107TA3307</a>
	150	40	195	135x110	105x80	10	400	<a href="#">107TA3346</a>	<a href="#">139TA4863</a>	<a href="#">107TA3308</a>
	150	48	203	135x110	105x80	12	850	<a href="#">107TA3347</a>	<a href="#">139TA4864</a>	<a href="#">107TA3309</a>
	175	50	238	135x110	105x80	12	500	<a href="#">107TA3348</a>	<a href="#">139TA4865</a>	<a href="#">107TA3310</a>
	200	50	250	135x110	105x80	12	600	<a href="#">107TA3349</a>	<a href="#">139TA4866</a>	<a href="#">107TA3311</a>

### EXTRA HEAVY WEIGHT CASTORS WITH POLYURETHANE WHEELS, STEEL/CAST IRON RIMS

	Dia wheel mm	Width mm	Height mm	Top plate dimensions mm	Bolt hole spacing mm	Hole dia mm	Cap kg	REF Swivel castor	REF Swivel castor with brake	REF Fixed castor
	75	62	127	135x110	105x80	13	470	<a href="#">107TA8679</a>		<a href="#">107TA3289</a>
	82	70	131	135x110	105x80	12	700	<a href="#">107TA8680</a>		<a href="#">107TA3290</a>
	100	30	145	105x85	80x60	8	300	<a href="#">107TA3329</a>	<a href="#">139TA4867</a>	<a href="#">107TA3291</a>
	125	30	172	135x110	105x80	11,5	300	<a href="#">107TA3330</a>	<a href="#">139TA4868</a>	<a href="#">107TA3292</a>
	125	40	172	135x110	105x80	10	400	<a href="#">107TA3331</a>	<a href="#">139TA4869</a>	<a href="#">107TA3293</a>
	150	35	200	140x110	105x80	11	490	<a href="#">107TA3332</a>	<a href="#">139TA4870</a>	<a href="#">107TA3294</a>
	150	50	202	135x110	105x80	12	700	<a href="#">107TA3333</a>	<a href="#">139TA4871</a>	<a href="#">107TA3295</a>
	175	35	225	140x110	105x80	11	650	<a href="#">107TA3334</a>	<a href="#">139TA4872</a>	<a href="#">107TA3296</a>
	200	50	250	135x110	105x80	12	850	<a href="#">107TA3335</a>	<a href="#">139TA4873</a>	<a href="#">107TA3297</a>
	250	50	307	200x160	160x120	14	1200	<a href="#">107TA3336</a>	<a href="#">139TA4874</a>	<a href="#">107TA3298</a>
	250	60	307	200x160	160x120	14	1400	<a href="#">107TA3337</a>	<a href="#">139TA4875</a>	<a href="#">107TA3299</a>
	300	70	350	200x160	160x120	14	1800	<a href="#">107TA3338</a>	<a href="#">139TA4876</a>	<a href="#">107TA3300</a>
	300	100	380	255x205	210x160	16	2800	<a href="#">107TA3339</a>	<a href="#">139TA4877</a>	<a href="#">107TA3301</a>