

USED ON UPRIGHT



BODY & CHASSIS PARTS

CABIN ACCESSORY



- Length: 245 mm
- Width: 24 mm
- Height: 45 mm
- Diameter holes: 6,7 mm

Used on AB38, SL20, A38E, T38, S3370BE, S2770RT

REF [151TA1695](#)

CHASSIS ACCESSORIES



- Diameter: 105 mm
- Height: 37,5 mm

Used on U-DRIVE25, UL II series

REF [164TA7099](#)



- Length: 154 mm
- Width: 154 mm
- Height: 89 mm

Used on AB38, A38E

REF [164TA7097](#)



- Length: 540 mm
- Width: 410 mm
- Height: 65 mm

Used on MB20/26

REF [164TA7098](#)

BALL JOINT



- Type of rod end: inner thread
- Length: 32 mm
- Thread: 1/4" UNF
- RH/LH thread: RH

Used on LX50, LX31, LX41, AB46RT European SP, AB46RT Dual fuel, AB46RT, AB46, XRT27, XRT33, AB46 Electric & Bi-energy, SL26RT, SL30RT, SL26N, SL30N, SL26, 30N, LX31DD, LX41DD

REF [105TA1476](#)

USED ON UPRIGHT



BODY & CHASSIS PARTS

BALL JOINT ROD END



- Outer diameter: 18,7 mm
- Inner diameter: 6,4 mm
- Height: 30 mm

Used on LX50, LX31, LX41, AB46RT European SP, AB46RT, AB46RT Dual fuel, AB46, AB46 AB46 Electric & Bi-energy, AB46RT 4WD, AB45 I/C 2WD, SL26RT, SL30RT, SL26N, SL30N, SL26, 30N, LX31DD, LX41DD

REF [164TA7513](#)

CONTROL CABLES

	Length cable mm	Diameter cable mm	Length sleeve mm	Used on	REF
	1465	3,6	1280	TL38, TL33	151TA1698
	2410	2,0	2270	MX19	164TA7314
	2515	1,3	2385	MX15, MX19	164TA7318
	2960	3,2	2540	X20N, X20W, X26N	165TA4524
	3000	1,0	2850	MX19	164TA7317
	4700	1,2	4590	X series, X20N, X20W, X26UN, X32N, X26N	164TA7316

USED ON UPRIGHT



BODY & CHASSIS PARTS

DOOR HANDLES



- Length: 120 mm
- Width: 30 mm
- Height: 60 mm

Used on SL26SL, SL30SL, 53370, S2770

REF 164TA7290



- Length: 121 mm
- Width: 92 mm
- Height: 35,7 mm

Used on X series, XRT27, XRT33, X20N, X20W, X26N, X26UN, X32N

REF 164TA7302



- Length: 125 mm
- Width: 41,5 mm
- Height: 20 mm

Used on AB38, MX19, A38E, TL38, TL33

REF 164TA7301



- Length: 66 mm
- Width: 53 mm
- Height: 21 mm

Used on SL20

REF 164TA7297



- Length: 67 mm
- Width: 84 mm

Used on TM12

REF 164TA7298



- Length: 80 mm
- Width: 29,5 mm
- Height: 21,5 mm

Used on SL50, LX31, LX41, SL20, MX15, MX19, SL26, 30RT, SL20 (12V), SL26, 30SL, SL20D, SL26RT, SL30RT, SL26N, SL30N, SL20 1, 30SL, 30N, LX31DD, LX41DD, SL26, SL20, SL14

REF 164TA7303



- Length: 84 mm
- Width: 40 mm
- Height: 57 mm

Used on LX50, LX31, LX41, SL26, 30RT, 20SL, 30SL, MB20/26, 30N, LX31DD, LX41DD

REF 164TA7300

USED ON UPRIGHT



BODY & CHASSIS PARTS

FLANGE



- Total length: 34,4 mm
- Biggest diameter: 180 mm
- Number of mounting holes: 4
- Type flange: mainly round

Used on SL20

REF [164TA7241](#)

CABLE GUIDES



- Outside dimensions: 89 x 50 mm
- Inside dimensions: 73 x 35 mm
- Material: plastic

Used on AB38, A38E

REF [164TA7320](#)



- Outside dimensions: 92 x 63,5 mm
- Inside dimensions: 73 x 44,5 mm
- Material: plastic

Used on AB38, SP37

REF [164TA7319](#)



- Outside dimensions: 90,5 x 50 mm
- Inside dimensions: 76 x 34 mm
- Material: plastic

Used on AB38, A38E

REF [164TA7323](#)

CABLE GUIDE PART



- Kit of 2 pieces
- Length: 79 mm
- Width: 93 mm

Used on AB38, A38E

REF [160TA2645](#)

TUBE



- Total length: 665 mm
- Diameter: 32 mm

Used on AB38, MB20/26

REF [164TA7011](#)

USED ON UPRIGHT



BODY & CHASSIS PARTS

WEAR PADS



- Diameter: 148 mm
- Material: plastic

Used on X series, MX15, MX19, XRT27, XRT33, X20N, X20W, X26N, X26UN, X32N

REF 164TA7178



- Diameter: 40 mm
- Material: plastic

Used on X26, X32

REF 164TA7187



- Diameter: 51 mm
- Thickness: 5,7 mm
- Material: plastic

Used on MX15, MX19

REF 164TA7657



- Length: 100 mm
- Material: plastic

Used on A38E, TL49, SP37, A38E

REF 164TA7193



- Length: 100 mm
- Material: plastic

Used on AB38, A38E

REF 164TA7194



- Length: 127 mm
- Material: plastic

Used on TM12

REF 164TA7195



- Length: 127 mm
- Material: plastic

Used on TM12

REF 164TA7196



- Length: 141 mm
- Material: plastic

Used on U-DRIVE25, UL II series

REF 164TA7201

USED ON UPRIGHT



WEAR PADS



- Length: 420 mm
- Material: plastic

Used on X26N

REF [164TA7180](#)



- Length: 82,3 mm
- Material: plastic

Used on X15, MX19

REF [164TA7190](#)



- Length: 76,5 mm
- Material: plastic

Used on X series, X20N, X20W, X26N, X26UN, X32N

REF [165TA4525](#)

BODY & CHASSIS PARTS



USED ON UPRIGHT



COVERS & ACCESSORIES

PROTECTIVE COVERS



- Length: 2650 mm
- Width: 1550 mm
- Height: 7300 mm

Used on UL II Series

REF [164TA7112](#)



- Length: 410 mm
- Width: 395 mm
- Height: 75 mm

Used on UL II series

REF [164TA7116](#)



- Length: 840 mm
- Width: 410 mm

Used on AB38, A38E

REF [164TA7118](#)



- Length: 212 mm
- Width: 130 mm
- Height: 90 mm

Used on X series, SL20, XRT27, XRT33, X20N, X20W, X26N, X26UN, X32N

REF [164TA7417](#)

GAS SPRINGS/SHOCK ABSORBERS



- Push type
- Force: 380 N
- Centre distance: 305 mm

Used on U-DRIVE25, MX50, LX31, LX41, AB46RT European SP, AB46RT Dual fuel, AB46RT, SL26, 30RT, 30SL, UL II series, AB46RT 4WD, AB46, AB46 I/C 2WD, 30N, LX31DD, LX41DD, AB46 Electric & Bi-energy

REF [164TA7204](#)



- Push type
- Force: 1200 N
- Centre distance: 560 mm

Used on AB62

REF [165TA4526](#)

USED ON UPRIGHT



DECALS

DECALS



- Length: 160 mm
- Height: 82 mm

Used on U-DRIVE25, LX50, LX31, LX41, AB62, AB46RT European SP, AB46RT, AB46RT 4WD, AB46 I/C 2WD, X series, SB80, SL20, XRT27, XRT33, SL26, 30RT, SL20 (12V), 30SL, TM12, X20N, X20W, X26N, X26UN, X32N, MX15, MX19, SL26RT, SL30RT, SL26N, SL30N, SL20 1, 30N, UL25, UL32, UL40, LX31DD, LX41DD

REF [164TA7367](#)



- Length: 116 mm
- Height: 68 mm

Used on LX50, LX31, LX41, AB62, AB46RT European SP, AB46RT Dual fuel, AB46RT, AB46RT 4WD, AB46, AB46RT I/C 2WD, SL20, X series, SB80, XTR27, XTR33, SL26, 30RT, SL20 (12V), 30SL, TM12, X20N, X20W, X26N, X226UN, X32N, MX15, MX19, SL26RT, SL30RT, SL26N, SL30N, SL26, 30N, SL20 1, LX31DD, LX41DD, X series


REF [164TA7369](#)



- Length: 276 mm
- Height: 178 mm

Used on X series, MX15, MX19, X20N, X20W, X26N, X26UN, X32N


REF [164TA7363](#)



- Length: 135 mm
- Height: 185 mm

Used on X series


REF [126TA9853](#)



- Length: 168 mm
- Height: 211 mm

Used on MX15, MX19, SL20

REF [163TA5402](#)



- Length: 168 mm
- Height: 211 mm

Used on MX19, X series, X20N, X26N, X26N, X26UN, X32N


REF [163TA4296](#)

USED ON UPRIGHT



DECALS


DECALS



- Length: 136 mm
- Height: 202 mm

Used on MX15, MX19, SL20 1

REF 164TA7360



- Length: 158 mm
- Height: 203 mm

Used on SL26SL, SL30SL


REF 162TA9081



- Length: 196 mm
- Height: 145 mm

Used on AB38, A38E


REF 138TA3429



- Length: 158 mm
- Height: 203 mm

Used on MX19, X26N

REF 163TA7213



- Length: 160 mm
- Height: 203 mm

Used on TM12

REF 138TA3822



- Length: 275 mm
- Height: 173 mm

Used on MX19


REF 163TA4849



- Length: 149 mm
- Height: 259 mm

Used on AB28

REF 138TA2785



- Length: 171 mm
- Height: 278 mm

Used on TM12

REF 163TA6842

USED ON UPRIGHT



DECALS

DECALS



- Length: 508 mm
- Height: 138 mm

Used on AB62

REF [164TA7358](#)



- Length: 80 mm
- Height: 70 mm

Used on SL20, MX19, MX20/26, X series, TM12

REF [138TA2474](#)



- Length: 90 mm
- Height: 117 mm

Used on LX50, LX31, LX41, AB62, AB46RT European SP, AB46RT Dual fuel, AB46RT, AB46, AB46RT 4WD, AB46 I/C 2WD, X series, AB46RT, SB80, MX15, MX19, XRT27, XRT33, X20N, X20W, X26N, X26UN, X32N, LX31DD, LX41DD

REF [164TA7368](#)



- Length: 90 mm
- Height: 150 mm

Used on LX50, LX31, LX41, X series, SB80, MX15, MX19, LX31DD, LX41DD, X20N, X20W, X26N, X26UN, X32N

REF [126TA9792](#)

