




## EYE-BOLTS

## Eye-bolt DIN 580 with CE-certificate

Sizes standard thread	Lifting capacity	REF Material C15	Lifting capacity	REF material GRADE 80
M6	0,07 tonne	<a href="#">142TA3242</a>	0,2 tonne	<a href="#">142TA3260</a>
M8	0,14 tonne	<a href="#">142TA3243</a>	0,4 tonne	<a href="#">142TA3261</a>
M10	0,23 tonne	<a href="#">142TA3244</a>	0,7 tonne	<a href="#">142TA3262</a>
M12	0,34 tonne	<a href="#">142TA3245</a>	1 tonne	<a href="#">142TA3263</a>
M14	0,49 tonne	<a href="#">142TA3246</a>	1,2 tonne	<a href="#">142TA3264</a>
M16	0,7 tonne	<a href="#">142TA3247</a>	1,5 tonne	<a href="#">142TA3265</a>
M18	0,9 tonne	<a href="#">142TA3248</a>	2 tonne	<a href="#">142TA3266</a>
M20	1,2 tonne	<a href="#">142TA3249</a>	2,5 tonne	<a href="#">142TA3267</a>
M24	1,8 tonne	<a href="#">142TA3250</a>	4 tonne	<a href="#">142TA3268</a>
M27	2,5 tonne	<a href="#">142TA3251</a>	5 tonne	<a href="#">142TA3269</a>
M30	3,2 tonne	<a href="#">142TA3252</a>	6 tonne	<a href="#">142TA3270</a>
M33	4,3 tonne	<a href="#">142TA3253</a>	7 tonne	<a href="#">142TA3271</a>
M36	4,6 tonne	<a href="#">142TA3254</a>	8 tonne	<a href="#">142TA3272</a>
M39	6,1 tonne	<a href="#">142TA3255</a>	9 tonne	<a href="#">142TA3273</a>
M42	6,3 tonne	<a href="#">142TA3256</a>	10 tonne	<a href="#">142TA3274</a>
M45	8 tonne	<a href="#">142TA3257</a>	15 tonne	<a href="#">142TA3275</a>
M48	8,6 tonne	<a href="#">142TA3258</a>	18 tonne	<a href="#">142TA3276</a>
M52			20 tonne	<a href="#">142TA3277</a>
M56	11,5 tonne	<a href="#">142TA3259</a>	25 tonne	<a href="#">142TA3278</a>
M64			36 tonne	<a href="#">142TA3279</a>
<b>Safety factor:</b>	<b>lifting capacity x 6</b>	<b>lifting capacity x 5</b>		



## 360° swiveling eye-bolt with CE-certificate

Sizes standard thread	Lifting capacity	REF material GRADE 80
M8	0,35 tonne	<a href="#">142TA3316</a>
M10	0,45 tonne	<a href="#">142TA3317</a>
M12	1 tonne	<a href="#">142TA3318</a>
M14	1,5 tonne	<a href="#">142TA3319</a>
M16	1,75 tonne	<a href="#">142TA3320</a>
M20	2,2 tonne	<a href="#">142TA3321</a>
M22	3 tonne	<a href="#">142TA3322</a>
M24	3,5 tonne	<a href="#">142TA3323</a>
M30	4,2 tonne	<a href="#">142TA3324</a>
M36	10 tonne	<a href="#">142TA3325</a>
M42	12,5 tonne	<a href="#">142TA3326</a>
M48	11 tonne	<a href="#">142TA3327</a>
M56	15 tonne	<a href="#">142TA3328</a>
M64	22 tonne	<a href="#">142TA3329</a>
<b>Safety factor:</b>	<b>lifting capacity x 5</b>	



All these products available in blister package.



## EYE-BOLTS

### Eye-nut DIN 582 with CE-certificate

Sizes standard thread	Lifting capacity	REF Material C15	Lifting capacity	REF material GRADE 80
M6	0,07 tonne	<a href="#">142TA3280</a>	0,2 tonne	<a href="#">142TA3298</a>
M8	0,14 tonne	<a href="#">142TA3281</a>	0,4 tonne	<a href="#">142TA3299</a>
M10	0,23 tonne	<a href="#">142TA3282</a>	0,7 tonne	<a href="#">142TA3300</a>
M12	0,34 tonne	<a href="#">142TA3283</a>	1 tonne	<a href="#">142TA3301</a>
M14	0,49 tonne	<a href="#">142TA3284</a>	1,2 tonne	<a href="#">142TA3302</a>
M16	0,7 tonne	<a href="#">142TA3285</a>	1,5 tonne	<a href="#">142TA3303</a>
M18	0,9 tonne	<a href="#">142TA3286</a>	2 tonne	<a href="#">142TA3304</a>
M20	1,2 tonne	<a href="#">142TA3287</a>	2,5 tonne	<a href="#">142TA3305</a>
M24	1,8 tonne	<a href="#">142TA3288</a>	4 tonne	<a href="#">142TA3306</a>
M27	2,5 tonne	<a href="#">142TA3289</a>	5 tonne	<a href="#">142TA3307</a>
M30	3,2 tonne	<a href="#">142TA3290</a>	6 tonne	<a href="#">142TA3308</a>
M33	4,3 tonne	<a href="#">142TA3291</a>	7 tonne	<a href="#">142TA3309</a>
M36	4,6 tonne	<a href="#">142TA3292</a>	8 tonne	<a href="#">142TA3310</a>
M39	6,1 tonne	<a href="#">142TA3293</a>	9 tonne	<a href="#">142TA3311</a>
M42	7 tonne	<a href="#">142TA3294</a>	10 tonne	<a href="#">142TA3312</a>
M48	8,6 tonne	<a href="#">142TA3295</a>	18 tonne	<a href="#">142TA3313</a>
M56	11,5 tonne	<a href="#">142TA3296</a>		<a href="#">142TA3314</a>
M64	16 tonne	<a href="#">142TA3297</a>		<a href="#">142TA3315</a>
<b>Safety factor:</b>	<b>lifting capacity x 6</b>		<b>lifting capacity x 5</b>	




## HARDWARE SETS

### Finished hexagon bolts and hexagon nuts

**REF 123TA8023**


- 126 pieces
- Steel grade 5
- Imperial
- UNC ANSI B18.2.1/B18.2.2
- Sizes:
  - UNC 1/4" x 5/8" – x 3/4" – x 1" – x 1 1/4"
  - UNC 5/16" x 1" – x 1 1/2"
  - UNC 3/8" x 1" – x 1 1/2"
  - UNC 1/2" x 1 1/4"



### Finished hexagon bolts and hexagon nuts

**REF 128TA4028**


- 148 pieces
- Steel grade 5, zinc-plated
- Imperial
- UNF ANSI B18.2.1/B18.2.2
- Sizes:
  - UNF 7/16" x 1" – x 1 1/4" – x 1 1/2" – x 1 3/4" – x 2"
  - UNF 1/2" x 1" – x 1 1/4" – x 1 1/2" – x 2"
  - UNF 9/16" x 1 3/4" – x 2"
  - UNF 5/8" x 1 1/2" – x 2" – x 2 1/2"



### Finished hexagon bolts and hexagon nuts

**REF 131TA6977**


- 196 pieces
- Steel 8.8
- Metric fine ISO 8765/8676
- DIN 934
- Sizes:
  - M10 x 1,25 x 20 – x 25 – x 30 – x 40 – x 50 mm
  - M12 x 1,5 x 30 – x 40 – x 45 – x 50 mm
  - M14 x 1,5 x 30 – x 40 – x 50 – x 60 mm
  - M16 x 1,5 x 30 – x 40 – x 50 – x 60 mm



### Finished hexagon bolts and hexagon nuts

**REF 131TA6976**

- 950 pieces
- Steel 8.8, zinc-plated
- Metric ISO 4017
- DIN 934
- Sizes:
  - M5 x 10 – x 16 – x 20 mm
  - M6 x 16 – x 20 – x 25 mm
  - M8 x 20 – x 25 – x 30 mm
  - M10 x 30 – x 40 mm
  - M12 x 30 – x 40 mm



### Hexagon socket head cap screws

**REF 107TA5444**


- 95 pieces
- Steel 12.9, zinc-plated
- Metric
- DIN 912
- Sizes:
  - M6 x 16 – x 20 – x 25 – x 30 mm
  - M8 x 25 – x 30 – x 35 mm
  - M10 x 25 – x 35 mm



### Hexagon nuts, slotted cheese head screws and plain washers without chamfer

**REF 131TA6969**

- 770 pieces
- Plastic PA 6.6 (white)
- Metric
- ≈ DIN 934/84/125-1 A
- Sizes:
  - M3 x 6 – x 8 – x 10 – x 12 mm
  - M4 x 8 – x 10 – x 12 – x 16 mm
  - M5 x 10 – x 16 – x 20 – x 25 mm



### Phillips (H) cross recessed pan head tapping screws

**REF 131TA6975**

- 500 pieces
- Steel, nickel-plated
- Tapping thread metric DIN 7981C - H
  - ST 2,9 x 13 mm
  - ST 3,5 x 13 – x 16 – x 19 – x 25 mm
  - ST 4,2 x 13 – x 16 – x 19 – x 25 mm
  - ST 4,8 x 16 – x 19 – x 25 – x 32 mm
  - ST 5,5 x 19 – x 25 – x 32 mm
  - ST 6,3 x 25 – x 38 mm



### Countersunk screws and nuts

**REF 107TA5446**

- 840 pieces
- Bicro zinc
- Metric
- DIN 965 + 934
- Sizes:
  - M3 x 8 mm
  - M3 x 20 mm
  - M4 x 20 mm
  - M4 x 40 mm
  - M5 x 25 mm
  - M5 x 50 mm





## HARDWARE SETS

### Steel plate screws



**REF 107TA5447**

- 315 pieces
- Metric
- AB type DIN 7971 1/C
- Sizes:
 

– 4,8 x 13 mm	– 4,8 x 38 mm	– 5,5 x 38 mm
– 4,8 x 19 mm	– 5,5 x 19 mm	– 6,3 x 25 mm
– 4,8 x 25 mm	– 5,5 x 25 mm	– 6,3 x 38 mm

### Steel plate screws



**REF 107TA5458**

- 700 pieces
- Split bent head
- Metric
- AB type DIN 7971/C
- Sizes:
 

– 2,9 x 13 mm	– 4,2 x 19 mm	– 4,8 x 25 mm
– 3,5 x 13 mm	– 4,2 x 25 mm	– 5,5 x 19 mm
– 3,5 x 19 mm	– 4,8 x 13 mm	– 5,5 x 25 mm
– 4,2 x 13 mm	– 4,8 x 19 mm	

### Tapered screws




**REF 107TA5456**

- 500 pieces
- Metric
- AB type DIN 7981/C/Z
- Sizes:
 

– 2,9 x 13 mm	– 4,2 x 19 mm	– 4,8 x 25 mm
– 3,5 x 13 mm	– 4,2 x 25 mm	– 5,5 x 19 mm
– 3,5 x 19 mm	– 4,8 x 13 mm	– 5,5 x 25 mm
– 4,2 x 13 mm	– 4,8 x 19 mm	

### Hexagon nuts



**REF 107TA5443**

- 2200 pieces
- Steel cl.8, zinc-plated
- Metric
- DIN 934
- Sizes:
 

– M3	– M6	– M12
– M4	– M8	– M16
– M5	– M10	

### Prevailing torque type hexagon nuts with non-metallic insert

**REF 107TA5455**

- 214 pieces
- Steel cl. 5/8, zinc-plated
- Metric
- DIN 985
- Higher nuts also available
- Sizes:
 

– M4	– M7	– M12
– M5	– M8	– M14
– M6	– M10	– M16



### Sealing rings

**REF 107TA5448**

- 244 pieces
- Copper
- Metric
- DIN 7603 A
- Sizes:
 

– Dia: 5 x 10 x 1 mm	– Dia: 10,5 x 17 x 1,5 mm	– Dia: 14 x 20 x 1,5 mm
– Dia: 6 x 10 x 1 mm	– Dia: 11 x 17 x 1,5 mm	– Dia: 15 x 20 x 2 mm
– Dia: 7 x 10 x 1 mm	– Dia: 12 x 16 x 1,5 mm	– Dia: 16 x 22 x 2 mm
– Dia: 8 x 12 x 1 mm	– Dia: 12,5 x 20 x 1,5 mm	– Dia: 16,5 x 24 x 2 mm
– Dia: 9 x 14 x 1 mm	– Dia: 13 x 18 x 2 mm	– Dia: 17 x 24 x 2 mm
– Dia: 10 x 16 x 1,5 mm	– Dia: 14 x 18 x 1 mm	– Dia: 17,5 x 25 x 2 mm



All these products available in blister package.



## HARDWARE SETS

### Sealing rings

**REF 107TA5451**

- 780 pieces
- Copper, annealed
- Metric
- DIN 7603 A



- Sizes:
- |                         |                         |
|-------------------------|-------------------------|
| - Dia: 6 x 10 x 1 mm    | - Dia: 12 x 18 x 1,5 mm |
| - Dia: 8 x 12 x 1 mm    | - Dia: 13 x 18 x 1,5 mm |
| - Dia: 8 x 14 x 1,5 mm  | - Dia: 14 x 18 x 1 mm   |
| - Dia: 10 x 14 x 1,5 mm | - Dia: 14 x 20 x 1,5 mm |
| - Dia: 10 x 16 x 1,5 mm | - Dia: 16 x 20 x 1,5 mm |
| - Dia: 12 x 16 x 1,5 mm |                         |

### Spring lock washers with square ends

**REF 107TA5454**

- 523 pieces
- Stainless steel A2
- Metric
- DIN 127 B



- Sizes:
- |      |       |       |
|------|-------|-------|
| - M5 | - M10 | - M14 |
| - M6 | - M11 | - M16 |
| - M8 | - M12 | - M20 |

### Serrated lock washers external teeth

**REF 107TA5442**

- 743 pieces
- Steel, zinc-plated
- Metric
- DIN 6798 A



- Sizes:
- |      |       |       |
|------|-------|-------|
| - M4 | - M8  | - M14 |
| - M5 | - M10 | - M16 |
| - M6 | - M12 | - M20 |

### Wave spring washers

**REF 131TA6966**

- 570 pieces
- Steel
- Metric
- DIN 137 B



- Sizes:
- |      |       |       |
|------|-------|-------|
| - M5 | - M8  | - M14 |
| - M6 | - M10 | - M16 |
| - M7 | - M12 | - M20 |

### Filled sealing rings

**REF 131TA6967**

- 200 pieces
- Copper
- Metric
- ≈ DIN 7603 C



- Sizes:
- |                         |                       |                       |
|-------------------------|-----------------------|-----------------------|
| - Dia: 5 x 9 x 1,5 mm   | - Dia: 12 x 16 x 2 mm | - Dia: 18 x 22 x 2 mm |
| - Dia: 6 x 10 x 1,5 mm  | - Dia: 12 x 18 x 2 mm | - Dia: 18 x 24 x 2 mm |
| - Dia: 8 x 12 x 1,5 mm  | - Dia: 14 x 18 x 2 mm | - Dia: 20 x 24 x 2 mm |
| - Dia: 8 x 14 x 1,5 mm  | - Dia: 14 x 20 x 2 mm | - Dia: 20 x 26 x 2 mm |
| - Dia: 10 x 14 x 1,5 mm | - Dia: 16 x 20 x 2 mm | - Dia: 22 x 27 x 2 mm |
| - Dia: 10 x 16 x 1,5 mm | - Dia: 16 x 22 x 2 mm | - Dia: 22 x 29 x 2 mm |

### Packing (jointing) rings

**REF 123TA8016**

- 1910 pieces
- Fibre
- Metric



- Sizes:
- |                   |                     |                   |
|-------------------|---------------------|-------------------|
| - Dia: 5 x 8 mm   | - Dia: 11 x 17 mm   | - Dia: 17 x 22 mm |
| - Dia: 6 x 9 mm   | - Dia: 12 x 16 mm   | - Dia: 18 x 24 mm |
| - Dia: 7 x 10 mm  | - Dia: 12,5 x 18 mm | - Dia: 19 x 23 mm |
| - Dia: 8 x 12 mm  | - Dia: 14 x 18 mm   | - Dia: 20 x 24 mm |
| - Dia: 9 x 14 mm  | - Dia: 15 x 19 mm   | - Dia: 22 x 26 mm |
| - Dia: 10 x 14 mm | - Dia: 16 x 21 mm   | - Dia: 24 x 28 mm |

All these products available in blister package.



## HARDWARE SETS

### Retaining rings for bores

**REF 131TA6974**

- 115 pieces
- Steel, phosphated
- Metric
- DIN 472
- Sizes:
 

- Dia: 28 mm	- Dia: 32 mm	- Dia: 37 mm
- Dia: 29 mm	- Dia: 35 mm	- Dia: 40 mm
- Dia: 30 mm	- Dia: 36 mm	- Dia: 42 mm



### Retaining rings for bores

**REF 131TA6972**

- 260 pieces
- Steel, phosphated
- Metric
- DIN 472
- Sizes:
 

- Dia: 10 mm	- Dia: 16 mm	- Dia: 22 mm
- Dia: 11 mm	- Dia: 17 mm	- Dia: 23 mm
- Dia: 12 mm	- Dia: 18 mm	- Dia: 24 mm
- Dia: 13 mm	- Dia: 19 mm	- Dia: 25 mm
- Dia: 14 mm	- Dia: 20 mm	- Dia: 26 mm
- Dia: 15 mm	- Dia: 21 mm	- Dia: 27 mm



### Retaining rings for shafts

**REF 131TA6973**

- 115 pieces
- Steel, phosphated
- Metric
- DIN 471
- Sizes:
 

- Dia: 29 mm	- Dia: 33 mm	- Dia: 38 mm
- Dia: 30 mm	- Dia: 35 mm	- Dia: 40 mm
- Dia: 31 mm	- Dia: 36 mm	- Dia: 42 mm



### Retaining rings for shafts

**REF 131TA6971**

- 260 pieces
- Steel, phosphated
- Metric
- DIN 471
- Sizes:
 

- Dia: 10 mm	- Dia: 16 mm	- Dia: 22 mm
- Dia: 11 mm	- Dia: 17 mm	- Dia: 23 mm
- Dia: 12 mm	- Dia: 18 mm	- Dia: 24 mm
- Dia: 13 mm	- Dia: 19 mm	- Dia: 25 mm
- Dia: 14 mm	- Dia: 20 mm	- Dia: 26 mm
- Dia: 15 mm	- Dia: 21 mm	- Dia: 27 mm



### Retaining rings for shafts and retaining rings for bores

**REF 107TA5452**

- 326 pieces
- Steel, phosphated
- Metric
- DIN 471/472
- Sizes:
 

- Dia: 8 mm	- Dia: 11 mm	- Dia: 14 mm
- Dia: 9 mm	- Dia: 12 mm	- Dia: 15 mm
- Dia: 10 mm	- Dia: 13 mm	- Dia: 16 mm



### Retaining rings for shafts

**REF 123TA8018**

- 550 pieces
- Steel, phosphated
- Metric
- DIN 6799
- Sizes:
 

- Dia: 1,5 mm	- Dia: 3,2 mm	- Dia: 6 mm
- Dia: 1,9 mm	- Dia: 4 mm	- Dia: 7 mm
- Dia: 2,3 mm	- Dia: 5 mm	- Dia: 8 mm



### Starlock fixing washers for shafts

**REF 123TA8021**

- 289 pieces
- Steel, steel (without cap), stainless steel (with cap)
- Metric
- Sizes:
 

- Dia: 3 mm	- Dia: 6 mm	- Dia: 12 mm
- Dia: 4 mm	- Dia: 8 mm	- Dia: 16 mm
- Dia: 5 mm	- Dia: 10 mm	- Dia: 20 mm



### Spring pins

**REF 107TA5450**

- 517 pieces
- Metric
- Sizes:
 

- 2,5 x 24 mm	- 4 x 24 mm	- 6 x 24 mm
- 2,5 x 40 mm	- 4 x 40 mm	- 6 x 40 mm
- 3 x 24 mm	- 5 x 24 mm	- 8 x 24 mm
- 3 x 40 mm	- 5 x 40 mm	- 8 x 55 mm






## HARDWARE SETS

## Spring-type straight pins slotted – heavy type

REF [107TA5441](#)

- 414 pieces
- Steel
- Metric
- DIN 1481
- Sizes:
  - 1,5 x 8 – x 12 mm
  - 2 x 10 – x 16 mm
  - 2,5 x 30 mm
  - 3 x 14 – x 16 – x 20 – x 24 – x 30 mm
  - 4 x 16 – x 20 – x 24 – x 30 – x 40 mm
  - 5 x 20 – x 40 mm
  - 6 x 40 mm



## Split pins (cotter pins)

REF [107TA5462](#)

- 600 pieces
- Steel
- Metric
- DIN 94
- Sizes:
  - 1 x 25 mm
  - 1,6 x 32 mm
  - 2 x 40 mm
  - 2,5 x 40 mm
  - 3,2 x 40 – x 50 mm
  - 4 x 32 – x 50 mm
  - 5 x 50



## Split pins (cotter pins)

REF [123TA8026](#)


- 1345 pieces
- Steel, zinc-plated
- Metric
- DIN 94
- Sizes:
  - 2 x 20 – x 40 mm
  - 2,5 x 32 – x 40 mm
  - 3,2 x 40 – x 50 mm
  - 4 x 40 – x 50 mm
  - 5 x 40 – x 50 mm
  - 6,3 x 63 – x 80 mm



## Parallel keys – high type

REF [123TA8025](#)

- 90 pieces
- Steel
- Metric
- DIN 6885 A
- Sizes:
  - 5 x 5 x 20 – x 32 – x 40 mm
  - 6 x 6 x 20 – x 32 mm
  - 8 x 7 x 40 – x 50 mm
  - 10 x 8 x 50 – x 63 mm



## Woodruff keys

REF [123TA8024](#)

- 235 pieces
- Steel
- Metric
- DIN 6888
- Sizes:
  - 2 x 2,6 – x 3,7 – x 5 mm
  - 2,5 x 3,7 mm
  - 3 x 3,7 – x 5 – x 6,5 – x 7,5 mm
  - 4 x 5 mm



## Hexagon socket set screws with cup tip

REF [107TA5445](#)


- 245 pieces
- Steel cl. 45H
- Metric
- DIN 916
- Sizes:
  - M4 x 5 – x 8 – x 10 mm
  - M5 x 8 – x 10 – x 12 – x 16 mm
  - M6 x 8 – x 10 – x 12 – x 16 – x 20 mm
  - M8 x 12 – x 16 – x 20 mm
  - M10 x 16 – x 20 – x 25 mm



## Speed nuts

REF [142TA3236](#)

- 335 pieces
- Steel, yellow passivated
- SNP SNU SNJ SNO
- Sizes:
  - Flat nuts type SNP: 1212 (ST3,5) – 0176 (ST4,2) – 0177 (ST4,8) – 0178 (ST5,5)
  - Speed nuts type SNJ: 1895 (ST3,5) – 1198 (ST3,5) – 0116 (ST4,2) – 0117 (ST4,8) – 0118 (ST5,5)
  - Speed nuts type SNU: 1812 (ST2,9) – 1219 (ST3,5) – 0536 (ST4,2) – 1561 (ST4,2) – 0537 (ST4,8) – 1747 (ST4,8) – 0538 (ST5,5)





## HARDWARE SETS

### Helical compression springs

**REF 123TA8020**

- 105 pieces
- Steel, zinc-plated
- Metric
- DIN 2095
- Sizes:
  - 0,5 x 6,5 x 30 mm
  - 0,8 x 7,7 x 35 – x 50 mm
  - 1 x 8 x 30 mm
  - 1 x 10 x 60 mm



- 1,5 x 10 x 50 mm
- 1,5 x 12 x 40 mm
- 1,5 x 14 x 60 mm
- 2 x 14 x 50 mm

### Helical tension springs

**REF 123TA8017**

- 166 pieces
- Steel, zinc-plated
- Metric
- DIN 2097
- Sizes:
  - 0,5 x 4,5 x 20 mm
  - 0,5 x 6,5 x 20 – x 30 mm
  - 0,8 x 6,7 x 35 mm
  - 0,8 x 7,7 x 40 – x 50 mm
  - 1 x 10 x 40 – x 60 mm
  - 1,5 x 10 x 50 mm




### Assortment stoppers

**REF 123TA8027**

- Metric
- Sizes:
 

<ul style="list-style-type: none"> <li>– M10 x 1 DIN 908 x 15 mm</li> <li>– M12 x 1,5 DIN 908 x 10 mm</li> <li>– M14 x 1,5 DIN 908 x 10 mm</li> <li>– M10 x 1 DIN 910 x 15 mm</li> <li>– M12 x 1,5 DIN 910 x 10 mm</li> <li>– M14 x 1,5 DIN 910 x 10 mm</li> <li>– M16 x 1,5 DIN 908 x 10 mm</li> <li>– M18 x 1,5 DIN 908 x 5 mm</li> <li>– M20 x 1,5 DIN 908 x 5 mm</li> </ul>	<ul style="list-style-type: none"> <li>– M16 x 1,5 DIN 910 x 10 mm</li> <li>– M18 x 1,5 DIN 910 x 5 mm</li> <li>– M20 x 1,5 DIN 910 x 5 mm</li> <li>– M22 x 1,5 DIN 908 x 3 mm</li> <li>– M24 x 1,5 DIN 908 x 3 mm</li> <li>– M30 x 1,5 DIN 908 x 2 mm</li> <li>– M22 x 1,5 DIN 910 x 3 mm</li> <li>– M24 x 1,5 DIN 910 x 3 mm</li> <li>– M30 x 1,5 DIN 910 x 2 mm</li> </ul>
---	---




### Blanking plugs

**REF 131TA6970**

- 178 pieces
- Black rubber
- Metric
- Sizes:
 

<ul style="list-style-type: none"> <li>– Dia: 6,4 x 9,5 mm</li> <li>– Dia: 8 x 14,2 mm</li> <li>– Dia: 9,5 x 15,4 mm</li> <li>– Dia: 11,2 x 17,7 mm</li> <li>– Dia: 12,5 x 18,7 mm</li> </ul>	<ul style="list-style-type: none"> <li>– Dia: 15,5 x 22 mm</li> <li>– Dia: 19 x 25,5 mm</li> <li>– Dia: 20 x 25,5 mm</li> <li>– Dia: 22,5 x 28,4 mm</li> </ul>
---	--



### Lubricating nipples cone type

**REF 107TA5453**

- 120 pieces
- Steel, zinc-plated
- Metric – metric fine – metric extra fine
- ≈ DIN 71412
- Sizes:
  - M6 x 1–45° – 90° – 180°
  - M8 x 1–180°
  - M8 x 1,25–45° – 90° – 180°
  - M10 x 1–180°
  - M10 x 1,5–180°

