

## BATTERY CABLE AND CONNECTOR ASSEMBLY FEMALE



Amp A	Cable size mm <sup>2</sup>	Length mm	REF
80	25	800	<a href="#">100BA3248</a>
80	25	1200	<a href="#">100BA3249</a>
160	35	1000	<a href="#">100BA3250</a>
160	35	1200	<a href="#">100BA3251</a>
160	35	1500	<a href="#">100BA3252</a>
160	35	1800	<a href="#">100BA3253</a>
160	50	1000	<a href="#">100BA3254</a>
160	50	1200	<a href="#">100BA4362</a>
160	50	1500	<a href="#">100BA3256</a>
160	50	1800	<a href="#">100BA3257</a>
320	70	1200	<a href="#">100BA3258</a>
320	70	1500	<a href="#">100BA3259</a>
320	70	1800	<a href="#">100BA3260</a>
320	95	2000	<a href="#">100BA4363</a>
320	95	2300	<a href="#">100BA4364</a>

## BATTERY CABLE AND CONNECTOR ASSEMBLY MALE



Amp A	Cable size mm <sup>2</sup>	Length mm	REF
80	16	3000	<a href="#">100BA3263</a>
80	25	3000	<a href="#">100BA3264</a>
160	25	3000	<a href="#">100BA3265</a>
160	35	3000	<a href="#">100BA3266</a>
320	25	3000	<a href="#">100BA3267</a>

## REMA DIN CONNECTORS



Cable size	80 A				160 A			
mm <sup>2</sup>	Plug (male)	Plug with handle	Socket (female)	Socket with handle	Plug (male)	Plug with handle	Socket (female)	Socket with handle
16	<a href="#">100BA3666</a>	<a href="#">100BA3669</a>	<a href="#">100BA3687</a>	<a href="#">100BA3690</a>	<a href="#">100BA5026</a>	<a href="#">100BA3715</a>	<a href="#">100BA5053</a>	<a href="#">100BA5063</a>
25	<a href="#">100BA3667</a>	<a href="#">100BA3670</a>	<a href="#">100BA3688</a>	<a href="#">100BA3691</a>	<a href="#">100BA3712</a>	<a href="#">100BA3716</a>	<a href="#">100BA3728</a>	<a href="#">100BA3731</a>
35	<a href="#">100BA3668</a>	<a href="#">100BA3671</a>	<a href="#">100BA3689</a>	<a href="#">100BA3692</a>	<a href="#">100BA3713</a>	<a href="#">100BA3717</a>	<a href="#">100BA3729</a>	<a href="#">100BA3732</a>
50					<a href="#">100BA3714</a>	<a href="#">100BA3718</a>	<a href="#">100BA3730</a>	<a href="#">100BA3733</a>
<b>With auxiliary contacts</b>								
16	<a href="#">100BA3672</a>	<a href="#">100BA4989</a>	<a href="#">100BA3694</a>	<a href="#">100BA3696</a>	<a href="#">100BA5027</a>			<a href="#">100BA5064</a>
25	<a href="#">100BA3673</a>	<a href="#">100BA4990</a>	<a href="#">100BA3695</a>	<a href="#">100BA3697</a>	<a href="#">100BA3719</a>	<a href="#">100BA5035</a>	<a href="#">100BA3734</a>	<a href="#">100BA3737</a>
35	<a href="#">100BA3674</a>			<a href="#">100BA5016</a>	<a href="#">100BA3720</a>	<a href="#">100BA5036</a>	<a href="#">100BA3735</a>	<a href="#">100BA3738</a>
50					<a href="#">100BA3721</a>	<a href="#">100BA5037</a>	<a href="#">100BA3736</a>	<a href="#">100BA3739</a>
70					<a href="#">100BA3769</a>	<a href="#">100BA5038</a>	<a href="#">100BA3787</a>	<a href="#">100BA3790</a>
95					<a href="#">100BA3770</a>	<a href="#">100BA5039</a>	<a href="#">100BA3788</a>	<a href="#">100BA3791</a>
<b>With air supply system</b>								
16	<a href="#">100BA3678</a>	<a href="#">100BA3681</a>	<a href="#">100BA5003</a>	<a href="#">100BA3701</a>				
25	<a href="#">100BA3679</a>	<a href="#">100BA3682</a>	<a href="#">100BA5004</a>	<a href="#">100BA3702</a>	<a href="#">100BA3722</a>	<a href="#">100BA5040</a>	<a href="#">100BA5054</a>	<a href="#">100BA3740</a>
35	<a href="#">100BA3680</a>	<a href="#">100BA3683</a>	<a href="#">100BA5005</a>	<a href="#">100BA5017</a>	<a href="#">100BA3723</a>	<a href="#">100BA5041</a>	<a href="#">100BA5055</a>	<a href="#">100BA3741</a>
50					<a href="#">100BA3724</a>	<a href="#">100BA5042</a>	<a href="#">100BA5056</a>	<a href="#">100BA3742</a>
<b>With air supply and auxiliary contacts</b>								
16	<a href="#">100BA3684</a>	<a href="#">100BA4991</a>	<a href="#">100BA5006</a>	<a href="#">100BA5018</a>				
25	<a href="#">100BA3685</a>	<a href="#">100BA4992</a>	<a href="#">100BA5007</a>	<a href="#">100BA5019</a>	<a href="#">100BA3725</a>	<a href="#">100BA5043</a>	<a href="#">100BA5057</a>	<a href="#">100BA3746</a>
35	<a href="#">100BA3686</a>	<a href="#">100BA4993</a>		<a href="#">100BA5020</a>	<a href="#">100BA3726</a>	<a href="#">100BA5044</a>	<a href="#">100BA5058</a>	<a href="#">100BA3747</a>
50					<a href="#">100BA3727</a>	<a href="#">100BA5045</a>	<a href="#">100BA5059</a>	<a href="#">100BA3748</a>
<b>With pilot and auxiliary contacts</b>								
16	<a href="#">100BA4984</a>	<a href="#">100BA4994</a>	<a href="#">100BA5008</a>	<a href="#">100BA5021</a>				
25	<a href="#">100BA4985</a>	<a href="#">100BA4995</a>	<a href="#">100BA5009</a>	<a href="#">100BA5022</a>	<a href="#">100BA5028</a>	<a href="#">100BA5046</a>	<a href="#">100BA5060</a>	<a href="#">100BA5065</a>
35					<a href="#">100BA5029</a>	<a href="#">100BA5047</a>	<a href="#">100BA5061</a>	<a href="#">100BA5066</a>
50					<a href="#">100BA5030</a>	<a href="#">100BA5048</a>	<a href="#">100BA5062</a>	<a href="#">100BA5067</a>

Cable size	320 A				640 A	
mm <sup>2</sup>	Plug (male)	Plug with handle	Socket (female)	Socket with handle	Plug (male)	Socket (female)
50	<a href="#">100BA3762</a>	<a href="#">100BA3765</a>	<a href="#">100BA3780</a>	<a href="#">100BA3783</a>		
70	<a href="#">100BA3763</a>	<a href="#">100BA3766</a>	<a href="#">100BA3781</a>	<a href="#">100BA3784</a>	<a href="#">100BA5031</a>	<a href="#">100BA5049</a>
95	<a href="#">100BA3764</a>	<a href="#">100BA3767</a>	<a href="#">100BA3782</a>	<a href="#">100BA3785</a>	<a href="#">100BA5032</a>	<a href="#">100BA5050</a>
120					<a href="#">100BA5033</a>	<a href="#">100BA5051</a>
240					<a href="#">100BA5034</a>	<a href="#">100BA5052</a>
<b>With auxiliary contacts</b>						
50	<a href="#">100BA3768</a>	<a href="#">100BA4996</a>	<a href="#">100BA3786</a>	<a href="#">100BA3789</a>		
<b>With air supply system</b>						
50	<a href="#">100BA3771</a>	<a href="#">100BA3774</a>	<a href="#">100BA3792</a>	<a href="#">100BA3795</a>		
70	<a href="#">100BA3772</a>	<a href="#">100BA3775</a>	<a href="#">100BA3793</a>	<a href="#">100BA3796</a>		
95	<a href="#">100BA3773</a>	<a href="#">100BA3776</a>	<a href="#">100BA3794</a>	<a href="#">100BA3797</a>		
<b>With air supply and auxiliary contacts</b>						
50	<a href="#">100BA3777</a>	<a href="#">100BA4997</a>	<a href="#">100BA5010</a>	<a href="#">100BA3798</a>		
70	<a href="#">100BA3778</a>	<a href="#">100BA4998</a>	<a href="#">100BA5011</a>	<a href="#">100BA3799</a>		
95	<a href="#">100BA3779</a>	<a href="#">100BA4999</a>	<a href="#">100BA5012</a>	<a href="#">100BA3800</a>		
<b>With pilot and auxiliary contacts</b>						
50	<a href="#">100BA4986</a>	<a href="#">100BA5000</a>	<a href="#">100BA5013</a>	<a href="#">100BA5023</a>		
70	<a href="#">100BA4987</a>	<a href="#">100BA5001</a>	<a href="#">100BA5014</a>	<a href="#">100BA5024</a>		
95	<a href="#">100BA4988</a>	<a href="#">100BA5002</a>	<a href="#">100BA5015</a>	<a href="#">100BA5025</a>		

## REMA DIN 80 A TWIN PLUG AND SOCKET CONNECTORS



**REMA**®

DIN 80 A plugs, grey coding, acid resistant

REF [100BA3666](#) - 16 mm<sup>2</sup>

REF [100BA3667](#) - 25 mm<sup>2</sup>

REF [100BA3668](#) - 35 mm<sup>2</sup>



**REMA**®

DIN 80 A plugs, grey coding, acid resistant, separate handle

REF [100BA3669](#) - 16 mm<sup>2</sup>

REF [100BA3670](#) - 25 mm<sup>2</sup>

REF [100BA3671](#) - 35 mm<sup>2</sup>



**REMA**®

DIN 80 A plugs, grey coding, acid resistant, pilot contacts

REF [100BA3672](#) - 16 mm<sup>2</sup>

REF [100BA3673](#) - 25 mm<sup>2</sup>

REF [100BA3674](#) - 35 mm<sup>2</sup>



**REMA**®

DIN 80 A plug, yellow coding, 90° angle contacts

REF [100BA3675](#) - 25 mm<sup>2</sup>

## REMA DIN 80 A TWIN PLUG AND SOCKET CONNECTORS



DIN 80 A plug, grey coding, red housing

REF [100BA3676](#) - 16 mm<sup>2</sup>

REF [100BA3677](#) - 25 mm<sup>2</sup>



DIN 80 A plugs, grey coding, AIR, acid resistant

REF [100BA3678](#) - 16 mm<sup>2</sup>

REF [100BA3679](#) - 25 mm<sup>2</sup>

REF [100BA3680](#) - 35 mm<sup>2</sup>



DIN 80 A plugs, grey coding, AIR, acid resistant, separate handle

REF [100BA3681](#) - 16 mm<sup>2</sup>

REF [100BA3682](#) - 25 mm<sup>2</sup>

REF [100BA3683](#) - 35 mm<sup>2</sup>



DIN 80 A plugs, grey coding, AIR, acid resistant, aux. contacts

REF [100BA3684](#) - 16 mm<sup>2</sup>

REF [100BA3685](#) - 25 mm<sup>2</sup>

REF [100BA3686](#) - 35 mm<sup>2</sup>



## REMA DIN 80 A TWIN PLUG AND SOCKET CONNECTORS



DIN 80 A sockets, grey coding, acid resistant

REF [100BA3687](#) - 16 mm<sup>2</sup>

REF [100BA3688](#) - 25 mm<sup>2</sup>

REF [100BA3689](#) - 35 mm<sup>2</sup>



DIN 80 A sockets, grey coding, acid resistant, fixed handle

REF [100BA3690](#) - 16 mm<sup>2</sup>

REF [100BA3691](#) - 25 mm<sup>2</sup>

REF [100BA3692](#) - 35 mm<sup>2</sup>



DIN 80 A sockets, grey coding, acid resistant, separate handle

REF [100BA3693](#) - 25 mm<sup>2</sup>



DIN 80 A sockets, grey coding, acid resistant, pilot contacts

REF [100BA3694](#) - 16 mm<sup>2</sup>

REF [100BA3695](#) - 25 mm<sup>2</sup>

## REMA DIN 80 A TWIN PLUG AND SOCKET CONNECTORS



DIN 80 A sockets, grey coding, acid resistant, pilot contacts, fixed handle

REF [100BA3696](#) - 16 mm<sup>2</sup>

REF [100BA3697](#) - 25 mm<sup>2</sup>



DIN 80 A socket, grey coding, red housing, fixed handle

REF [100BA3698](#) - 16 mm<sup>2</sup>

REF [100BA3699](#) - 25 mm<sup>2</sup>

REF [100BA3700](#) - 35 mm<sup>2</sup>



DIN 80 A sockets, grey coding, AIR, acid resistant, fixed handle

REF [100BA3701](#) - 16 mm<sup>2</sup>

REF [100BA3702](#) - 25 mm<sup>2</sup>



DIN 80 A sockets, grey coding, AIR, acid resistant, separate handle

REF [100BA3703](#) - 16 mm<sup>2</sup>

REF [100BA3704](#) - 25 mm<sup>2</sup>

## SPARE PARTS FOR REMA DIN 80 A



**REMA**®

DIN 80 A plug housing (cable clamp, locking device), acid resistant

REF [100BA3705](#)



**REMA**®

DIN 80 A socket housing (cable clamp, locking device), acid resistant

REF [100BA3706](#)



**REMA**®

DIN 80 A socket housing (cable clamp, locking device), fixed handle, acid resistant

REF [100BA3707](#)



**REMA**®

DIN 80 A main contact set for plug (2 pcs)

REF [100BA3206](#) - 16 mm<sup>2</sup>

REF [100BA3207](#) - 25 mm<sup>2</sup>

REF [100BA3208](#) - 35 mm<sup>2</sup>

## SPARE PARTS FOR REMA DIN 80 A



DIN 80 A main contact set for socket (2 pcs)

REF [100BA3209](#) - 16 mm<sup>2</sup>

REF [100BA3210](#) - 25 mm<sup>2</sup>

REF [100BA3211](#) - 35 mm<sup>2</sup>



DIN 80 A angle contact 90° for plug

REF [100BA3708](#) - 25 mm<sup>2</sup>



DIN 80 A pilot contact set

REF [100BA3228](#) - For plug

REF [100BA3229](#) - For socket



DIN 80 A aux contact set

REF [100BA3234](#) - For plug

REF [100BA3235](#) - For socket



## SPARE PARTS FOR REMA DIN 80 A



DIN 80 A coding pin

- REF [100BA3242](#) - Grey (wet)
- REF [100BA3243](#) - Green (dry)
- REF [100BA3244](#) - Yellow (wet/dry)



DIN 80 A handle, flat, with 2 screws M6 x 30, acid resistant

REF [100BA3709](#)



DIN 80 A handle

- REF [100BA3203](#) - Grey (clip), acid resistant
- REF [100BA3710](#) - Red (clip)
- REF [100BA3711](#) - Red, with screws M6 x 35



DIN 80 A air adapter 6/8 mm connection

- REF [100BA3238](#) - For plug
- REF [100BA3239](#) - For socket



## REMA DIN 160 A TWIN PLUG AND SOCKET CONNECTORS



DIN 160 A plugs, grey coding, acid resistant

- REF [100BA3712](#) - 25 mm<sup>2</sup>
- REF [100BA3713](#) - 35 mm<sup>2</sup>
- REF [100BA3714](#) - 50 mm<sup>2</sup>



DIN 160 A plugs, grey coding, acid resistant, separate handle

- REF [100BA3715](#) - 16 mm<sup>2</sup>
- REF [100BA3716](#) - 25 mm<sup>2</sup>
- REF [100BA3717](#) - 35 mm<sup>2</sup>
- REF [100BA3718](#) - 50 mm<sup>2</sup>



DIN 160 A plugs, grey coding, acid resistant, pilot contacts

- REF [100BA3719](#) - 25 mm<sup>2</sup>
- REF [100BA3720](#) - 35 mm<sup>2</sup>
- REF [100BA3721](#) - 50 mm<sup>2</sup>



DIN 160 A plugs, grey coding, AIR, acid resistant

- REF [100BA3722](#) - 25 mm<sup>2</sup>
- REF [100BA3723](#) - 35 mm<sup>2</sup>
- REF [100BA3724](#) - 50 mm<sup>2</sup>

## REMA DIN 160 A TWIN PLUG AND SOCKET CONNECTORS



DIN 160 A plugs, grey coding, AIR, acid resistant, aux. contacts

- REF [100BA3725](#) - 25 mm<sup>2</sup>
- REF [100BA3726](#) - 35 mm<sup>2</sup>
- REF [100BA3727](#) - 50 mm<sup>2</sup>



DIN 160 A sockets, grey coding, acid resistant

- REF [100BA3728](#) - 25 mm<sup>2</sup>
- REF [100BA3729](#) - 35 mm<sup>2</sup>
- REF [100BA3730](#) - 50 mm<sup>2</sup>



DIN 160 A sockets, grey coding, acid resistant, fixed handle

- REF [100BA3731](#) - 25 mm<sup>2</sup>
- REF [100BA3732](#) - 35 mm<sup>2</sup>
- REF [100BA3733](#) - 50 mm<sup>2</sup>



DIN 160 A sockets, grey coding, acid resistant, pilot contacts

- REF [100BA3734](#) - 25 mm<sup>2</sup>
- REF [100BA3735](#) - 35 mm<sup>2</sup>
- REF [100BA3736](#) - 50 mm<sup>2</sup>

## REMA DIN 160 A TWIN PLUG AND SOCKET CONNECTORS



DIN 160 A sockets, grey coding, acid resistant, pilot contacts, fixed handle

REF [100BA3737](#) - 25 mm<sup>2</sup>

REF [100BA3738](#) - 35 mm<sup>2</sup>

REF [100BA3739](#) - 50 mm<sup>2</sup>



DIN 160 A sockets, grey coding, AIR, acid resistant, fixed handle

REF [100BA3740](#) - 25 mm<sup>2</sup>

REF [100BA3741](#) - 35 mm<sup>2</sup>

REF [100BA3742](#) - 50 mm<sup>2</sup>



DIN 160 A sockets, grey coding, AIR, acid resistant, separate handle

REF [100BA3743](#) - 25 mm<sup>2</sup>

REF [100BA3744](#) - 35 mm<sup>2</sup>

REF [100BA3745](#) - 50 mm<sup>2</sup>



DIN 160 A sockets, grey coding, AIR, acid resistant, fixed handle, aux. contacts

REF [100BA3746](#) - 25 mm<sup>2</sup>

REF [100BA3747](#) - 35 mm<sup>2</sup>

REF [100BA3748](#) - 50 mm<sup>2</sup>



## SPARE PARTS FOR REMA DIN 160 A



DIN 160 A plug housing (cable clamp, locking device), acid resistant

REF [100BA3749](#)



DIN 160 A socket, compl. (cable clamp, locking device), acid resistant

REF [100BA3750](#)



DIN 160 A socket, compl. (cable clamp, locking device), fixed handle, acid resistant

REF [100BA3751](#)



DIN 160 A main contact set for plug (2 pcs)

- REF [100BA3212](#) - 16 mm<sup>2</sup>
- REF [100BA3213](#) - 25 mm<sup>2</sup>
- REF [100BA3214](#) - 35 mm<sup>2</sup>
- REF [100BA3215](#) - 50 mm<sup>2</sup>
- REF [100BA3216](#) - 70 mm<sup>2</sup>

## SPARE PARTS FOR REMA DIN 160 A



DIN 160 A main contact set for socket (2 pcs)

- REF [100BA3217](#) - 16 mm<sup>2</sup>
- REF [100BA3218](#) - 25 mm<sup>2</sup>
- REF [100BA3219](#) - 35 mm<sup>2</sup>
- REF [100BA3220](#) - 50 mm<sup>2</sup>
- REF [100BA3221](#) - 70 mm<sup>2</sup>



DIN 160 A pilot contact set

- REF [100BA3230](#) - For plug
- REF [100BA3231](#) - For socket



DIN 160 A aux contact set

- REF [100BA3234](#) - For plug



DIN 160 A aux contact set

- REF [100BA3752](#) - For socket

## SPARE PARTS FOR REMA DIN 160 A



Handle acid resistant

- REF [100BA3753](#)** - DIN 160 A, flat, with 2 screws + lock nut
- REF [100BA3204](#)** - DIN 160 A, grey, bended, with 4 screws
- REF [100BA3754](#)** - DIN 160/320 A grey, bended, with 8 screws



Handle

- REF [100BA3755](#)** - DIN 160 A, red, bended, with 4 screws
- REF [100BA3756](#)** - DIN 160/320 A, red, bended, with 8 screws



DIN 160/320 metal handle

**REF [100BA3757](#)**



DIN 160 A air adapter

- REF [100BA3758](#)** - For plug (6/8 mm connection)
- REF [100BA3759](#)** - For plug (6/9 mm connection)
- REF [100BA3760](#)** - For socket (6/9 mm connection)

## SPARE PARTS FOR REMA DIN 160 A



DIN 160/320 A coding pin

REF [100BA3245](#) - Grey (wet)

REF [100BA3246](#) - Green (dry)

REF [100BA3247](#) - Yellow (wet/ dry)



## REMA DIN 320 A TWIN PLUG AND SOCKET CONNECTORS



DIN 320 A plugs, grey coding, acid resistant

REF [100BA3762](#) - 50 mm<sup>2</sup>

REF [100BA3763](#) - 70 mm<sup>2</sup>

REF [100BA3764](#) - 95 mm<sup>2</sup>



DIN 320 A plugs, grey coding, acid resistant, separate handle

REF [100BA3765](#) - 50 mm<sup>2</sup>

REF [100BA3766](#) - 70 mm<sup>2</sup>

REF [100BA3767](#) - 95 mm<sup>2</sup>



DIN 320 A plugs, grey coding, acid resistant, pilot contacts

REF [100BA3768](#) - 50 mm<sup>2</sup>

REF [100BA3769](#) - 70 mm<sup>2</sup>

REF [100BA3770](#) - 95 mm<sup>2</sup>



DIN 320 A plugs, grey coding, AIR, acid resistant

REF [100BA3771](#) - 50 mm<sup>2</sup>

REF [100BA3772](#) - 70 mm<sup>2</sup>

REF [100BA3773](#) - 95 mm<sup>2</sup>

## REMA DIN 320 A TWIN PLUG AND SOCKET CONNECTORS



DIN 320 A plugs, grey coding, AIR, acid resistant, separate handle

REF [100BA3774](#) - 50 mm<sup>2</sup>

REF [100BA3775](#) - 70 mm<sup>2</sup>

REF [100BA3776](#) - 95 mm<sup>2</sup>



DIN 320 A plugs, grey coding, AIR, acid resistant, aux. contacts

REF [100BA3777](#) - 50 mm<sup>2</sup>

REF [100BA3778](#) - 70 mm<sup>2</sup>

REF [100BA3779](#) - 95 mm<sup>2</sup>



DIN 320 A sockets, grey coding, acid resistant

REF [100BA3780](#) - 50 mm<sup>2</sup>

REF [100BA3781](#) - 70 mm<sup>2</sup>

REF [100BA3782](#) - 95 mm<sup>2</sup>



DIN 320 A sockets, grey coding, acid resistant, separate handle

REF [100BA3783](#) - 50 mm<sup>2</sup>

REF [100BA3784](#) - 70 mm<sup>2</sup>

REF [100BA3785](#) - 95 mm<sup>2</sup>

## REMA DIN 320 A TWIN PLUG AND SOCKET CONNECTORS



DIN 320 A sockets, grey coding, acid resistant, pilot contacts

- REF [100BA3786](#) - 50 mm<sup>2</sup>
- REF [100BA3787](#) - 70 mm<sup>2</sup>
- REF [100BA3788](#) - 95 mm<sup>2</sup>



DIN 320 A sockets, grey coding, acid resistant, pilot contacts, separate handle

- REF [100BA3789](#) - 50 mm<sup>2</sup>
- REF [100BA3790](#) - 70 mm<sup>2</sup>
- REF [100BA3791](#) - 95 mm<sup>2</sup>



DIN 320 A sockets, grey coding, AIR, acid resistant

- REF [100BA3792](#) - 50 mm<sup>2</sup>
- REF [100BA3793](#) - 70 mm<sup>2</sup>
- REF [100BA3794](#) - 95 mm<sup>2</sup>



DIN 320 A sockets, grey coding, AIR, acid resistant, separate handle

- REF [100BA3795](#) - 50 mm<sup>2</sup>
- REF [100BA3796](#) - 70 mm<sup>2</sup>
- REF [100BA3797](#) - 95 mm<sup>2</sup>

## REMA DIN 320 A TWIN PLUG AND SOCKET CONNECTORS



DIN 320 A sockets, grey coding, AIR, acid resistant, separate handle, aux. contacts

REF [100BA3798](#) - 50 mm<sup>2</sup>

REF [100BA3799](#) - 70 mm<sup>2</sup>

REF [100BA3800](#) - 95 mm<sup>2</sup>



## SPARE PARTS FOR REMA DIN 320 A



DIN 320 A plug, compl. (cable clamp, locking device), acid resistant

REF [100BA3801](#)



DIN 320 A housing (cable clamp, locking device, thread screw), acid resistant

REF [100BA3802](#)



DIN 320 A main contact set for plug (2 pcs.)

REF [100BA3222](#) - 50 mm<sup>2</sup>

REF [100BA3223](#) - 70 mm<sup>2</sup>

REF [100BA3224](#) - 95 mm<sup>2</sup>



DIN 320 A main contact set for socket (2 pcs.)

REF [100BA3225](#) - 50 mm<sup>2</sup>

REF [100BA3226](#) - 70 mm<sup>2</sup>

REF [100BA3227](#) - 95 mm<sup>2</sup>

## SPARE PARTS FOR REMA DIN 320 A



DIN 320 A pilot contact set

REF [100BA3232](#) - For plug

REF [100BA3233](#) - For socket



DIN 320 A aux contact set

REF [100BA3236](#) - For plug



DIN 320 A aux contact set

REF [100BA3237](#) - For socket



Handle acid resistant

REF [100BA3803](#) - DIN 320 A, flat, with 2 screws

REF [100BA3205](#) - DIN 320 A, grey, bended, with 4 screws

REF [100BA3754](#) - DIN 160/320 A, grey, bended, with 8 screws

## SPARE PARTS FOR REMA DIN 320 A



DIN 320 A handle red, flat, with 2 screws, only for DIN 320 A

- REF [100BA3804](#) - DIN 320 A, red, flat, with 2 screws
- REF [100BA3755](#) - DIN 320 A, red, bended, with 4 screws
- REF [100BA3756](#) - DIN 160/320 A, red, bended, with 8 screws



DIN 320 A air adapter (6/8 mm connection)

- REF [100BA3240](#) - For plug
- REF [100BA3241](#) - For socket



DIN 160/320 A pin

- REF [100BA3245](#) - Grey (wet)
- REF [100BA3246](#) - Green (dry)
- REF [100BA3247](#) - Yellow (wet/dry)

## REMA FT80 TWIN PLUG AND SOCKET CONNECTORS



FT80, plugs, red coding

REF [100BA3806](#) - 16 mm<sup>2</sup>

REF [100BA3807](#) - 25 mm<sup>2</sup>



FT80, plugs, red coding, pilot contacts

REF [100BA3808](#) - 16 mm<sup>2</sup>

REF [100BA3809](#) - 25 mm<sup>2</sup>



FT80, sockets, red coding

REF [100BA3810](#) - 16 mm<sup>2</sup>

REF [100BA3811](#) - 25 mm<sup>2</sup>



FT80, sockets, red coding, separate handle

REF [100BA3812](#) - 16 mm<sup>2</sup>

REF [100BA3813](#) - 25 mm<sup>2</sup>

## REMA FT80 TWIN PLUG AND SOCKET CONNECTORS



FT80, sockets, red coding, pilot contacts

REF [100BA3814](#) - 16 mm<sup>2</sup>

REF [100BA3815](#) - 25 mm<sup>2</sup>



FT80, sockets, red coding, pilot contacts, separate handle

REF [100BA3816](#) - 16 mm<sup>2</sup>

REF [100BA3817](#) - 25 mm<sup>2</sup>



## SPARE PARTS FOR REMA FT80



Contact for plug (1 pc)

REF [100BA3818](#) - 16 mm<sup>2</sup>

REF [100BA3819](#) - 25 mm<sup>2</sup>



Contact for socket (1 pc)

REF [100BA3820](#) - 16 mm<sup>2</sup>

REF [100BA3821](#) - 25 mm<sup>2</sup>



Pilot contact (1 pc)

REF [100BA3822](#) - For plug

REF [100BA3823](#) - For socket



Handle

REF [100BA3824](#)

## SPARE PARTS FOR REMA FT80



Coding pin

REF [100BA3825](#)

REMA DIN CONNECTORS