

## USED ON HAULOTTE



CABLE GUIDES					
	Outside dimensions mm	Inside dimensions mm	Material	Used on	REF
	94 x 64	75 x 44,5	Plastic	HA18PXNT, HA18PX, HA18P, HA16X	<a href="#">160TA3869</a>
	102,6 x 60	75 x 44	Plastic	H16TPX	<a href="#">160TA2676</a>
	90,5 x 49,5	72,4 x 34,5	Plastic	H21T, H23T, H25TP, H21TX	<a href="#">160TA3445</a>
	72,5 x 34,5	57 x 25	Plastic	HA15I, HA15D, HA15X, HA16, HA18PXNT, HA18PX, HA16PXNT, HA16P, HA18P, HA12IP, HA15IP, HA16DX	<a href="#">138TA7211</a>
	94 x 64	75 x 45	Plastic	HA15X, HA16PX, HA16PXNT, HA16P, HA15IP, HA16SPX	<a href="#">138TA7210</a>
	95 x 64	75 x 45	Plastic	HA16RTJ, HA46RTJP	<a href="#">164TA1088</a>
	95 x 64	75 x 45	Plastic	HA20P, HA20PX	<a href="#">138TA7213</a>
	98,5 x 83,5	75 x 62	Plastic	HA26PX	<a href="#">138TA7212</a>

BODY &amp; CHASSIS PARTS



# USED ON HAULOTTE



BODY & CHASSIS PARTS

CABLE GUIDES					
	Outside dimensions mm	Inside dimensions mm	Material	Used on	REF
	94 x 64	75 x 45	Plastic	HA16PXNT, HA15IP, HA20PX, HA16PX, HA16SPX, HA16X, HA12IP	<a href="#">138TA7215</a>
	91 x 50	75 x 34	Plastic	H21TX, H23TPX, H25TPX	<a href="#">160TA3249</a>
	93.5 x 64	75 x 44.5	Plastic	HA16(S)PX, HA18(S)PX	<a href="#">138TA7219</a>
	98 x 83.5	74.5 x 61.5	Plastic	HA26PX	<a href="#">138TA7217</a>

## PARTS OF CABLE GUIDES

	<ul style="list-style-type: none"> <li>Length: 53 mm</li> <li>Width: 28 mm</li> </ul> <p>Used on HA16PXNT, HA15IP, HA12CJ, HA16PX, HA16SPX, HA16X, HA20PX, HA12IP</p> <p><b>REF <a href="#">160TA4040</a></b></p>		<ul style="list-style-type: none"> <li>Length: 91,8 mm</li> <li>Width: 94,8 mm</li> </ul> <p>Used on HA16PXNT, HA15IP, HA16PX, HA16SPX, HA16X, HA20PX, HA12IP</p> <p><b>REF <a href="#">160TA4084</a></b></p>
	<ul style="list-style-type: none"> <li>Length: 79 mm</li> <li>Width: 93 mm</li> </ul> <p>Used on H21TX, H23TPX, H25TPX</p> <p><b>REF <a href="#">160TA2645</a></b></p>		

## USED ON HAULOTTE



## RUBBER MOUNTS



- Type: AE-pad with oval mounting flange
- Length: 54 mm
- Overall length: 88,5 mm

Used on H43TPX, HA41PX-NT

**REF 160TA3878**



- Type: AE-pad with oval mounting flange
- Length: 77 mm
- Thread: M10
- Overall length: 128,2 mm

Used on HA120PX

**REF 138TA7348**



- Type: A-pad with 2 x outer thread
- Diameter: 15 mm
- Length: 10 mm
- Thread: M5
- Overall length: 30 mm

Used on HA12PX, HA15D, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA26PX, HA20PX, H16TPX, COMPACT12DX, H12SX, COMPACT8DX, COMPACT10DX, HA32PX, H15SX, H18SX, HA16X, H43TPX, H21TX, HA16SPX, HA41PX-NT

**REF 160TA3582**



- Type: A-pad with 2 x outer thread
- Diameter: 24 mm
- Length: 20 mm
- Thread: M8
- Overall length: 60 mm

Used on H12SX(L), HS5388RT(XL), HT43RTJPRO, HT132RT, H21/61RT, HT23/67RT, HA16RTJ, HA46RTJP, HA120PX, HA41/130RTJPRO, HA32RTJPRO, HA10RT, HA16RTJ, HA46RTJP, HA18PX, HA51SJRT, HA32RTJPRO, HA100RT, HA20RTJ, HA20RTJP, HT43RTJPRO, HT132RT, HT21/61RT, HT23/67RTJ, HA16/18PX, HA46/51S, H14TX-16TPX, HB40-4, HA46/51J, HA20/260PX, HA61/80J, HA16D, HA16DX, HA12I, HA15I, H25TP, H25TPX, H23T(X/P/PX), H15SD(X/E), HA32PX, HA26P, HA15X, H21T, HA46JRT

**REF 138TA7347**



- Type: S-special
- Length: 92 mm
- Overall length: 152 mm

Used on HA20PX

**REF 138TA7350**



- Type: Z-cone shaped pad without collar
- Diameter: 25 mm
- Overall length: 31 mm

Used on HA16PX, HA18PX

**REF 160TA2843**

# USED ON HAULOTTE



BODY & CHASSIS PARTS


## SAFETY CAGE PARTS



- Length: 1106 mm
- Width: 30 mm
- Height: 1115 mm

Used on COMPACT10,  
COMPACT8W, COMPACT12

**REF 160TA3190**



- Length: 1310 mm
- Width: 35 mm
- Height: 1100 mm

Used on COMPACT12DX,  
COMPACT8DX, COMPACT10DX

**REF 160TA1545**



- Length: 1414 mm
- Width: 87 mm
- Height: 978,5 mm

Used on H12SD, H18DX, H15SD,  
H12SX

**REF 160TA3637**



- Length: 1595 mm
- Width: 30 mm
- Height: 1115 mm

Used on OPTIMUM8, OPTIMUM6

**REF 160TA1856**



- Length: 1598 mm
- Width: 343 mm
- Height: 630 mm

Used on COMPACT10,  
COMPACT10N,  
COMPACT8, COMPACT12,  
COMPACT10RTE, COMPACT8W,  
COMPACT12EN 280

**REF 160TA1280**



- Length: 1598 mm
- Width: 374 mm
- Height: 630 mm

Used on COMPACT10,  
COMPACT10N,  
COMPACT8, COMPACT12,  
COMPACT10RTE, COMPACT8W,  
COMPACT12EN 280

**REF 160TA1660**



- Length: 2280 mm
- Width: 30 mm
- Height: 1115 mm

Used on COMPACT8,  
COMPACT10N, COMPACT10,  
COMPACT12, COMPACT8W

**REF 160TA4046**



- Length: 712 mm
- Width: 300 mm
- Height: 30 mm

Used on COMPACT10N,  
COMPACT8

**REF 160TA3202**



- Length: 834 mm
- Width: 41 mm
- Height: 35 mm

Used on COMPACT10N,  
COMPACT10, COMPACT8W,  
COMPACT12, COMPACT8

**REF 160TA3926**



- Length: 890 mm
- Width: 32 mm

Used on STAR10, STAR12,  
STAR11, STAR8, STAR 8

**REF 160TA3441**

# USED ON HAULOTTE



BODY & CHASSIS PARTS

## SAFETY CAGE PARTS



- Length: 1920 mm
- Height: 1300 mm

Used on H12SD, H18DX, H15SD, H12SX

**REF 160TA3147**



- Length: 1920 mm
- Width: 35 mm
- Height: 1300 mm

Used on H12SD, H18DX, H15SD, H12SX

**REF 160TA3039**



- Length: 1414 mm
- Width: 87 mm
- Height: 978,5 mm

Used on H12SD, H18DX, H15SD, H12SX

**REF 160TA3759**



- Length: 475 mm
- Width: 31 mm
- Height: 30 mm

Used on COMPACT10N, COMPACT8, COMPACT12, COMPACT10RTE, COMPACT10, OPTIMUM6, OPTIMUM8, COMPACT8W, COMPACT12EN 280

**REF 160TA3578**



- Length: 2295 mm
- Width: 66,5 mm
- Height: 110 mm

Used on COMPACT10N, COMPACT8, COMPACT12, COMPACT10RTE, COMPACT10, COMPACT8W, COMPACT12EN 280

**REF 160TA3222**



- Length: 2295 mm
- Width: 63, mm
- Height: 110 mm

Used on COMPACT10N, COMPACT8, COMPACT12, COMPACT10RTE, COMPACT10, COMPACT8W, COMPACT12EN 280

**REF 160TA3442**



- Length: 1240 mm
- Width: 9,5 mm
- Height: 96 mm

Used on COMPACT10N, COMPACT8, COMPACT12, COMPACT8W, COMPACT10, COMPACT10RTE, COMPACT12EN 280

**REF 160TA3643**



- Length: 1600 mm
- Width: 335 mm
- Height: 1100 mm

Used on COMPACT10, COMPACT8, COMPACT10N, COMPACT8W, COMPACT12, COMPACT10RTE, COMPACT12EN 280

**REF 160TA3591**



- Length: 1673 mm
- Width: 35 mm
- Height: 1120 mm

Used on H12SD, H18DX, H15SD, H12SX

**REF 160TA3913**



- Length: 625 mm
- Width: 165 mm

Used on COMPACT8

**REF 160TA3209**

# USED ON HAULOTTE



BODY & CHASSIS PARTS

## SAFETY CAGE PARTS



- Diameter: 16 mm
- Total length: 970 mm
- Hardened: no

Used on H12SD, H18DX, H15SD, H12SX

**REF [138TA7442](#)**



- Length: 505 mm
- Width: 30 mm

Used on COMPACT10N, COMPACT8, COMPACT12, COMPACT10RTE, COMPACT10, OPTIMUM6, OPTIMUM8, COMPACT8W, COMPACT12EN 280

**REF [160TA3309](#)**



Length: 400 mm

Used on COMPACT8DX, COMPACT10DX, COMPACT12DX

**REF [160TA2947](#)**



**REF [160TA2934](#)**

## SAFETY CAGES



- Length: 1800 mm
- Height: 1340 mm

**REF [160TA3721](#)**



- Length: 990 mm
- Height: 1230 mm

Used on STAR8, STAR10

**REF [160TA2618](#)**

## LEVER



- Length: 605 mm
- Width: 260 mm
- Diameter: 12 mm

Used on H12SD, H18DX, H15SD, H12SX, H15SX, H18SX

**REF [127TA2426](#)**

## USED ON HAULOTTE



BODY &amp; CHASSIS PARTS

SUPPORTS - PIECES OF CONNECTIONS				
	Number of holes	Material	Used on	REF
	5	Metal	COMPACT12DX, COMPACT8DX, COMPACT10DX	<a href="#">160TA2786</a>
	4	Metal	COMPACT8, COMPACT10N, COMPACT12	<a href="#">160TA3834</a>
	13	Metal	HA16PX, HA16PXNT, HA16P, HA15IP, HA16SPX	<a href="#">160TA3758</a>
	2	Metal	H12SD, H18DX, H15SD, H12SX	<a href="#">127TA2369</a>
	2	Metal	H12SD, H15SD	<a href="#">160TA1768</a>
	2	Metal	HA12PX, HA15X, HA16PX, HA18PXNT, HA18PX, HA16PXNT, HA12IP, HA15IP	<a href="#">160TA2421</a>
	2	Metal	COMPACT8, COMPACT8W, COMPACT10N, COMPACT10, COMPACT12, COMPACT12DX, OPTIMUM8, COMPACT10RTE, OPTIMUM6, COMPACT12EN 280, COMPACT10DX	<a href="#">160TA3163</a>
	28	Metal	COMPACT10, COMPACT13, COMPACT12, COMPACT8	<a href="#">138TA7440</a>
	6	Metal	H125X(L)/HS5388RT(XL), H12SD(X/E), H15SD(X/E), H18SDX	<a href="#">127TA2371</a>
	5	Metal	HA16PXNT, HA18PXNT, HA16PX, HA16SPX	<a href="#">160TA2808</a>

# USED ON HAULOTTE



BODY & CHASSIS PARTS

WEAR PADS				
	Diameter mm	Material	Used on	REF
	140,6	Plastic	HA16SPX, HA12PX, H21T, HA15X, HA16PX, HA18PX, HA16PXNT, HA18PXNT, HA16P, HA18P, HA26PX, HA20PX, HA26P, H16TPX, HA15IP, H23T, H25TP, HA12IP, HA32PX, H21TX, HA16X	<a href="#">160TA3027</a>
	100	Plastic	STAR10, STAR 8	<a href="#">160TA3751</a>
	100	Plastic	STAR10, STAR 8	<a href="#">160TA4068</a>
	100,5	Plastic	STAR9, STAR12, STAR11, STAR6, STAR10, STAR 8, STAR 6	<a href="#">138TA7421</a>
	105	Plastic	HA12PX, HA15X, HA16PX, HA16P, HA12IP	<a href="#">160TA3354</a>
	110	Plastic	HA20P, HA26PX, HA20PX, HA26P	<a href="#">138TA7425</a>
	110	Plastic	HA12PX, HA15X, HA16PX, HA16PXNT, HA16P, HA12IP, HA15IP, HA16DX, HA16D 4X4, HA16D, HA16SPX, HA16X	<a href="#">138TA7426</a>
	120	Plastic	HA12PX, HA15X, HA16PX, HA18PX, HA16PXNT, HA18PXNT, HA16P, HA18P, HA12IP, HA15IP, HA16X, HA16SPX	<a href="#">160TA2989</a>
	140,4	Plastic	HA12PX, HA15X, HA16PX, HA16PXNT, HA16P, HA12IP, HA15IP, HA16SPX, HA16X	<a href="#">160TA3856</a>
	149	Plastic	HM8, STAR10, STAR8, HM10P	<a href="#">138TA7428</a>



## USED ON HAULOTTE



BODY &amp; CHASSIS PARTS

WEAR PADS				
	Diameter mm	Material	Used on	REF
	150	Plastic	HA20P, HA26PX, HA20PX, HA26P, H16TPX	<a href="#">160TA1843</a>
	152	Plastic	H21T, H23T, H25TP	<a href="#">138TA7430</a>
	152	Plastic	H21T, H23T, H25TP	<a href="#">138TA7431</a>
	159	Plastic	HA32PX	<a href="#">160TA1273</a>
	16,2	Plastic	HM8, STAR10, STAR8, HM10P	<a href="#">138TA7434</a>
	44	Plastic	H16TPX, H21T, HA20P, HA26PX, HA20PX, HA26P, H23T, H25TP, H21TX	<a href="#">138TA7415</a>
	200	Plastic	HA20P, HA26PX, HA20PX, HA26P	<a href="#">138TA7432</a>
	44,4	Plastic	HA18PXNT, HA16PXNT, HA12IP, HA15IP, HA16PX, HA16SPX, HA16X	<a href="#">160TA3984</a>
	50	Plastic	HA15I, HA15D, HA15X, HA16PX, HA18PXNT, HA18PX, HA16PXNT, HA16P, HA18P, HA12IP, HA15IP, HA16DX, HA16D 4X4, HA16D	<a href="#">160TA3409</a>
	90,3	Plastic	COMPACT8, COMPACT12, COMPACT10, COMPACT10N, COMPACT8W, OPTIMUM6, OPTIMUM8, COMPACT10RTE, COMPACT12EN 280	<a href="#">160TA3953</a>

# USED ON HAULOTTE



BODY & CHASSIS PARTS

## KIT WEAR PLATE



1

2

3

- Length: 125 mm
- Piece 1: 25 x 19 mm
- Piece 2: 25 x 21 mm
- Piece 3: 25 x 10 mm

Used on HA12PX, HA15X, HA16PX, HA18PXNT, HA18PX, HA16PXNT

REF [160TA3399](#)

## ROLLERS



- Diameter roller: 45 mm
- Width roller: 20 mm
- Diameter shaft: 16 mm
- Without bushing

Used on HA16SPX, H12SD, HA16PXNT, HA18PXNT, HA26PX, HA20PX, H18DX, COMPACT12DX, H15SD, COMPACT8DX, COMPACT10DX, HA12IP, HA32PX, HA15IP, HA12CJ, H21TX, HA16PX, HA16X, H12SX

REF [160TA3814](#)



- Diameter roller: 144 mm
- Width roller: 22 mm
- Diameter shaft: 32 mm
- Without bushing

Used on COMPACT8, COMPACT10, COMPACT14, COMPACT12, OPTIMUM8, OPTIMUM6,

REF [138TA7436](#)

## STEERING RODS



- Height of the tie rod: 120 mm
- Length of the ball joint: 445 mm
- Smallest diameter cone: 27 mm
- Thread type 1, 2, 3: M24, M24, M22

Used on HTL3614, HTL3617, HTL4014, HTL4017

REF [165TA3972](#)



- Height of the tie rod: 120 mm
- Length of the ball joint: 445 mm
- Smallest diameter cone: 27 mm
- Thread type 1, 2, 3: M24, M24, M22

Used on HTL3614, HTL3617, HTL4014, HTL4017

REF [165TA3973](#)

## STEEL CABLES



- Total length: 1425 mm
- Diameter: 3,1 mm

Used on STAR6, STAR 6, LPE/STAR6P

REF [160TA2793](#)



- Total length: 1620 mm
- Diameter: 3 mm

Used on STAR10, STAR 8

REF [160TA3723](#)

## USED ON HAULOTTE



## AXLE SHAFT



- Type: special flange
- Length: 146 mm
- Number of splines: 8
- Diameter splines: 40 mm
- Diameter flange: 119 mm

Used on STAR8, STAR10

REF [138TA7315](#)

## BALL SCREW



- Total length: 277 mm
- Diameter shaft: 42 mm
- Length of the screw: 70 mm

Used on HA120PX, HA12IP, HA33JE, HA18PX, HA51SJRT, HA16/18SPX, HA46/51S, H14TX-16TPX, HA40-4, HA16/18PX, HA46/51J, HA120PX, HA21TX/23/25TPX, HB62/68, HA51IP, HA32PX, HA26P, HA18P(X), HA51JRT, HA16P(X/D/N), HA46JRT, HA18PXNT, HA15X, HA12PX

REF [138TA7320](#)

## STEERING KNUCKLES



- Diameter 1: 55 mm
- Biggest inner diameter: 83 mm
- LH

Used on COMPACT8, COMPACT10, COMPACT14, COMPACT3, COMPACT12

REF [160TA3645](#)



- Diameter 1: 55 mm
- Biggest inner diameter: 83 mm
- RH

Used on COMPACT8, COMPACT10, COMPACT14, COMPACT12

REF [138TA7448](#)

## GEAR REDUCTOR



- Outer diameter: 137,8 mm
- Total height: 36,8 mm

Used on HA120PX, HA12IP

REF [138TA7313](#)

## USED ON HAULOTTE



BODY &amp; CHASSIS PARTS

## DOOR HANDLES



- Length: 210 mm
- Width: 33,5 mm

Used on HA16PXNT, HA16PX,  
HA18PX, HA18PXNT

**REF 151TA2361**



- Length: 80 mm
- Width: 29 mm

Used on HA120PX, HA15I,  
HA43E, HM10P, HM8, HA12I,  
H12SD(X/E), H15SD(X/E),  
H18SDX, H18SX, HS5388RT,  
H12SX, H3388RT, H15SX,  
HS4388RT, H16TPX, HB44J,  
HA12PX

**REF 138TA7455**



- Length: 100 mm
- Width: 100 mm

Used on  
HTL3614-3617-4014-401,  
HTL3210, HLT3010/3510/4010,  
HTL4017

**REF 165TA3974**



- Length: 110 mm
- Width: 50 mm

Used on HA12PX, H21T, HA15X,  
HA16PX, HA18PX, HA16PXNT,  
HA18PXNT, HA20P, HA16P,  
HA18P, HA26PX, HA20PX,  
HA26P, H16TPX, COMPACT12DX,  
COMPACT8DX, COMPACT10DX,  
H23T, H25TP, HA12IP, HA32PX,  
HA15IP-HA43JE

**REF 127TA2386**



- Length: 95 mm
- Width: 22,1 mm

Used on COMPACT10DX

**REF 138TA7451**



- Length: 93 mm
- Width: 34 mm

**REF 138TA7452**



- Length: 50 mm
- Width: 12 mm

Used on HA16X, HA16PX,  
HA16SPX, H12SX, HA41PX-NT

**REF 160TA2623**



- Length: 45 mm
- Thread: M6 x 16

Used on STAR10, STAR6, STAR8,  
STAR 8, STAR 6, LPE/STAR6P

**REF 160TA4011**

# USED ON HAULOTTE



## DOOR HANDLES



- Length: 80 mm
- Width: 47,6 mm
- Thread: 5,6 mm

Used on H12SX

**REF [160TA2476](#)**



- Length: 90 mm
- Width: 52 mm
- Height: 119 mm

Used on  
HTL3614-3617-4014-401,  
HTL3210, HTL3010/3510/4010,  
HTL32, HTL4017

**REF [160TA2888](#)**



- Length: 72 mm
- Width: 70,3 mm
- Height: 38,6 mm

Used on STAR10, STAR8,  
HM10P, HM8, STAR 8

**REF [160TA3831](#)**

## KEY LOCKING



Compact lock and key DX

Used on COMPACT12DX,  
COMPACT8DX, COMPACT10DX

**REF [138TA7457](#)**

## USED ON HAULOTTE



## COVERS &amp; ACCESSORIES

PROTECTIVE COVERS				
	Length mm	Width mm	Used on	REF
	1250	800	HA12CJ, HA32CJ, HA33CJ	<a href="#">160TA2301</a>
	818,5	575	H12SD, H18DX, H12SX, H15SD, H15SX, H18SX	<a href="#">160TA3606</a>
	1650	1030	HA26PX, HA80JRT, HA20PX, HA61JRT	<a href="#">160TA2929</a>
	1570	965	HA20PX, HA260PX, HA61J, HA80J	<a href="#">160TA3338</a>
	1620	1075	HA20PX	<a href="#">160TA1831</a>
	1150	975	HA120PX, HA12PX	<a href="#">160TA2961</a>
	1300	560	HA16PX, HA18PX, HA16PXNT, HA18PXNT	<a href="#">160TA4242</a>
	1300	560	STAR10, STAR8	<a href="#">160TA3777</a>

# USED ON HAULOTTE



COVERS & ACCESSORIES

PROTECTIVE COVERS				
	Length mm	Width mm	Used on	REF
	2025	590	COMPACT10, COMPACT10DX, COMPACT12, COMPACT12DX, COMPACT3368RT, COMPACT2668-3, COMPACT2668-336, COMPACT2668RT, COMPACT8DX, COMPACT2068RT	<a href="#">165TA3975</a>
	845	330	HA151, HA43E, HA121, HA121P, HA33JE	<a href="#">160TA3713</a>
	1050	73	COMPACT12DX, COMPACT8DX, COMPACT10DX	<a href="#">160TA2758</a>
	1050	73	COMPACT10DX	<a href="#">160TA4927</a>
	1090	1045	HA16PX, HA18PX, HA16PXNT, HA18PXNT, HA16SPX	<a href="#">160TA3673</a>
	1280	490	STAR10, STAR 8	<a href="#">160TA3997</a>
	960	295	HA20PX	<a href="#">160TA2382</a>
			COMPACT10DX, 12DX	<a href="#">160TA3197</a>

# USED ON HAULOTTE



COVERS & ACCESSORIES

PROTECTIVE COVERS				
	Length mm	Width mm	Used on	REF
	1250	680	STAR10, STAR8	<a href="#">160TA3811</a>
	1260	595	STAR10, STAR8	<a href="#">160TA3812</a>
	743	728	STAR10, STAR8, STAR 8	<a href="#">165TA3976</a>
	1250	750	STAR 8	<a href="#">165TA3977</a>
	900	680	HA120PX	<a href="#">165TA3978</a>
	1030	780	H14TPX, H16TPX	<a href="#">160TA3050</a>
	1170	1050	H16TPX	<a href="#">160TA3243</a>
	635	514	HA120PX, HA12IP, HA33JE, HA12PX	<a href="#">160TA2452</a>



## USED ON HAULOTTE



PROTECTIVE COVERS				
	Length mm	Width mm	Used on	REF
	1750	1100	H16TPX	<a href="#">160TA3527</a>
	1540	980	HA26PX, HA80JRT, HA20PX, HA61JRT	<a href="#">160TA2955</a>
	835	360	HA15IP	<a href="#">160TA3195</a>
	2110	590	COMPACT10, COMPACT10DX, COMPACT12, COMPACT12DX, COMPACT3368RT, COMPACT2668-3, COMPACT2668-336	<a href="#">160TA3240</a>
	1790	550	H21T, H21TX, H23TX, H23 TP, H23TPX, H25TP, H25TPX, HB62, HB68	<a href="#">160TA3691</a>
	670	550	HA120PX, HA12IP, HA33JE, HA15IP	<a href="#">160TA4036</a>
	900	670	HA12IP, HA15IP	<a href="#">160TA3921</a>
	1550	1050	HA18P(X), HA51JRT, HA16P(X/D/N), HA46JRT	<a href="#">160TA3034</a>

COVERS &amp; ACCESSORIES

## USED ON HAULOTTE



COVERS &amp; ACCESSORIES

GAS SPRINGS/SHOCK ABSORBERS					
	Type	Force N	Centre distance mm	Used on	REF
	Push	1150	325	HA15X, HA16PX, HA18PX, HA16PXNT, HA18PXNT, HA16P, HA18P, H16TPX, HA16X, HA16SPX	<a href="#">138TA7407</a>
	Push	200	580	HA26PX, HA20PX, HA26P, COMPACT10DX	<a href="#">138TA7408</a>
	Push	2100	540	HA32PX, H43TPX, HA41PX-NT	<a href="#">160TA3709</a>
	Push	350	485	COMPACT12DX, COMPACT8DX, COMPACT10DX	<a href="#">160TA4002</a>
	Push	500	215	HA15X, HA16P, HA18P, HA16X	<a href="#">138TA7406</a>
	Push	600	295	H23T, H25TP, H21TX, HA20PX	<a href="#">138TA7409</a>
	Push	1150	395	H14TX-16TPX, HB40-4	<a href="#">165TA3979</a>

## USED ON HAULOTTE



## COVERS



- Length: 176 mm
- Width: 185,5 mm
- Height: 265 mm

Used on COMPACT8DX,  
COMPACT10DX, COMPACT12DX

**REF [160TA2485](#)**



- Length: 280 mm
- Width: 255 mm
- Height: 191 mm

Used on HA32PX

**REF [160TA1767](#)**



- Length: 658 mm
- Width: 170 mm
- Height: 180 mm

Used on COMPACT8DX,  
COMPACT10DX, COMPACT12DX

**REF [160TA3239](#)**



- Length: 719 mm
- Width: 204 mm
- Height: 176 mm

Used on H12SX, H15SX, H18SX

**REF [160TA3995](#)**



- Length: 722 mm
- Width: 170 mm
- Height: 171 mm

Used on H12SDX, H15SDX,  
H18SDX

**REF [160TA2474](#)**



- Width: 240 mm
- Height: 300 mm

Used on H12SX, H15SX, H18SX

**REF [160TA3948](#)**

# USED ON HAULOTTE



DECALS

## DECALS



- Length: 110 mm
- Height: 50 mm

Used on COMPACT8W, STAR12, COMPACT12, STAR10, COMPACT8, COMPACT10, STAR9, H125X, OPTIMUM8, HM8, HA26PX, H23T, H12SD, HA12IP, HA12PX, HA15I, HA15D, H21T, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA16P, HA20P, HA18P, HA20PX, HA26P, H16TPX


**REF [138TA1199](#)**



- Length: 125 mm
- Height: 340 mm

Used on COMPACT8, COMPACT10, COMPACT12, COMPACT8W, OPTIMUM8, OPTIMUM6, COMPACT10N

**REF [126TA9572](#)**



- Length: 125 mm
- Height: 348 mm

Used on COMPACT8, COMPACT10, COMPACT14

**REF [160TA4035](#)**



- Length: 125 mm
- Height: 348 mm

Used on COMPACT8, COMPACT10, COMPACT14, OPTIMUM8, OPTIMUM6


**REF [138TA7493](#)**



- Length: 140 mm
- Height: 220 mm

Used on HA12IP, HA33CJ

**REF [160TA4818](#)**



- Length: 125 mm
- Height: 348 mm

**REF [160TA3052](#)**



- Length: 230 mm
- Height: 350 mm

**REF [138TA7498](#)**



- Length: 240 mm
- Height: 294 mm


**REF [160TA3793](#)**

# USED ON HAULOTTE



DECALS

## DECALS



- Length: 268 mm
- Height: 385 mm

**REF 138TA7499**



- Length: 433 mm
- Height: 103 mm

**REF 160TA1818**




- Length: 435 mm
- Height: 104 mm

**REF 160TA3884**



- Length: 278 mm
- Height: 385 mm

**REF 160TA3432**



- Length: 130 mm
- Height: 100 mm

Used on H12SX(L), HS5388RT(XL), COMPACT10

**REF 139TA2901**



- Length: 140 mm
- Height: 220 mm

Used on HA15IP, HA12IP

**REF 160TA3579**



- Length: 161 mm
- Height: 96 mm

Used on OPTIMUM 8

**REF 160TA3067**



- Length: 178 mm
- Height: 115 mm

Used on COMPACT8, COMPACT8W, COMPACT12, COMPACT10, H12SX, H12SD, OPTIMUM8, COMPACT10N, OPTIMUM6, H18DX, COMPACT12DX, H15SD, COMPACT8DX, COMPACT10DX, H15SX, H18SX, COMPACT10RTE, COMPACT12EN 280

**REF 138TA1868**

# USED ON HAULOTTE



DECALS

## DECALS



- Length: 180 mm
- Height: 117 mm

Used on HA16P, HA12IP, HA12PX, HA15I, HA15D, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA20P, HA18P, HA26PX, HA20PX, HA26P, HA12I, HA15IP, HA12CJ, HA120PX

**REF 126TA9634**



- Length: 185 mm
- Height: 100 mm

Used on H12SX, COMPACT8DX, COMPACT10DX, COMPACT12DX, HA15IP, HA12IP, H15SX, H18SX

**REF 138TA7496**



- Length: 200 mm
- Height: 93 mm

Used on COMPACT8, COMPACT12


**REF 160TA2949**



- Length: 215 mm
- Height: 90 mm

Used on STAR8, STAR6, STAR10, STAR13, STAR11, STAR12, STAR9, HM10P

**REF 160TA3053**



- Length: 216 mm
- Height: 96 mm

Used on STAR8, STAR6, STAR10, STAR13, STAR9, STAR8/HM10P, STAR12, STAR11

**REF 138TA3686**



- Length: 220 mm
- Height: 386 mm

Used on H21TX/23/25TPX/HB62/68

**REF 160TA2457**



- Length: 220 mm
- Height: 392 mm

Used on HA260PX, HA20PX, HA120PX

**REF 160TA3602**



- Length: 220 mm
- Height: 92 mm

Used on HA15IP, HA43JE, H12SX(L), HS5388RT(XL), COMPACT10, H12SX(L), HS5388RT(XL)

**REF 138TA7484**

# USED ON HAULOTTE



DECALS

## DECALS



- Length: 225 mm
- Height: 95 mm

Used on HA12IP, HA15IP

**REF 126TA9645**



- Length: 230 mm
- Height: 100 mm

Used on H12SX, COMPACT8DX, COMPACT10DX, COMPACT12DX, H15SX, H18SX

**REF 127TA2416**



- Length: 230 mm
- Height: 140 mm

Used on STAR 8, STAR 10

**REF 160TA3463**



- Length: 230 mm
- Height: 140 mm

Used on STAR 8, STAR 10


**REF 163TA1527**



- Length: 230 mm
- Height: 350 mm

Used on COMPACT10

**REF 160TA3947**



- Length: 276 mm
- Height: 87 mm

Used on STAR10, STAR8, STAR 8

**REF 138TA3945**



- Length: 278 mm
- Height: 385 mm

Used on HA16PX, HA16SPX, HA120PX

**REF 160TA1896**



- Length: 285 mm
- Height: 90 mm

Used on HA12PX

**REF 160TA3963**

# USED ON HAULOTTE



DECALS


## DECALS



- Length: 285 mm
- Height: 90 mm

Used on HA12PX

**REF 138TA1619**



- Length: 287 mm
- Height: 78 mm

Used on OPTIMUM8, OPTIMUM6

**REF 160TA3021**



- Length: 297 mm
- Height: 200 mm

Used on HA15I


**REF 126TA9685**



- Length: 400 mm
- Height: 200 mm

Used on H25TP, H25TPX, H23T(X/P/PX), COMPACT10DX, COMPACT12DX, H21T, H21TX

**REF 138TA7492**



- Length: 300 mm
- Height: 200 mm

Used on COMPACT12DX, COMPACT8DX, COMPACT10DX


**REF 160TA4050**



- Length: 400 mm
- Height: 200 mm

Used on HA16P, HA18P, HA16PX

**REF 126TA9595**



- Length: 380 mm
- Height: 380 mm

Used on HT43RTJPRO, HT132RT, HT31/61(RT), HT23/67(RT), HA15IP, HA43JE, HA16RTJ, HA46RTJP, HA18PX, HA51SJRT, HT43RTJPRO, HT132R, H14TX-16TPX, HB40-4, HA20/260PX, HA61/80J, HA16X, HA260PX, H25TP, H25TPX, H23T(X/P/PX), H16TPX, HB44J, HA26PX, HA80JRT, HA32PX, HA20PX, HA61JRT, HA26P, HA15X, H21T, H21TX, HA15D

**REF 160TA3439**



# USED ON HAULOTTE



DECALS


## DECALS



- Length: 380 mm
- Height: 380 mm

Used on HT43RTJPRO, HT132RT, HT21/6(RT), HT23/67(RT), HA15IP, HA43JE, HA12IP, HA33JE, HA16RTJ, HA46RTJP, HA18PX, HA51SJRT, HT43RTJPRO, HT132RT, H14TX-16TPX, HB40-4, HA20/260PX, HA61/80J, HA16X, HA260PX, H14T(X), H16TP(X), H25TP, H25TPX, H23T(X/P/PX), H16TPX, HB44J, HA32PX, HA26PX, HA80JRT, HA26P, HA15X, H21T, H21TX

**REF 160TA3464**



- Length: 39 mm
- Height: 57 mm

Used on COMPACT8, MPE/LPMSTAR6P, STAR6, STAR8, STAR10, COMPACT12, OPTIMUM8, OPTIMUM6, COMPACT10, STAR12


**REF 160TA4101**



- Length: 400 mm
- Height: 200 mm

Used on HA16PXNT, HA16PX, HA120PX


**REF 138TA7490**



- Length: 400 mm
- Height: 200 mm

Used on HA20/260PX, HA61/80J, HA26PX, HA80JRT


**REF 138TA7487**



- Length: 400 mm
- Height: 200 mm

Used on HA16X, HA260PX


**REF 138TA7489**



- Length: 400 mm
- Height: 200 mm

Used on H14TX-16TPX, HB40-4

**REF 160TA3462**



- Length: 400 mm
- Height: 200 mm

Used on H21, H23, H25

**REF 160TA3994**

# USED ON HAULOTTE



DECALS

## DECALS



- Length: 512 mm
- Height: 202 mm

Used on H32PX

**REF 160TA3468**



- Length: 435 mm
- Height: 105 mm

Used on COMPACT12, COMPACT8, COMPACT10, COMPACT8W, COMPACT10N, COMPACT10RTE, COMPACT12EN 280

**REF 160TA3865**



- Length: 435 mm
- Height: 104 mm

Used on COMPACT 10DX, 12DX

**REF 160TA1842**



- Length: 54 mm
- Height: 24 mm

Used on STAR10, HA16PXNT, HA12IP, HA15IP, HA16PX, STAR8, HA12CJ, STAR 8, COMPACT10DX, HA120PX, LPE/STAR6P


**REF 138TA3315**



- Length: 65 mm
- Height: 70 mm

Used on STAR10, COMPACT12, COMPACT8, STAR6, COMPACT10N, OPTIMUM6, COMPACT10RTE, COMPACT10, COMPACT8W, OPTIMUM8, STAR 6, STAR8, COMPACT12EN 280, STAR 8, COMPACT10DX, LPE/STAR6P


**REF 160TA4086**



- Length: 77 mm
- Height: 82 mm

Used on HA16P, HA12IP, HM8, HA12PX, HA15I, HA15D, H21T, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA20P, HA18P, HA26PX, HA20PX, HA26P, H14T, H16TPX, H23T, H25TP, HA12I, HA32PX, HM10P, HA120PX

**REF 138TA7497**



- Length: 84 mm
- Height: 100 mm

Used on COMPACT8W, COMPACT12, COMPACT8, COMPACT10, H12SX, H12SD, OPTIMUM8, OPTIMUM6, H18DX, COMPACT12DX, H15SD, COMPACT8DX, COMPACT10DX, COMPACT10N, H15SX, H18SX, COMPACT10RTE, COMPACT12EN 280

**REF 138TA6894**



- Length: 92 mm
- Height: 135 mm

Used on COMPACT10, STAR12, COMPACT12, COMPACT8, COMPACT8W, STAR9, OPTIMUM8, STAR10, H12SD, OPTIMUM6, HA12IP, HM8, HA15I, HA16P, HA18P, H15SD, HA15IP, HA12I, STAR11, STAR8, HM10P, COMPACT10N, HA16PX, HA12CJ, COMPACT12EN 280, STAR 8

**REF 126TA9636**

## USED ON HAULOTTE



DECALS

## DECALS



- Length: 93 mm
- Height: 210 mm

Used on HM8, HA12IP, HA15I, HA12PX, HA15D, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA16P, HA18P, HA12I, HA15IP, HM10P, HA12CJ, HA120PX

REF [160TA4100](#)

- Length: 93 mm
- Height: 210 mm

Used on HM8, HA12IP, HA15I, HA12PX, HA15D, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA16P, HA18P, HA12I, HA15IP, HM10P, HA12CJ, HA120PX

REF [160TA4053](#)

- Length: 93 mm
- Height: 138 mm

Used on STAR12, STAR9, H12SX, H12SD, STAR10, HA12IP, HM8, HA12PX, HA15I, HA15D, H21T, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA16P, HA20P, HA18P, HA26PX, HA20PX, HA26P, H14T, H16TPX, H18DX, COMPACT12DX, H15SD, COMPACT8DX

REF [138TA1190](#)

- Length: 95 mm
- Height: 137 mm

Used on COMPACT10, STAR12, COMPACT8W, COMPACT12, COMPACT8, STAR10, STAR9, HM8, H12SX, OPTIMUM8, H12SD, HA12IP, HA12PX, HA15I, HA15D, H21T, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA16P, HA20P, HA18P, HA26PX, HA20PX, HA26P, H14T, H16TPX

REF [126TA9631](#)

- Length: 95 mm
- Height: 137 mm

Used on STAR12, STAR10, STAR9, HM8, H12SX, H12SD, HA12IP, HA12PX, HA15I, HA15D, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA16P, HA20P, HA18P, HA26PX, HA20PX, HA26P, H14T, H16TPX, H18DX, COMPACT12DX, H15SD, COMPACT8DX, COMPACT10DX

REF [138TA1191](#)

- Length: 95 mm
- Height: 140 mm

Used on HA16P, HA12IP, HA12PX, HA15I, HA15D, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA18P, HA12I, HA15IP, HA20P, HA26PX, HA20PX, HA26P, HA12CJ, HA120PX

REF [126TA9635](#)

- Length: 95 mm
- Height: 140 mm

Used on COMPACT8, COMPACT10, COMPACT12, COMPACT8W, H12SX, H12SD, OPTIMUM8, OPTIMUM6, H18DX, COMPACT12DX, H15SD, COMPACT8DX, COMPACT10DX, COMPACT10N, H15SX, H18SX, COMPACT10RTE, COMPACT12EN 280

REF [138TA6901](#)

- Length: 95 mm
- Height: 102 mm

Used on HA15IP, HA43JE, HA12CJ(+)/32CJ(+)/33CJ, COMPACT8W, COMPACT8, COMPACT10, COMPACT12, COMPACT14, HA12IP, HA33CJ+, LPE\*LPMSTAR6P, STAR6, COMPACT10N, STAR8, HA15I, HA43E, STAR11, STAR12, STAR10, OPTIMUM8, OPTIMUM6

REF [138TA1193](#)

## USED ON HAULOTTE



DECALS

## DECALS



- Length: 95 mm
- Height: 103 mm

Used on COMPACT10, COMPACT12, COMPACT8W, COMPACT8, H12SX, OPTIMUM8, COMPACT10N, H12SD, OPTIMUM6, H18DX, COMPACT12DX, H15SD, COMPACT8DX, COMPACT10DX, H15SX, H18SX, COMPACT10RTE, COMPACT12EN 280

REF [138TA1870](#)


- Length: 95 mm
- Height: 130 mm

Used on HA15I, HA12IP, HA12PX, HA12I, HA15IP, HA12CJ

REF [126TA9623](#)

- Length: 95 mm
- Height: 137 mm

Used on HM8, STAR12, STAR10, STAR9, HA12IP, HA15I, HA12PX, HA15D, H21T, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA16P, HA20P, HA18P, HA26PX, HA20PX, HA26P, H14T, H16TPX, H23T, H25TP, HA12I, HA15IP, STAR11, STAR8, HA32PX, HM10P, HA12CJ

REF [126TA9632](#)

- Length: 95 mm
- Height: 138 mm

Used on HA12IP, HA12PX, HA15I, HA15D, H21T, HA15X, HA16PX, HA18PX, HA18PXNT, HA16PXNT, HA16P, HA20P, HA18P, HA26PX, HA20PX, HA26P, H14T, H16TPX, H23T, H25TP, HA12I, HA15IP, HA32PX, HA120PX

REF [126TA9624](#)

- Length: 96 mm
- Height: 138 mm

Used on COMPACT10, COMPACT8, COMPACT8W, H12SX, COMPACT12, OPTIMUM8, HA26PX, HA20PX, OPTIMUM6, COMPACT8DX, COMPACT10DX, COMPACT12DX, STAR6, HA32PX, COMPACT10N, H15SX, H18SX, COMPACT10RTE, STAR 6, HA12CJ, COMPACT12EN 280, HA120PX, LPE/STAR6P

REF [138TA1880](#)