


ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


used for: **ALLIS CHALMERS-KALMAR AC**

ALTERNATORS

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	53,5	14	12,5	12,5	38	74	12	174		105TA5493
	A	67	19,8	15,4	12	32,2	69,6	12,5	154	V	128TA3629
	A	68,5	13	13	13	39	68,5	16	154	V	111TA1119
	A	79,8	13	13	13	50	70	13	155	V	124TA6604
	A	80	13	13	13	37	69	10	155	V	124TA6630
	A	80,5	13	13	13	37	73,5	13	155		105TA5497
	A	80,5	13	13	13	37,5	65	10	175	V	124TA6675
	A	80,5	14,5	13,5	14,5	37	72	12	157	V	105TA5498
	A	82	12,5	12,5	13	40	69	10	155	V	117TA8563



REF [105TA5493](#)



REF [128TA3629](#)



REF [111TA1119](#)



REF [124TA6604](#)



REF [124TA6630](#)



REF [105TA5497](#)



REF [124TA6675](#)



REF [105TA5498](#)





REF [117TA8563](#)





used for: ALLIS CHALMERS-KALMAR AC

type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm) X	dimension (mm) L1	dimension (mm) L2	dimension (mm) L3	dimension (mm) Y	dimension (mm) D2	dimension (mm) W	dimension (mm) C	regulator REG	reference new
U	TY										
12	B		24		16,5	30,5	74	14	138	V	105TA5499
	B		24		16,5	31	74	12	140	V	136TA3779
	B		51		16,5				167	V	105TA5495
	B		51		16,5	34	57,5	10	168	V	105TA5494
	B		51		17,5	34	65	12	168		105TA5492
24	A	71	12	14	16	63,5	95	17	170	V	124TA6611
	A	82	13	13	13	46,5	77	16	155	V	124TA6599
	B		58		22	63	83	31,5	160	V	124TA6666




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **ARTISON**

type A
3-bolt fixing



type B
2-bolt fixing





type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	80	13	13	13	44	82	17	155	V	128TA3646





used for: AUSA

type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	81	14	20	18				140	V	135TA1918
	B		23,5		16	32	69	13	138	V	135TA2471
	B		24		16	33	62,8	11	140	V	136TA3838
	B		24,4		15,8	57	63	10	138	V	135TA1784
	B		29		17	45	74	12	155	V	135TA1857




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **BALKANCAR**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types




voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	83	10	10	10	34	63	12	144	V	103TA3786



REF [103TA3786](#)



used for: **BAUMANN**

type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types 
--	---	---

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	67	18	13	14	47	67	23	156	V	135TA1937
	A	87	9,8	20	9,5				143	V	128TA3939




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **BOBCAT**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	58	13	13	36,4	33	83	12	172	V	135TA1824
	A	64,8	15	13	13	18,5	68,7	13	155	V	135TA1930
	A	67,3	12	11,6	12	39	72	14	156		135TA1802
	A	81,5	13,5	13	13	38	74	14	157	V	128TA3715
	A	82,5	14	16	17	34	87,5	16	140	V	128TA3929
	A	83,5	12	12	12,4	33	63,8	12	148	V	128TA3794
	B		16,6		14,2	51,5	65	14	132		128TA3674
	B		21		16	35	69	13	154	V	135TA1915
	B		23,5		16	32	69	13	138	V	135TA2469



REF [135TA1824](#)



REF [135TA1930](#)



REF [135TA1802](#)



REF [128TA3715](#)



REF [128TA3929](#)



REF [128TA3794](#)



REF [128TA3674](#)



REF [135TA1915](#)



REF [135TA2469](#)



ALTERNATORS


For all our latest catalogue updates and company info: www.tvh.com




ALTERNATORS

used for: **BOBCAT**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		24		16	30,5	70	12	138	V	136TA8348
	B		24,4		15,8	57	63	10	138	V	128TA3662
	B		51		11,2				166	V	128TA3848
	B		51		16,5				167	V	136TA3828
	B		51		16,5	34	57,5	10	168	V	135TA1694
	B		52		17	43,5	68	21,5	165	V	128TA3577
	B		56		10				144	V	128TA3601
	B		56		16,5				173	V	128TA3570
	B		56		56				156	V	135TA1874



REF [136TA8348](#)



REF [128TA3662](#)



REF [128TA3848](#)



REF [136TA3828](#)



REF [135TA1694](#)



REF [128TA3577](#)



REF [128TA3601](#)



REF [128TA3570](#)



REF [135TA1874](#)




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **BOBCAT**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	S		16,2		16	55	65	11	117,5		135TA1948
24	A	82	14	14	14				159,6	V	128TA3678




REF [135TA1948](#)



REF [128TA3678](#)



used for: CLARK-SAMSUNG



voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	48	13	13	13	39	68,5	14	153	V	105TA5531
	A	53,5	14	12,5	12,5	38	74	12	174		105TA5533
	A	53,5	14	13	13	38	74	14	175	V	105TA5528
	A	58	13	13	36,4	33	83	12	172	V	124TA6728
	A	63,5	15	16	15				165	V	116TA7256
	A	65	13,5	15,5	13	44,5	73	12	175		110TA9057
	A	65,5	13	14	13	40	74	12	175		103TA3678
	A	67	19,8	15,4	12	32,2	69,6	12,5	154	V	116TA7329
	A	67,3	12	11,6	12	39	72	14	156		135TA1800




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **CLARK-SAMSUNG**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	68	12	12	12	38,8	69	14,4	150	V	136TA3830
	A	78	12,8	13	13	39	68	12	175	V	105TA5539
	A	79	13,4	15,3	24	58	62	21,5	165	V	128TA3503
	A	80	13	13	13	44	82	17	155	V	135TA1776
	A	80	13,5	13	13	37	68	14	175	V	116TA7335
	A	80,3	13	12,2	13	38,3	74	13	174	V	105TA5538
	A	80,5	14,5	13,5	14,5	37	72	12	157	V	124TA6587
	A	81	25	12	22	27	72,5	14	174	V	103TA3755
	A	81,5	12,4	15,2	23,5	56,5	74	31	163	V	124TA6647




REF [136TA3830](#)



REF [105TA5539](#)



REF [128TA3503](#)



REF [135TA1776](#)



REF [116TA7335](#)




REF [105TA5538](#)



REF [124TA6587](#)



REF [103TA3755](#)




REF [124TA6647](#)





used for: CLARK-SAMSUNG



voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	81,5	13,5	13	13	38	74	14	157	V	116TA7310
	A	82	12,5	12,5	13	40	69	10	155	V	135TA1700
	A	83	9	20	9,5				143	V	135TA1921
	A	100	12,5	14	14				218	V	116TA7305
	A	101,8	14,5	20	14,5				196	V	128TA3909
	A	102	13,5	13,5	14				200		124TA6742
	A	181	9	10	9				156		105TA5536
	B		27,5		16	42	76	14	175	V	135TA1765
	B		50,5		16,5	36	84,5	18	165,5	V	107TA9493




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **CLARK-SAMSUNG**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		50,7		15,7	33,5	67	10,5	167	V	128TA3838
	B		50,8		16	33	66	12	165		128TA3816
	B		51		11,2				166	V	128TA3847
	B		51		11,5				166	V	105TA5534
	B		51		15				155	V	128TA3505
	B		51		16				165	V	128TA3459
	B		51		16,5				167	V	105TA5541
	B		51		16,5	34	57,5	10	168	V	124TA6577
	B		51		17,5	32	66	12	167	V	128TA3920



REF [128TA3838](#)



REF [128TA3816](#)



REF [128TA3847](#)



REF [105TA5534](#)



REF [128TA3505](#)



REF [128TA3459](#)



REF [105TA5541](#)



REF [124TA6577](#)




REF [128TA3920](#)






used for: CLARK-SAMSUNG



voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		51		17,5	34	65	12	168		105TA5535
	B		51		25,5				178	V	124TA6715
	B		52		17	43,5	68	21,5	165	V	103TA3727
	B		56		10				143	V	128TA3533
	B		56		16,3	27,5	72,5	10	173	V	135TA1728
	B		56		16,5				173	V	116TA7300
	B		56,2		20	61	67,5	11	155	V	116TA7400
	B		56,5		16,4	28,8	72,5	12	170	V	105TA5540
	B		71,5		36	52,5	68	19	151	V	105TA5532




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **CLARK-SAMSUNG**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		76,5		13,5	45	72	14	175	V	135TA1810
	B		78		20				180	V	136TA3815
24	A	80	13	13	14	43	83,5	19	175	V	124TA6720
	A	81	14	13,5	14	52	60	30	162,5	V	135TA2468
	A	81	14,5	13	14,5	44	84	18,5	155	V	105TA5537
	A	101	14,5	13,3	15				210	V	128TA3842
	B		51		16				164	V	103TA3660



REF [135TA1810](#)



REF [136TA3815](#)



REF [124TA6720](#)



REF [135TA2468](#)



REF [105TA5537](#)



REF [128TA3842](#)




REF [103TA3660](#)





used for: **COVENTRY CLIMAX**




voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	53,5	14	13	13	38	74	14	175	V	124TA6602
	A	65,5	27	4	11	38	85,5	10	162	V	105TA5901
	A	70	27	13,5	11	44	66	10,5	160	V	103TA3811
	A	80,5	14,5	13,5	14,5	37	72	12	157	V	105TA5545
	A	81	56,5	20	56,5	32	79,5	14	147	V	105TA5542
	A	81,5	10,4	10	10				143	V	124TA6642
	A	81,5	12,5	12,5	12,5	38	74	12	150	V	105TA5543
	A	82,8	11,3	12,3	11,3	32	64	12	150	V	124TA6608
	A	87,5	9,8	10	10				142	V	124TA6659




used for: COVENTRY CLIMAX

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
24	A	80,5	14,8	13	14,6	37,5	72	12	155	V	124TA6624





REF [124TA6624](#)





used for: **DESTA**

type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	65	27	15	10	30	65	9	168	V	116TA7366




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **DIECI**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	63	17	16	15				166	V	135TA1737
	A	65	17	16	15	50	93	10,5	165	V	135TA1760
	A	82,5	14	13,5	14	55	60	30	165	V	136TA3854
	B		56		56				155	V	135TA1837
24	A	64	17	13,3	17	36,5			183	V	135TA1898



REF [135TA1737](#)



REF [135TA1760](#)



REF [136TA3854](#)



REF [135TA1837](#)




REF [135TA1898](#)






used for: **FANTUZZI**

type A
3-bolt fixing



type B
2-bolt fixing




type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	60,5	17	21,5	17				166		128TA3546
	A	63,5	15	16	15				165	V	128TA3469
	A	64,5	16,5	16	15		71		166	V	128TA3564
	A	81,5	12,5	12,5	12,5	38	74	12	150	V	105TA5552
24	A	82	14	14	14				159,6	V	128TA3684
	A	101	14	13,5	14				198	V	128TA3808
	A	102	14	14	14				197	V	136TA3834
	B		51		14				171	V	128TA3598
	B		51		25,7				195	V	128TA3536




used for: **FANTUZZI**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
24	B		77		21				184	V	128TA3706
28	B		50,7		21				171	V	136TA3840




REF [128TA3706](#)



REF [136TA3840](#)



used for: FENWICK & PEG



voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	66	27	4	11	30	72,5	12,5	163	V	128TA3852
	A	66	27,3	4	11,2	29	73	10	162	V	116TA7357
	A	69	27	12	11	29,5	70	11,5	141	V	103TA3653
	A	70,8	17	12	18		72,5	11	164	V	135TA1772
	A	81	56,5	20	56,5	32	79,5	14	147	V	105TA5554
	A	81,5	12,5	12,5	12,5	38	74	12	150	V	105TA5557
	A	82,8	11,3	12,3	11,3	32	64	12	150	V	128TA3732
	A	83,5	12	12	12,4	33	63,8	12	148	V	128TA3793
	A	84,5	10,5	10,5	10,5				148	V	124TA6701




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **FENWICK & PEG**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		51		16,5				167	V	105TA5553
	B		56		10	28	72,5	11	144	V	105TA5556
	B		56,2		20	61	67,5	11	155	V	135TA1860
	B	68	27	9,5	11	38,5	60	20	169	V	107TA9548



REF [105TA5553](#)



REF [105TA5556](#)



REF [135TA1860](#)





REF [107TA9548](#)





used for: **GENIE**

type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm) X	dimension (mm) L1	dimension (mm) L2	dimension (mm) L3	dimension (mm) Y	dimension (mm) D2	dimension (mm) W	dimension (mm) C	regulator REG	reference new
12	B		15		13	39	74,5	14	155,5	V	135TA1872
	B		21,5		16	32	76	14	140	V	135TA1730
	B		24,4		15,8	57	63	10	138	V	128TA3868
48	A	100	9	13	9	39	77	19	228,7	V	135TA1894




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


used for: **HANGZHOU / HC / HANGCHA**

ALTERNATORS

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	80	13	13	13	37	69	10	155	V	135TA1761
	A	80	13	13	13	44	82	17	155	V	136TA3799
	A	80,5	13	13	13,5	57	84,5	33	175,5	V	135TA1780
	A	80,5	14,5	13,5	14,5	37	72	12	157	V	135TA1755
	A	82	12,5	12,5	13	40	69	10	155	V	135TA1701
	A	82	13	13	13	56	84	33	175	V	135TA1711
	B		59,5		16	41,5	80	15	160	V	135TA1886
24	A	80	13	12,5	13	55,5	84	31	174	V	135TA1695
	A	86	14	14	14,2	67,5	84	39	222	V	135TA1795



REF [135TA1761](#)



REF [136TA3799](#)



REF [135TA1780](#)



REF [135TA1755](#)



REF [135TA1701](#)



REF [135TA1711](#)



REF [135TA1886](#)





REF [135TA1695](#)



REF [135TA1795](#)



used for: **HANGZHOU / HC / HANGCHA**


type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
24	B		59		15,5	40	79,5	13	159,7		135TA1900




used for: HARLAN

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types



voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		51		17,5	34	65	12	168		136TA3775



REF [136TA3775](#)



used for: **HAULOTTE**


type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm) X	dimension (mm) L1	dimension (mm) L2	dimension (mm) L3	dimension (mm) Y	dimension (mm) D2	dimension (mm) W	dimension (mm) C	regulator REG	reference new
12	B		56		56				155	V	136TA3822




used for: HEDEN - DANTRUCK

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	81,5	12,5	12,5	12,5	38	74	12	150	V	105TA5575





used for: HELI

type A 3-bolt fixing	type B 2-bolt fixing	type S special types
--------------------------------	--------------------------------	--------------------------------

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	80	13	13	13	37	69	10	155	V	135TA1762
	A	80	13	20	13	46	82	16	168	V	135TA1929
	A	80,5	13	13	13	40,5	77	13	175	V	135TA1828
	A	80,5	14,5	13,5	14,5	37	72	12	157	V	135TA1756
	A	82	12,5	12,5	13	40	69	10	155	V	135TA1703
	B		24		16	33	62,8	11	140	V	135TA1877
24	A	70	16	16	16	76,5	82	35,5	196	V	136TA3782
	A	70,5	16	16	16	75,5	82	38	224	V	136TA3792
	A	80,5	14,8	13	14,6	37,5	72	12	155	V	135TA1757




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **HYSTER**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	41	16,5	13	13	33,5	68	14	145	V	128TA3572
	A	64,5	16,5	12	16,5	47,5	67	23	155	V	128TA3855
	A	65,5	13	14	13	40	74	12	175		135TA1743
	A	66,5	12	12	12	39	68,5	14	142	V	103TA3633
	A	67	20	12	16	40	76	16	156	V	128TA3942
	A	67	20	12	16	41	75	17	156	V	135TA1738
	A	67	20	12	16	42	75	17	155	V	136TA3781
	A	67,3	20	12	16,3	32,5	69	12	155,5	V	128TA3667
	A	75,5	12	12	12	42	72	14	180		116TA7307



REF [128TA3572](#)



REF [128TA3855](#)



REF [135TA1743](#)



REF [103TA3633](#)



REF [128TA3942](#)



REF [135TA1738](#)



REF [136TA3781](#)



REF [128TA3667](#)



REF [116TA7307](#)

ALTERNATORS


For all our latest catalogue updates and company info: www.tvh.com




ALTERNATORS

used for: **HYSTER**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	78	12,8	13	13	39	68	12	175	V	135TA1849
	A	80	13	13	13	38,5	68	14	175	V	103TA3672
	A	80	13	13	13	38,5	69	10	156	V	128TA3756
	A	80	13	13	13	39,3	78,6	14	157	V	135TA1774
	A	80	13	13	13	40	72,5	13	155	V	135TA1763
	A	80,1	13,1	13,1	13,1	40	73,4	12,5	155		105TA5580
	A	80,5	13	13	13	37	73,5	13	155		128TA3502
	A	80,5	13	13	13	39	85	16	173	V	116TA7354
	A	80,5	13	13,5	13,5	39	74	14	174	V	103TA3707



REF [135TA1849](#)



REF [103TA3672](#)



REF [128TA3756](#)



REF [135TA1774](#)



REF [135TA1763](#)



REF [105TA5580](#)



REF [128TA3502](#)



REF [116TA7354](#)



REF [103TA3707](#)




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **HYSTER**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	80,5	13,5	13,5	13	40	73	13,5	155	V	136TA3772
	A	80,5	14	20	14				149		135TA1913
	A	80,5	14,5	13,5	14,5	37	72	12	157	V	111TA1141
	A	81	25	12	22	27	72,5	14	174	V	105TA5894
	A	81,5	10,4	10	10				143	V	116TA7334
	A	81,5	12,5	12,5	12,5	38	74	12	150	V	136TA3816
	A	81,5	13	16	13	38	74	14	158	V	103TA3640
	A	81,5	13,5	13	13	38	74	14	157	V	124TA6674
	A	82	12,5	12,5	13	40	69	10	155	V	135TA1699



REF [136TA3772](#)



REF [135TA1913](#)



REF [111TA1141](#)



REF [105TA5894](#)



REF [116TA7334](#)



REF [136TA3816](#)



REF [103TA3640](#)



REF [124TA6674](#)





REF [135TA1699](#)





used for: HYSTER

type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	82	13	13	12	40,7	72	12	176	V	105TA5582
	A	82,5	14	15	14				150	V	135TA1812
	A	82,7	14	16	17,5				140	V	128TA3830
	A	82,8	11,3	12,3	11,3	32	64	12	150	V	135TA1816
	A	83	11	12	11				150	V	135TA1847
	A	83	11	12,5	11	38	74	12	148	V	135TA1741
	A	83	11	14	11				150	V	135TA1768
	A	83	11,3	12	11	38,5	83,5	15	150	V	135TA1845
	A	83	11,3	12	11,3	32,5	81,5		149	V	135TA1814




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **HYSTER**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	83,3	11,2	11,5	11,3	32,5	63,8	12	148,5	V	135TA1786
	A	83,5	11,5	12	11,2	33,4	74	12	150	V	135TA1819
	A	101,5	14,5	14	14,5				215	V	103TA3784
	A	102	14	13,5	14				215	V	103TA3658
	B		16,6		14,2	51,5	65	14	132		135TA1789
	B		21		16	32	69,3	12,5	154	V	135TA1940
	B		21		16	33,5	70	14	154	V	128TA3849
	B		27,5		16	42	76	14	175	V	107TA9429
	B		50,6		15,8				172	V	135TA1890



REF [135TA1786](#)



REF [135TA1819](#)



REF [103TA3784](#)



REF [103TA3658](#)



REF [135TA1789](#)



REF [135TA1940](#)



REF [128TA3849](#)





REF [107TA9429](#)



REF [135TA1890](#)



used for: HYSTER

type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		50,7		16,5	52,5	86	30,6	165	V	116TA7405
	B		50,8		15,7				170	V	128TA3886
	B		50,8		16				170	V	135TA1871
	B		50,8		16	46,5	72	26,5	165	V	135TA1807
	B		51		11,5				164	V	135TA1766
	B		51		11,5				165	V	105TA5896
	B		51		12	41	69	17,5	155		135TA1715
	B		51		15				155	V	135TA1719
	B		51		15	34	66	12	170	V	103TA3683




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **HYSTER**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		51		16				165	V	128TA3458
	B		51		16,2				171	V	135TA1747
	B		51		16,4	44	67	23	165	V	124TA6687
	B		51		16,5				167	V	128TA3445
	B		51		16,5	34	57,5	10	168	V	105TA5579
	B		51		16,5	45,5	61,5	24,3	137	V	103TA3648
	B		51		16,6	49	69	25,3	165	V	124TA6693
	B		51		17,5	34	65	12	168		105TA5578
	B		56		16,5				173	V	116TA7299



REF [128TA3458](#)



REF [135TA1747](#)



REF [124TA6687](#)



REF [128TA3445](#)



REF [105TA5579](#)



REF [103TA3648](#)



REF [124TA6693](#)



REF [105TA5578](#)




REF [116TA7299](#)






used for: HYSTER

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		58		16	53	82	16,5	165	V	128TA3633
	B		58		16	54,5	56,5	23,5	152	V	128TA3931
	B		76		21				174	V	103TA3652
	B		76,5		13,5	45	72	14	175	V	128TA3717
24	A	80	13	12,5	13	55,5	84	31	174	V	135TA1696
	A	81	13	13	14,5	44,5	84	18,5	175	V	128TA3465
	A	81,5	13,5	13	14,2	44	70	16,5	189	V	128TA3653
	A	82	14	14	14				159,6	V	135TA1791
	A	83,5	14,5	15	14				148	V	135TA1869



REF [128TA3633](#)



REF [128TA3931](#)



REF [103TA3652](#)



REF [128TA3717](#)



REF [135TA1696](#)



REF [128TA3465](#)



REF [128TA3653](#)



REF [135TA1791](#)



REF [135TA1869](#)




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **HYSTER**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
24	A	101	14	13,5	14				198	V	124TA6705
	A	101	14	13,5	14				198	V	128TA3921
	A	101,5	14	14	14				198,5	V	135TA1949
	A	101,5	15	14	15				197	V	105TA5586
	B		76		21				175	V	103TA3687
	B		76		21				180	V	103TA3706
	B		77		21				184	V	135TA1805



REF [124TA6705](#)



REF [128TA3921](#)



REF [135TA1949](#)



REF [105TA5586](#)



REF [103TA3687](#)



REF [103TA3706](#)




REF [135TA1805](#)






used for: HYUNDAI

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	48	13	13	13	37	67,5	12	177	V	124TA6618
	A	48,2	12,8	12,8	12,8	36,5	68	10	154	V	128TA3745
	A	54,8	13	13	13		61,8	16	173		136TA3844
	A	67	19,8	15,4	12	32,2	69,6	12,5	154	V	124TA6638
	A	78	12,8	13	13	39	68	12	175	V	124TA6582
	A	80	13	13	13	44	82	17	155	V	124TA6753
	A	80,5	13	12,8	13	43,5	88	17,5	174	V	106TA5146
	A	81,5	12	13	12	44	82	16,5	146	V	128TA3746
	A	82	12,5	12,5	13	40	69	10	155	V	135TA1702



REF [124TA6618](#)



REF [128TA3745](#)



REF [136TA3844](#)




REF [124TA6638](#)



REF [124TA6582](#)



REF [124TA6753](#)



REF [106TA5146](#)



REF [128TA3746](#)



REF [135TA1702](#)




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **HYUNDAI**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		21,3		15,5	35	74,5	14	138	V	136TA3814
	B		21,3		16	33	63	12	147	V	135TA1843
	B		24		16,5	30,5	74	14	138	V	105TA5573
	B		29		17	45	74	12	155	V	136TA3831
	B		51		16,5				167	V	105TA5571
	B		59,5		16	41,5	80	15	160	V	136TA3841
24	A	70	16	16	16	76,5	82	35,5	196	V	105TA5572
	A	80,4	13	12,8	14,5	45	84	17	175	V	124TA6726
	A	80,8	18,1	13	18,2	43	104	23	190	V	103TA3733



REF [136TA3814](#)



REF [135TA1843](#)



REF [105TA5573](#)



REF [136TA3831](#)



REF [105TA5571](#)



REF [136TA3841](#)



REF [105TA5572](#)



REF [124TA6726](#)




REF [103TA3733](#)




used for: HYUNDAI

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
24	A	81	14,5	13	14,5	44	84	18,5	155	V	135TA1691
	A	82	13	13	13	46,5	77	16	155	V	105TA5574
	A	82	13	13	13	54,5	79	29	175	V	128TA3900
	A	101	14	13,5	14				198	V	116TA7356
	A	101,5	14,5	13,5	14,5				197	V	128TA3817
	A	101,5	15	14	15				197	V	116TA7324
	A	102	14	14	14				198	V	135TA1934



REF [135TA1691](#)



REF [105TA5574](#)



REF [128TA3900](#)



REF [116TA7356](#)



REF [128TA3817](#)



REF [116TA7324](#)



REF [135TA1934](#)




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **JCB**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	80	13	13	13	38,5	68	14	175	V	135TA1742
	A	80,8	14,3	19,8	14,2	46	60,7	30	129	V	128TA3892
	A	81	14	20	14	46	61	32,5	128	V	128TA3894
	A	81	14	20	18				140	V	128TA3768
	A	81,5	12	13	12	37,2	74	12	149	V	128TA3773
	A	81,5	12,5	12,5	12,5	38	74	12	150	V	128TA3801
	A	82	10	20	10	43	74	13	144	V	136TA8345
	A	82	11	20,5	11				150	V	136TA3866
	A	82	11,5	11,4	11,5				148	V	135TA1885



REF [135TA1742](#)



REF [128TA3892](#)



REF [128TA3894](#)



REF [128TA3768](#)



REF [128TA3773](#)



REF [128TA3801](#)



REF [136TA8345](#)



REF [136TA3866](#)




REF [135TA1885](#)






used for: **JCB**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	82,5	14,3	15,8	17,7	33,8	73	13	140		135TA1853
	A	82,7	14	16	17				140	V	128TA3821
	A	82,7	14	16	17,5				140	V	128TA3832
	A	84	12,4	12	12,5				150	V	128TA3818
	A	85,3	14,2	14,2	14,2	78,5	82	36	224		135TA1881
	A	87,5	9,8	10	10				142	V	135TA1794
	B		51		16,2	32,5	69,4	12	172	V	128TA3864
24	A	82	14	14	14				159,6	V	128TA3682
	A	101	14,5	14	14				198	V	136TA3864



REF [135TA1853](#)



REF [128TA3821](#)



REF [128TA3832](#)



REF [128TA3818](#)



REF [135TA1881](#)



REF [135TA1794](#)



REF [128TA3864](#)



REF [128TA3682](#)



REF [136TA3864](#)


ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


ALTERNATORS

used for: **JLG**

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	82,5	14	15	14				150	V	128TA3725
	A	82,5	14	16	17	34	73	13	140	V	136TA3859
	B		24,2		16	30	74	13	140	V	136TA3807
	B		24,2		16	30	74,5	12	137	V	128TA3930
	B		24,4		15,8	57	63	10	138	V	136TA3803
	B		56		10				144	V	124TA6627
	B		56		10	45			143,5	V	136TA3843
	B		56		56				155	V	135TA1836



REF [128TA3725](#)



REF [136TA3859](#)



REF [136TA3807](#)



REF [128TA3930](#)



REF [136TA3803](#)



REF [124TA6627](#)



REF [136TA3843](#)





REF [135TA1836](#)





used for: JUNGHEINRICH-STEINBOCK

type A 3-bolt fixing 	type B 2-bolt fixing 	type S special types
--	---	--------------------------------

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	65,5	27	4	11	38	85,5	10	162	V	135TA1889
	A	80	13	13	13	38	68	14	175	V	105TA5595
	A	80	13	13	13	38,5	69	10	156	V	128TA3759
	A	80	13	13	13	39,3	78,6	14	157	V	128TA3637
	A	80,5	13	13	13	37	73,5	13	155		128TA3582
	A	80,5	13,5	13,5	13	40	73	13,5	155	V	133TA4124
	A	80,5	14,5	13,5	14,5	37	72	12	157	V	111TA1125
	A	81	10	15	10,5	33	85,5	12,5	147,5	V	136TA3856
	A	81	13	13	13	38,5	78,5	14,5	175	V	136TA3813




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


used for: **JUNGHEINRICH-STEINBOCK**

ALTERNATORS

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	81	13	13	13	43,8	93,5	19,5	155	V	107TA9448
	A	81	14	20	18				140	V	135TA1821
	A	81	14,5	13	14,5	41,5	93,5	18	155	V	128TA3658
	A	81	25	12	22	27	72,5	14	174	V	116TA7319
	A	81,5	12,5	12,5	12,5	38	74	12	150	V	116TA7345
	A	81,5	13	16	13	38	74	14	158	V	116TA7338
	A	81,5	13,5	13	13	38	74	14	157	V	108TA4269
	A	82	10	20	10	43	74	13	144	V	135TA1925
	A	82	13	13	13	45	93,5	16,5	174	V	135TA1750



REF [107TA9448](#)



REF [135TA1821](#)



REF [128TA3658](#)



REF [116TA7319](#)



REF [116TA7345](#)



REF [116TA7338](#)



REF [108TA4269](#)



REF [135TA1925](#)




REF [135TA1750](#)





used for: JUNGHEINRICH-STEINBOCK



voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	A	83,5	11	11,5	11,5	34,5	63,8	12	148	V	105TA5742
	A	88	10	20	10	37	90	12	144	V	135TA1947
	A	98	13	13	12	64,5			174		103TA3739
	B		21		16	32	62,8	11	138	V	135TA1883
	B		27,5		16	42	76	14	175	V	105TA5591
	B		51		15	34	66	12	170	V	128TA3553
	B		51		15,5				171		128TA3916
	B		51		16,5				167	V	116TA7244
	B		51		16,5	32	69,5	10,5	172	V	124TA6725




ALTERNATORS

For all our latest catalogue updates and company info: www.tvh.com


used for: **JUNGHEINRICH-STEINBOCK**

ALTERNATORS

type A
3-bolt fixing



type B
2-bolt fixing



type S
special types

voltage (volt)	type	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	dimension (mm)	regulator	reference new
U	TY	X	L1	L2	L3	Y	D2	W	C	REG	
12	B		51		51	46	61	22	138	V	135TA1938
	B		56		10				143	V	116TA7282
	B		56		10				144	V	116TA7342
	B		56		16,5				173	V	116TA7301
24	A	64	17	13,3	17	36,5			183	V	135TA1897
	A	96	14	14	14,2	48	85	16	175	V	110TA9056
	B		56		12	27	72,5	11	144	V	105TA5743
	B		77		21				184	V	128TA3704



REF [135TA1938](#)



REF [116TA7282](#)



REF [116TA7342](#)



REF [116TA7301](#)



REF [135TA1897](#)



REF [110TA9056](#)



REF [105TA5743](#)



REF [128TA3704](#)