



FRONT LIGHTS

FRONT LIGHTS



FRONT LIGHTS

NICE TO KNOW – FRONT LIGHTS



Front lights have a double function: they make sure that the vehicle is seen, while simultaneously making sure that the driver can see better.

They illuminate the surface in front of the vehicle by means of a bulb, mirror and lens. The beam of the dimmed headlights is directed downwards to prevent oncoming vehicles from being blinded.


Front lights are sometimes built into the machine, but they can also be installed on the machine.

Front lights are available in different shapes or models and technologies. There are front lights available with just one function, but there are also front lights that have multiple functions. These models are equipped with an indicator light, parking light, dimmed headlight or high-beam headlight, or a combination of these.

FRONT LIGHTS



FRONT DRIVING LIGHTS




REF 151TA3285 – 12-48V without connector

REF **151TA3269** - 12-48V with connector F3

- Technology: LED
- Mounting: 2 bolts
- Wire length: 185 mm
- Functions: parking, turn
- IP67

E-approved


TOTAL SOURCE®
BRAND: SPEAKER



REF 151TA3212 - 24V

- Technology: incandescent
- Mounting: pedestal
- Wire length: 200 mm
- Functions: parking, dimmer
- Bulb included
- Connector: A3

REF 100TA2281 – Bulb: P15D 24V 62W/62W

TOTAL SOURCE[®]

REF 151TA3213 - 48V

- Technology: incandescent
- Mounting: pedestal
- Wire length: 230 mm
- Function: dimmer
- Bulb included
- Connector: 2 x G1

REF 103TA4632 – Bulb: BA15S 48V 45W

REF 151TA3214 – Replacement lens


REF 151TA3152 – Bracket

TOTAL SOURCE®

FRONT LIGHTS



FRONT DRIVING LIGHTS



REF 151TA3305 - 12V LH


REF 151TA3306 - 12V RH

- Technology: halogen/incandescent
- Mounting: built-in
- Wire length: 150 mm
- Functions: parking, dimmer, turn
- Bulbs included
- Used for Toyota 7 series new model
- Connector: K6

REF 122TA9117 – Bulb: BA9S 12V 5W

REF 122TA9122 – Bulb: BA15S 12V 21W orange

REF 103TA4525 - Bulb: H3 12V 55W

TOTAL SOURCE[®]

REF 151TA3154 - 12V LH


REF 151TA3155 - 12V RH

- Technology: halogen/incandescent
- Mounting: built-in
- Wire length: 220 mm
- Functions: parking, dimmer, turn
- Bulbs included
- Used for Toyota 7 series old model
- Connector: F3, B2

REF 122TA9117 – Bulb: BA9S 12V 5W

REF 122TA9122 – Bulb: BA15S 12V 21W orange

REF 103TA4525 - Bulb: H3 12V 55W

TOTALSOURCE®

REF 152TA2445 - 12V LH

REF 148TA4739 - 12V RH

- Technology: halogen/incandescent
- Mounting: built-in
- Wire length: 100 mm
- Functions: parking, dimmer, turn
- Bulbs included
- Used for Toyota 7 series new model
- Connector: C3, L2

REF 103TA4555 – Bulb: W2.1x9.5D 12V 5W

REF **140TA8980** – Bulb: BAU15S 12V 21W orange

REF 103TA4525 - Bulb: H3 12V 55W

TOTALSOURCE®

FRONT LIGHTS




FRONT DRIVING LIGHTS

FRONT LIGHTS


- REF 151TA3278** – 48V LH
REF 151TA3277 – 48V RH
- Technology: incandescent
 - Mounting: support
 - Wire length: 230 mm
 - Functions: dimmer, turn signal
 - Bulbs included
 - Connector: L4

- REF 123TA7992** – Bulb: BAY15D 48V 25W
REF 103TA4636 – Bulb: BAY15D 48V 40W
REF 151TA3209 – Support
REF 151TA3207 – Clear lens
REF 151TA3208 – Amber lens



TOTALSOURCE®

- REF 151TA3316** – LH
REF 151TA3317 – RH
- Technology: halogen/incandescent
 - Mounting: 4-point fixing (internal)
 - 12-24V
 - Bulbs not included

- REF 106TA4826** – Bulb: P45T-41 12V 45/40W
REF 103TA4574 – Bulb: BA9S 12V 2W
REF 103TA4576 – Bulb: BA9S 24V 2W
REF 106TA4827 – Bulb: P45T-41 24V 55/50W


COBOO®
group
E-approved

- REF 151TA3301** – 12V Deutsch connection
REF 151TA3302 – 24V Deutsch connection
REF 151TA3303 – 12V AMP-connection
REF 151TA3304 – 24V AMP-connection
- Technology: halogen/incandescent
 - Mounting: support
 - Functions: parking, dimmer, turn
 - Bulbs included
- REF 103TA4572** – Bulb: BA9S 12V 4W
REF 140TA8980 – Bulb: BAU15S 12V 21W orange
REF 106TA4908 – Bulb: H7 12V 55W
REF 106TA4840 – Bulb: BA9S 24V 4W
REF 140TA8979 – Bulb: BAU15S 24V 21W orange
REF 106TA4909 – Bulb: H7 24V 70W


**Deutsch
connector**

**AMP
connector**

E-approved


FRONT LIGHTS



FRONT LIGHTS

FRONT DRIVING LIGHTS

REF [151TA3292](#) – 12V

REF [151TA3294](#) – 24V

- Technology: halogen/incandescent
- Mounting: single bolt
- Functions: parking, dimmer, head, turn
- Bulbs included

REF [103TA4572](#) – Bulb: BA9S 12V 4W

REF [100TA2215](#) – Bulb: BA15S 12V 21W


REF [106TA4825](#) – Bulb: H4 12V 60/55W

REF [106TA4840](#) – Bulb: BA9S 24V 4W

REF [103TA4603](#) – Bulb: BA15S 24V 21W

REF [106TA4822](#) – Bulb: H4 24V 75/70W

REF [150TA4754](#) – Turn indicator lens



E-approved

ABL


REF [151TA3273](#) – 12V

- Technology: halogen/incandescent
- Mounting: single bolt
- Wire length: 280 mm
- Functions: parking, dimmer, head, turn
- Bulbs included
- Connector: K6

REF [103TA4572](#) – Bulb: BA9S 12V 4W

REF [100TA2215](#) – Bulb: BA15S 12V 21W

REF [123TA8012](#) – Bulb: H4 12V 60/55W



E-approved

TOTAL SOURCE®

REF [151TA3210](#) – 12V LH

REF [151TA3211](#) – 12V RH

- Technology: halogen/incandescent
- Mounting: single bolt
- Functions: parking, dimmer, head, turn
- Bulbs included
- Connector: E5

REF [103TA4572](#) – Bulb: BA9S 12V 4W


REF [100TA2215](#) – Bulb: BA15S 12V 21W

REF [103TA4525](#) – Bulb: H3 12V 55W

REF [106TA4909](#) – Bulb: H7 12V 55W

REF [150TA3160](#) – Indicator lens

REF [148TA5529](#) – Front light lens



TOTAL SOURCE®

FRONT LIGHTS



FRONT DRIVING LIGHTS

REF 151TA3159 - 12V LH

REF 151TA3160 - 12V RH

- Technology: halogen/incandescent
- Mounting: single bolt
- Functions: parking, dimmer, head, turn
- Bulbs included
- Connector: O6 built-in

REF 103TA4572 – Bulb: BA9S 12V 4W


REF 100TA2215 – Bulb: BA15S 12V 21W

REF 103TA4525 – Bulb: H3 12V 55W

REF 106TA4909 – Bulb: H7 12V 55W

REF 148TA5529 – Front light lens

REF 150TA3160 – Indicator lens



E-approved

Left-driving traffic

TOTAL SOURCE[®]

REF 151TA3197 - 12V LH

REF 151TA3198 - 12V RH

- Technology: halogen/incandescent
- Mounting: single bolt
- Functions: parking, dimmer, head, turn
- Bulbs included
- Connector: C6 built-in


REF 103TA4575 – Bulb: BA9S 12V 4W

REF 100TA2215 – Bulb: BA15S 12V 21W

REF 103TA4525 – Bulb: H3 12V 55W

REF 163TA8798 - Bulb: H7 12V 55W

REF 150TA4544 – Replacement headlight glass



E-approved



REF 151TA3279 – 12V LH

REF 151TA3280 - 12V RH

- Technology: halogen/incandescent
- Mounting: single bolt
- Functions: parking, dimmer, head, turn
- Bulbs included
- Connector: C6 built-in


REF 103TA4575 – Bulb: BA9S 12V 4W

REF 100TA2215 - Bulb: BA15S 12V 21W

REF 103TA4525 - Bulb: H3 12V 55W

REF 163TA8798 - Bulb: H7 12V 55W

REF 150TA4544 - Replacement headlight glass



E-approved

Left-driving traffic



FRONT LIGHTS




FRONT LIGHTS

FRONT DRIVING LIGHTS

- REF 151TA3200** – 12V LH
REF 151TA3201 – 12V RH
 · Technology: halogen/incandescent
 · Mounting: single bolt
 · Functions: parking, dimmer, head, turn
 · Bulbs included
 · Connector: E5


- REF 103TA4572** – Bulb: BA9S 12V 4W
REF 100TA2215 – Bulb: BA15S 12V 21W
REF 103TA4525 – Bulb: H3 12V 55W
REF 106TA4909 – Bulb: H7 12V 55W
REF 150TA3160 – Indicator lens
REF 148TA5529 – Front light lens



E-approved

- REF 151TA3202**
 · Technology: halogen/incandescent
 · Mounting: single bolt
 · Functions: dimmer, head, turn
 · 12-24V
 · Bulbs not included


- REF 103TA4575** – Bulb: BA9S 12V 4W
REF 103TA4530 – Bulb: H4 12V 60/55W
REF 106TA4840 – Bulb: BA9S 24V 4W
REF 123TA8013 – Bulb: H4 24V 75/70W
REF 148TA5581 – Replacement lens
REF 151TA3333 – Replacement lens amber



E-approved

- REF 151TA3156** – 12V LH
REF 151TA3157 – 12V RH
 · Technology: halogen/incandescent
 · Center distance: 60 mm
 · Functions: parking, dimmer, turn
 · Bulbs included

- REF 103TA4575** – Bulb: BA9S 12V 4W
REF 100TA2215 – Bulb: BA15S 12V 21W
REF 106TA4825 – Bulb: H4 12V 60/55W
REF 103TA4577 – Bulb: BA9S 24V 4W
REF 103TA4603 – Bulb: BA15S 24V 21W
REF 131TA4802 – Bulb: H4 24V 75/70W
REF 159TA9757 – Replacement lens amber
REF 150TA4948 – Replacement lens and cover



E-approved

FRONT LIGHTS



FRONT LIGHTS

FRONT DRIVING LIGHTS

REF **151TA3297** – 12V LH

REF **151TA3298** – 12V RH

REF **151TA3299** – 24V LH

REF **151TA3300** – 24V RH

- Technology: halogen/incandescent
- Mounting center distance: 60 mm
- Bulbs included
- Functions: parking, dimmer, turn

REF **103TA4575** – Bulb: BA9S 12V 4W

REF **100TA2215** – Bulb: BA15S 12V 21W

REF **106TA4825** – Bulb: H4 12V 60/55W


REF **103TA4577** – Bulb: BA9S 24V 4W

REF **103TA4603** – Bulb: BA15S 24V 21W

REF **131TA4802** – Bulb: H4 24V 75/70W

REF **159TA9757** – Replacement lens amber

REF **150TA4948** – Replacement lens and cover



COBOO
group

E-approved

REF **151TA3264** – 12V LH

REF **151TA3263** – 12V RH


- Technology: halogen/incandescent
- Mounting: single bolt
- Functions: parking, dimmer, head, turn
- Bulbs included
- Connector: C6 built-in

REF **103TA4575** – Bulb: BA9S 12V 4W

REF **122TA9113** – Bulb: BA15S 12V 21W

REF **103TA4525** – Bulb: H3 12V 55W

REF **106TA4908** – Bulb: H7 12V 55W



HELLA

E-approved

REF **151TA3286** – 12V

REF **151TA3287** – 24V

- Technology: halogen/incandescent
- Mounting: single bolt
- Functions: parking, dimmer, head, turn
- Bulbs included
- Connector: C6 built-in

REF **103TA4555** – Bulb: W2,1x9,5D 12V 5W


REF **140TA8980** – Bulb: BAU15S 12V 21W orange

REF **103TA4530** – Bulb: H4 12V 60/55W

REF **100TA2148** – Bulb: W 2,1x9,5D 24V 5W


REF **140TA8979** – Bulb: BAU15S 24V 21W orange

REF **100TA2105** – Bulb: H4 24V 75/70W



ABL

E-approved



FRONT LIGHTS




FRONT LIGHTS

FRONT DRIVING LIGHTS

REF 151TA3393 – 12V LH

REF 151TA3394 – 12V RH

- Technology: halogen/incandescent
- Mounting: single bolt
- Functions: parking, dimmer, head, turn signal
- Bulbs included
- Connector: D6 built-in



REF 103TA4575 – Bulb: BA9S 12V 4W

REF 140TA8980 – Bulb: BAU15S 12V 21W orange

REF 123TA8012 – Bulb: H4 12V 60W

E-approved

COBOO
group


REF 151TA3325 – 12V LH

REF 151TA3326 – 12V RH

REF 151TA3327 – 24V LH

REF 151TA3328 – 24V RH

- Technology: halogen/incandescent
- Center distance: 60 mm
- Functions: parking, dimmer, head, turn
- Bulbs included
- Connecteur: C6 built-in



REF 103TA4575 – Bulb: BA9S 12V 4W

REF 106TA4862 – Bulb: BA15S 12V 21W

REF 106TA4825 – Bulb: H4 12V 60/55W

REF 103TA4577 – Bulb: BA9S 24V 4W


REF 163TA8590 – Bulb: BA15S 24V 21W

REF 163TA8595 – Bulb: H4 24V 70/75W

REF 148TA4999 – Replacement lens headlight

E-approved

COBOO
group



REF 151TA3274 – 12V LH

REF 151TA3275 – 12V RH

- Technology: halogen/incandescent

- Center distance: 200 mm

- Functions: parking, dimmer, head, turn

- Bulbs included

- Connector: D6 built-in

REF 115TA4602 – Bulb: BA15S 12V 5W

REF 100TA2215 – Bulb: BA15S 12V 21W

REF 100TA2104 – Bulb: H4 12V 60/55W

E-approved

COBOO
group

FRONT LIGHTS




FRONT LIGHTS

FRONT DRIVING LIGHTS

REF 151TA3307 – 12V LH

REF 151TA3308 – 12V RH

- Technology: halogen/incandescent
- Mounting center distance: 60 mm
- Functions: parking, dimmer, turn
- Bulbs included
- Connector: C6 built-in



REF 103TA4670 – Bulb: R2 12V 45/40W

REF 122TA9116 – Bulb: BA9S 12V 4W


REF 100TA2215 – Bulb: BA15S 12V 21W

REF 151TA3309 – Mirror and lens



REF 151TA3158

- Technology: halogen/incandescent
- Mounting: pedestal
- 12-24V
- Functions: parking, dimmer, head
- Bulbs not included



REF 103TA4575 – Bulb: BA9S 12V 4W

REF 103TA4530 – Bulb: H4 12V 60/55W

REF 100TA2165 – Bulb: BA9S 24V 4W


REF 100TA2105 – Bulb: H4 24V 75/70W

E-approved



REF 151TA3215

- Technology: halogen/incandescent
- Mounting: pedestal
- 12-24V
- Functions: parking, dimmer, head
- Bulbs not included



REF 103TA4575 – Bulb: BA9S 12V 4W

REF 103TA4530 – Bulb: H4 12V 60/55W

REF 100TA2165 – Bulb: BA9S 24V 4W

REF 100TA2105 – Bulb: H4 24V 75/70W


E-approved



FRONT LIGHTS



FRONT DRIVING LIGHTS



REF 152TA2475


- Technology: halogen
- Mounting: pedestal
- 12-24V
- IP5K4K
- Bulb not included

REF 103TA4530 – Bulb: H4 12V 60/55W

REF 100TA2105 - Bulb: H4 24V 75/70W



E-approved



REF 151TA3395 – 12V LH blue

REF 151TA3396 - 12V RH blue

REF 151TA3397 - 12V LH red

REF 151TA3398 - 12V RH red

REF 151TA3399 - 12V LH black


REF **151TA3400** - 12V RH black

REF 151TA3401 – 12V LH white

REF **151TA3402** - 12V RH white

- Technology: incandescent
- Mounting: pedestal
- Wire length: 65 mm
- Functions: dimmer, head
- Bulb included

REF 122TA9136 – Bulb: P22D 12V 50/40W



REF 152TA2478 - 24V

- Technology: halogen
- Mounting: pedestal
- Functions: dimmer, head
- Bulb included

REF 100TA2105 – Bulb: H4 24V 75/70W



E-approved

FRONT LIGHTS




FRONT LIGHTS

FRONT DRIVING LIGHTS

REF 152TA2482

- Technology: halogen
- Mounting: pedestal
- Functions: dimmer, head
- 12-24V
- IP54
- Bulb not included

REF 103TA4530 – Bulb: H4 12V 60/55W**REF 100TA2105** – Bulb: H4 24V 75/70W**E-approved****ABL**